

Candidate Genetic Modifiers for Breast and Ovarian Cancer Risk in *BRCA1* and *BRCA2* Mutation Carriers

Paolo Peterlongo^{1,2}, Jenny Chang-Claude³, Kirsten B. Moysich⁴, Anja Rudolph³, Rita K. Schmutzler^{5,6,7}, Jacques Simard⁸, Penny Soucy⁸, Rosalind A. Eeles⁹, Douglas F. Easton¹⁰, Ute Hamann¹¹, Stefan Wilkening¹², Bowang Chen¹³, Matti A. Rookus¹⁴, Marjanka K. Schmidt¹⁵, Frederieke H. van der Baan¹⁴, Amanda B. Spurdle¹⁶, Logan C. Walker¹⁷, Felicity Lose¹⁶, Ana-Teresa Maia¹⁸, Marco Montagna¹⁹, Laura Matricardi¹⁹, Jan Lubinski²⁰, Anna Jakubowska²⁰, Encarna B. Gómez García²¹, Olufunmilayo I. Olopade²², Robert L. Nussbaum²³, Katherine L. Nathanson²⁴, Susan M. Domchek²⁴, Timothy R. Rebbeck²⁵, Banu K. Arun²⁶, Beth Y. Karlan²⁷, Sandra Orsulic²⁷, Jenny Lester²⁷, Wendy K. Chung²⁸, Alex Miron²⁹, Melissa C. Southey³⁰, David E. Goldgar³¹, Sandra S. Buys³², Ramunas Janavicius³³, Cecilia M. Dorfling³⁴, Elizabeth J. van Rensburg³⁴, Yuan Chun Ding³⁵, Susan L. Neuhausen³⁵, Thomas V.O. Hansen³⁶, Anne-Marie Gerdes³⁷, Bent Ejertsen³⁸, Lars Jønson³⁶, Ana Osorio^{39,40}, Cristina Martínez-Bouzas⁴¹, Javier Benitez^{39,42}, Edye E. Conway⁴³, Kathleen R. Blazer⁴⁴, Jeffrey N. Weitzel⁴⁵, Siranoush Manoukian⁴⁶, Bernard Peissel⁴⁶, Daniela Zaffaroni⁴⁶, Giulietta Scuvera⁴⁶, Monica Barile⁴⁷, Filomena Ficarazzi^{1,48}, Frederique Mariette^{1,48}, Stefano Fortuzzi^{1,48}, Alessandra Viel⁴⁹, Giuseppe Giannini⁵⁰, Laura Papi⁵¹, Aline Martayan⁵², Maria Grazia Tibiletti⁵³, Paolo Radice², Athanassios Vratimos⁵⁴, Florentia Fostira⁵⁴, Judy E. Garber⁵⁵, Alan Donaldson⁵⁶, Carole Brewer⁵⁷, Claire Foo⁵⁸, D. Gareth R. Evans⁵⁹, Debra Frost¹⁰, Diana Eccles⁶⁰, Angela Brady⁶¹, Jackie Cook⁶², Marc Tischkowitz⁶³, Julian Adlard⁶⁴, Julian Barwell⁶⁵, Lisa Walker⁶⁶, Louise Izatt⁶⁷, Lucy E. Side⁶⁸, M. John Kennedy^{69,70}, Mark T. Rogers⁷¹, Mary E. Porteous⁷², Patrick J. Morrison⁷³, Radka Platte¹⁰, Rosemarie Davidson⁷⁴, Shirley V. Hodgson⁷⁵, Steve Ellis¹⁰, and Trevor Cole⁷⁶, on behalf of EMBRACE¹⁰; Andrew K. Godwin⁷⁷, Kathleen Claes⁷⁸, Tom Van Maerken⁷⁸, Alfons Meindl⁷⁹, Andrea Gehrig⁸⁰, Christian Sutter⁸¹, Christoph Engel⁸², Dieter Niederacher⁸³, Doris Steinemann⁸⁴, Hansjoerg Plendl⁸⁵, Karin Kast⁸⁶, Kerstin Rhiem^{5,6,87}, Nina Ditsch⁸⁸, Norbert Arnold⁸⁹, Raymonda Varon-Mateeva⁹⁰, Barbara Wappenschmidt^{5,6,87}, Shan Wang-Gohrke⁹¹, Brigitte Bressac-de Paillerets^{92,93}, Bruno Buecher⁹⁴, Capucine Delnatte⁹⁵, Claude Houdayer^{94,96}, Dominique Stoppa-Lyonnet^{94,96,97}, Francesca Damiola⁹⁸, Isabelle Coupier^{99,100}, Laure Barjhoux¹⁰⁰, Laurence Venat-Bouvet¹⁰¹, Lisa Golmard⁹⁴, Nadia Boutry-Kryza¹⁰², Olga M. Sinilnikova^{98,102,†}, Olivier Caron¹⁰³, Pascal Pujol^{99,104}, Sylvie Mazoyer⁹⁸, and Muriel Belotti⁹⁴, on behalf of GEMO Study Collaborators¹⁰⁵; Marion Piedmonte¹⁰⁶, Michael L. Friedlander¹⁰⁷, Gustavo C. Rodriguez¹⁰⁸, Larry J. Copeland¹⁰⁹, Miguel de la Hoya¹¹⁰, Pedro Perez Segura¹¹¹, Heli Nevanlinna^{112,113}, Kristiina Aittomäki¹¹⁴, Theo A.M. van Os¹¹⁵, Hanne E.J. Meijers-Heijboer¹¹⁶, Annemarie H. van der Hout¹¹⁷, Maaïke P.G. Vreeswijk¹¹⁸, Nicole Hoogerbrugge¹¹⁹, Margreet G.E.M. Ausems¹²⁰, Helena C. van Doorn¹²¹, and J. Margriet Collée¹²², on behalf of HEBON¹⁴; Edith Olah¹²³, Orland Diez^{124,125,126,127}, Ignacio Blanco¹²⁸, Conxi Lazaro¹²⁹, Joan Brunet¹³⁰, Lidia Feliubadaló¹³¹, Cezary Cybulski²⁰, Jacek Gronwald²⁰, Katarzyna Durda²⁰, Katarzyna Jaworska-Bieniek²⁰, Grzegorz Sukiennicki²⁰, Adalgeir Arason^{131,132}, Jocelyne Chiquette¹³³, Manuel R. Teixeira^{134,135}, Curtis Olswold¹³⁶, Fergus J. Couch¹³⁷, Noralane M. Lindor¹³⁸, Xianshu Wang¹³⁹, Csilla I. Szabo¹⁴⁰, Kenneth Offit¹⁴¹, Marina Corines¹⁴², Lauren Jacobs¹⁴², Mark E. Robson¹⁴¹, Liying Zhang¹⁴³, Vijai Joseph¹⁴¹, Andreas Berger¹⁴⁴, Christian F. Singer¹⁴⁴, Christine Rappaport¹⁴⁴, Daphne Geschwantler Kaulich¹⁴⁴, Georg Pfeiler¹⁴⁴, Muy-Kheng M. Tea¹⁴⁴, Catherine M. Phelan¹⁴⁵, Mark H. Greene¹⁴⁶, Phuong L. Mai¹⁴⁶, Gad Rennert¹⁴⁷, Anna Marie Mulligan^{148,149}, Gord Glendon¹⁵⁰, Sandrine Tchatchou¹⁵¹, Irene L. Andrulis^{151,152}, Amanda Ewart Toland¹⁵³, Anders Bojesen¹⁵⁴, Inge Sokilde Pedersen¹⁵⁵, Mads Thomassen¹⁵⁶, Uffe Birk Jensen¹⁵⁷, Yael Laitman¹⁵⁸, Johanna Rantala¹⁵⁹, Anna von Wachenfeldt¹⁶⁰, Hans Ehrencrona^{161,162}, Marie Stenmark Askmal¹⁶³, Åke Borg¹⁶⁴, Karoline B. Kuchenbaecker¹⁰, Lesley McGuffog¹⁰, Daniel Barrowdale¹⁰, Sue Healey¹⁶, Andrew Lee¹⁰, Paul D.P. Pharoah¹⁶⁵, Georgia Chenevix-Trench¹⁶, on behalf of KConFab Investigators¹⁶⁶; Antonis C. Antoniou¹⁰, and Eitan Friedman¹⁵⁸

Abstract

Background: *BRCA1* and *BRCA2* mutation carriers are at substantially increased risk for developing breast and ovarian cancer. The incomplete penetrance coupled with the variable age at diagnosis in carriers of the same mutation suggests the existence of genetic and nongenetic modifying factors. In this study, we evaluated the putative role of variants in many candidate modifier genes.

Methods: Genotyping data from 15,252 *BRCA1* and 8,211 *BRCA2* mutation carriers, for known variants ($n = 3,248$) located within or around 445 candidate genes, were available through the iCOGS custom-designed array. Breast and ovarian cancer association analysis was performed within a retrospective cohort approach.

Results: The observed P values of association ranged between 0.005 and 1.000. None of the variants was significantly associated with breast or ovarian cancer risk in either *BRCA1* or *BRCA2* mutation carriers, after multiple testing adjustments.

Conclusion: There is little evidence that any of the evaluated candidate variants act as modifiers of breast and/or ovarian cancer risk in *BRCA1* or *BRCA2* mutation carriers.

Impact: Genome-wide association studies have been more successful at identifying genetic modifiers of *BRCA1/2* penetrance than candidate gene studies. *Cancer Epidemiol Biomarkers Prev*; 24(1): 308–16. ©2014 AACR.

¹IFOM, Fondazione Istituto FIRC di Oncologia Molecolare, Milan, Italy. ²Unit of Molecular Bases of Genetic Risk and Genetic Testing, Department of Preventive and Predictive Medicine, Fondazione IRCCS Istituto Nazionale Tumori (INT), Milan, Italy. ³Division of Cancer Epidemiology, German Cancer Research Center (DKFZ), Heidelberg, Germany. ⁴Department of Cancer Prevention and Control, Roswell Park Cancer Institute, Buffalo, New York. ⁵Center for Hereditary Breast and Ovarian Cancer, Medical Faculty, University Hospital Cologne, Germany. ⁶Center for Integrated Oncology (CIO), Medical Faculty, University Hospital Cologne, Germany. ⁷Center for Molecular Medicine Cologne (CMC), University of Cologne, Germany, on behalf of the German Consortium of Hereditary Breast and Ovarian Cancer (GC-HBOC). ⁸Centre Hospitalier Universitaire de Québec Research Center and Laval University, Quebec City, Canada. ⁹Oncogenetics Team, The Institute of Cancer Research and Royal Marsden NHS Foundation Trust, Surrey, United Kingdom. ¹⁰Centre for Cancer Genetic Epidemiology, Department of Public Health and Primary Care, University of Cambridge, United Kingdom. ¹¹Molecular Genetics of Breast Cancer, German Cancer Research Center (DKFZ), Heidelberg, Germany. ¹²Genomic Epidemiology, German Cancer Research Center (DKFZ), Heidelberg, Germany. ¹³Molecular Genetic Epidemiology, German Cancer Research Center (DKFZ), Heidelberg, Germany. ¹⁴Department of Epidemiology, Netherlands Cancer Institute, Amsterdam, the Netherlands. ¹⁵Division of Psychosocial Research and Epidemiology, Netherlands Cancer Institute, Amsterdam, the Netherlands. ¹⁶Department of Genetics and Computational Biology, QIMR Berghofer, Brisbane, Australia. ¹⁷Department of Pathology, University of Otago, Christchurch, New Zealand. ¹⁸Department of Biomedical Sciences and Medicine, Gambelas Campus, University of Algarve, Portugal. ¹⁹Immunology and Molecular Oncology Unit, Istituto Oncologico Veneto IOV - IRCCS, Padua, Italy. ²⁰Department of Genetics and Pathology, Pomeranian Medical University, Szczecin, Poland. ²¹Department of Clinical Genetics, MUMC, Maastricht, the Netherlands. ²²Center for Clinical Cancer Genetics, Department of Medicine and Human Genetics, University of Chicago Medical Center, Chicago, Illinois. ²³Department of Medicine and Institute for Human Genetics, University of California, San Francisco, San Francisco, California. ²⁴Department of Medicine, Abramson Cancer Center, Perelman School of Medicine at the University of Pennsylvania, Philadelphia, Pennsylvania. ²⁵Department of Epidemiology and Biostatistics, Abramson Cancer Center, Perelman School of Medicine at the University of Pennsylvania, Philadelphia, Pennsylvania. ²⁶University of Texas MD Anderson Cancer Center, Houston, Texas. ²⁷Women's Cancer Program at the Samuel Oschin Comprehensive Cancer Institute, Cedars-Sinai Medical Center, Los Angeles, California. ²⁸Departments of Pediatrics and Medicine, Columbia University, New York, New York. ²⁹Department of Genetics and Genomics at Case Western Reserve Medical School, Cleveland, Ohio. ³⁰Genetic Epidemiology Laboratory, Department of Pathology, University of Melbourne, Parkville, Australia. ³¹Department of Dermatology, University of Utah School of Medicine, Salt Lake City, Utah. ³²Department of Oncological Sciences, Huntsman Cancer Institute, University of Utah School of Medicine, Salt Lake City, Utah. ³³Vilnius University Hospital Santariskiu Clinics, Hematology, Oncology, and Transfusion Medicine Center, Dept. of Molecular and Regenerative Medicine; State Research Institute Centre for Innovative Medicine, Vilnius, Lithuania. ³⁴Department of Genetics, University of Pretoria, Pretoria, South Africa. ³⁵Department of Population Sciences, Beckman Research Institute of City of Hope, Duarte, California. ³⁶Center for Genomic Medicine, Rigshospitalet, Copenhagen University Hospital, Copenhagen, Denmark. ³⁷Department of Clinical Genetics, Rigshospitalet, Copenhagen University Hospital, Copenhagen, Denmark. ³⁸Department of Oncology, Rigshospitalet, Copenhagen University Hospital, Copenhagen, Denmark. ³⁹Biomedical Network on Rare Diseases (CIBERER), Madrid, Spain. ⁴⁰Human Genetics Group, Spanish National Cancer Centre (CNIO), Madrid, Spain. ⁴¹Molecular Genetics Laboratory, Department of Biochemistry, Cruces Hospital Barakaldo, 48903-Barakaldo-Bizkaia, Spain. ⁴²Human Genetics Group and Genotyping Unit, Spanish National Cancer Centre (CNIO), Madrid, Spain. ⁴³Saint Alphonsus Regional Medical Center, care of City of Hope Clinical Cancer Genetics Community Research Network, Duarte, California. ⁴⁴Clinical Cancer Genetics, City of Hope, Duarte, California. ⁴⁵Clinical Cancer Genetics, City of Hope, Duarte, California (for the City of Hope Clinical Cancer Genetics Community Research Network). ⁴⁶Unit of Medical Genetics, Department of Preventive and Predictive Medicine, Fondazione IRCCS Istituto Nazionale Tumori (INT), Milan, Italy. ⁴⁷Division of Cancer Prevention and Genetics, Istituto Europeo di Oncologia, Milan, Italy. ⁴⁸Cogentech Cancer Genetic Test Laboratory, Milan, Italy. ⁴⁹Division of Experimental Oncology 1, CRO Aviano National Cancer Institute, Aviano (PN), Italy. ⁵⁰Department of Molecular Medicine, Sapienza University, Rome, Italy. ⁵¹Unit of Medical Genetics, Department of Biomedical, Experimental, and Clinical Sciences, University of Florence, Florence, Italy. ⁵²Unit of Genetic Counseling, Medical Oncology Department, Istituto Nazionale Tumori Regina Elena, Rome, Italy. ⁵³UO Anatomia Patologica Ospedale di Circolo e Fondazione Macchi, Polo Universitario Varese, Italy. ⁵⁴Molecular Diagnostics Laboratory, INRASTES, National Centre for Scientific Research "Demokritos", Aghia Paraskevi Attikis, Athens, Greece. ⁵⁵Dana-Farber Cancer Institute, Boston, Massachusetts. ⁵⁶Clinical Genetics Department, St. Michael's Hospital, Bristol, United Kingdom. ⁵⁷Department of Clinical Genetics, Royal Devon & Exeter Hospital, Exeter, United Kingdom. ⁵⁸Cheshire & Merseyside Clinical Genetics Service, Liverpool Women's NHS Foundation Trust, Liverpool, United Kingdom. ⁵⁹Genetic Medicine, Manchester Academic Health Sciences Centre, Central Manchester University Hospitals NHS Foundation Trust, Manchester, United Kingdom. ⁶⁰University of Southampton, Faculty of Medicine, Southampton University Hospitals NHS Trust, Southampton, United Kingdom. ⁶¹North West Thames Regional Genetics Service, Kennedy-Galton Centre, Harrow, United Kingdom. ⁶²Sheffield Clinical Genetics Service, Sheffield Children's Hospital, Sheffield, United Kingdom. ⁶³Department of Clinical Genetics, East Anglian Regional Genetics Service, Addenbrookes Hospital, Cambridge, United Kingdom. ⁶⁴Yorkshire Regional Genetics Service, Leeds, United Kingdom. ⁶⁵Leicestershire Clinical Genetics Service, University Hospitals of Leicester NHS Trust, Leicester, United Kingdom. ⁶⁶Oxford Regional Genetics Service, Churchill Hospital, Oxford, United Kingdom. ⁶⁷Clinical Genetics, Guy's and St. Thomas' NHS Foundation Trust, London, United Kingdom. ⁶⁸North East Thames Regional Genetics Service, Great Ormond Street Hospital for Children NHS Trust, London, United Kingdom. ⁶⁹Academic Unit of Clinical and Molecular Oncology, Trinity College Dublin, Ireland. ⁷⁰St. James's Hospital, Dublin, Ireland. ⁷¹All Wales Medical Genetics Services, University Hospital of Wales, Cardiff, United Kingdom. ⁷²South East of Scotland Regional Genetics Service, Western General Hospital, Edinburgh, United Kingdom. ⁷³Centre for Cancer Research and Cell Biology, Queens University of Belfast, Department of Medical Genetics, Belfast HSC Trust, Belfast, United Kingdom. ⁷⁴West of Scotland Regional Genetics Service, Southern General Hospital, Glasgow, United Kingdom. ⁷⁵Medical Genetics Unit, St. George's, University of London, London, United Kingdom. ⁷⁶West Midlands Regional Genetics Service, Birmingham Women's Hospital Healthcare NHS Trust, Edgbaston, Birmingham, United Kingdom. ⁷⁷Department of Pathology and Laboratory Medicine, University of

gen, Denmark. ³⁸Department of Oncology, Rigshospitalet, Copenhagen University Hospital, Copenhagen, Denmark. ³⁹Biomedical Network on Rare Diseases (CIBERER), Madrid, Spain. ⁴⁰Human Genetics Group, Spanish National Cancer Centre (CNIO), Madrid, Spain. ⁴¹Molecular Genetics Laboratory, Department of Biochemistry, Cruces Hospital Barakaldo, 48903-Barakaldo-Bizkaia, Spain. ⁴²Human Genetics Group and Genotyping Unit, Spanish National Cancer Centre (CNIO), Madrid, Spain. ⁴³Saint Alphonsus Regional Medical Center, care of City of Hope Clinical Cancer Genetics Community Research Network, Duarte, California. ⁴⁴Clinical Cancer Genetics, City of Hope, Duarte, California. ⁴⁵Clinical Cancer Genetics, City of Hope, Duarte, California (for the City of Hope Clinical Cancer Genetics Community Research Network). ⁴⁶Unit of Medical Genetics, Department of Preventive and Predictive Medicine, Fondazione IRCCS Istituto Nazionale Tumori (INT), Milan, Italy. ⁴⁷Division of Cancer Prevention and Genetics, Istituto Europeo di Oncologia, Milan, Italy. ⁴⁸Cogentech Cancer Genetic Test Laboratory, Milan, Italy. ⁴⁹Division of Experimental Oncology 1, CRO Aviano National Cancer Institute, Aviano (PN), Italy. ⁵⁰Department of Molecular Medicine, Sapienza University, Rome, Italy. ⁵¹Unit of Medical Genetics, Department of Biomedical, Experimental, and Clinical Sciences, University of Florence, Florence, Italy. ⁵²Unit of Genetic Counseling, Medical Oncology Department, Istituto Nazionale Tumori Regina Elena, Rome, Italy. ⁵³UO Anatomia Patologica Ospedale di Circolo e Fondazione Macchi, Polo Universitario Varese, Italy. ⁵⁴Molecular Diagnostics Laboratory, INRASTES, National Centre for Scientific Research "Demokritos", Aghia Paraskevi Attikis, Athens, Greece. ⁵⁵Dana-Farber Cancer Institute, Boston, Massachusetts. ⁵⁶Clinical Genetics Department, St. Michael's Hospital, Bristol, United Kingdom. ⁵⁷Department of Clinical Genetics, Royal Devon & Exeter Hospital, Exeter, United Kingdom. ⁵⁸Cheshire & Merseyside Clinical Genetics Service, Liverpool Women's NHS Foundation Trust, Liverpool, United Kingdom. ⁵⁹Genetic Medicine, Manchester Academic Health Sciences Centre, Central Manchester University Hospitals NHS Foundation Trust, Manchester, United Kingdom. ⁶⁰University of Southampton, Faculty of Medicine, Southampton University Hospitals NHS Trust, Southampton, United Kingdom. ⁶¹North West Thames Regional Genetics Service, Kennedy-Galton Centre, Harrow, United Kingdom. ⁶²Sheffield Clinical Genetics Service, Sheffield Children's Hospital, Sheffield, United Kingdom. ⁶³Department of Clinical Genetics, East Anglian Regional Genetics Service, Addenbrookes Hospital, Cambridge, United Kingdom. ⁶⁴Yorkshire Regional Genetics Service, Leeds, United Kingdom. ⁶⁵Leicestershire Clinical Genetics Service, University Hospitals of Leicester NHS Trust, Leicester, United Kingdom. ⁶⁶Oxford Regional Genetics Service, Churchill Hospital, Oxford, United Kingdom. ⁶⁷Clinical Genetics, Guy's and St. Thomas' NHS Foundation Trust, London, United Kingdom. ⁶⁸North East Thames Regional Genetics Service, Great Ormond Street Hospital for Children NHS Trust, London, United Kingdom. ⁶⁹Academic Unit of Clinical and Molecular Oncology, Trinity College Dublin, Ireland. ⁷⁰St. James's Hospital, Dublin, Ireland. ⁷¹All Wales Medical Genetics Services, University Hospital of Wales, Cardiff, United Kingdom. ⁷²South East of Scotland Regional Genetics Service, Western General Hospital, Edinburgh, United Kingdom. ⁷³Centre for Cancer Research and Cell Biology, Queens University of Belfast, Department of Medical Genetics, Belfast HSC Trust, Belfast, United Kingdom. ⁷⁴West of Scotland Regional Genetics Service, Southern General Hospital, Glasgow, United Kingdom. ⁷⁵Medical Genetics Unit, St. George's, University of London, London, United Kingdom. ⁷⁶West Midlands Regional Genetics Service, Birmingham Women's Hospital Healthcare NHS Trust, Edgbaston, Birmingham, United Kingdom. ⁷⁷Department of Pathology and Laboratory Medicine, University of

Introduction

Germline *BRCA1* or *BRCA2* mutations substantially increase the risk of developing breast and ovarian cancer over those of the general population (1). The penetrance is incomplete and combined with the observed variability in age at cancer diagnosis in carriers of identical mutations, suggests the existence of genetic and/or environmental modifying factors. Direct evidence for genetic modifiers of breast and ovarian cancer risk for *BRCA1* and *BRCA2* mutation carriers has been provided

through genome-wide association studies (GWAS; ref. 2). In parallel, multiple variants in candidate genes that affect *BRCA1* or *BRCA2* protein expression, act along the same biologic pathways, or physically interact with *BRCA1* or *BRCA2* proteins have been evaluated as putative modifiers of *BRCA1/2* mutations (reviewed in ref. 3). However, only a handful of these factors were confirmed and independently validated as "true modifiers" (4). The aim of the present study was to assess the putative modifier effect of 3,248 sequence alterations in 445

Kansas Medical Center, Kansas City, Missouri. ⁷⁸Center for Medical Genetics, Ghent University, Ghent, Belgium. ⁷⁹Department of Gynaecology and Obstetrics, Division of Tumor Genetics, Klinikum rechts der Isar, Technical University Munich, Germany. ⁸⁰Institute of Human Genetics, University Würzburg, Würzburg, Germany. ⁸¹University Heidelberg, Heidelberg, Germany. ⁸²Institute for Medical Informatics, Statistics, and Epidemiology, University of Leipzig, Leipzig, Germany. ⁸³University Düsseldorf, Düsseldorf, Germany. ⁸⁴Hannover Medical School, Hanover, Germany. ⁸⁵Institute of Human Genetics, University Hospital of Schleswig-Holstein/University Kiel, Kiel, Germany. ⁸⁶Department of Gynecology and Obstetrics, University Hospital Carl Gustav Carus, Technische Universität Dresden, Germany. ⁸⁷Center for Molecular Medicine Cologne (CMMC), University of Cologne, Germany. ⁸⁸Department of Gynaecology and Obstetrics, University Munich, Munich, Germany. ⁸⁹Department of Gynecology and Obstetrics, University Hospital of Schleswig-Holstein/University Kiel, Kiel, Germany. ⁹⁰Institute of Human Genetics, Charité Berlin, Germany. ⁹¹Department of Gynaecology and Obstetrics, University Hospital Ulm, Germany. ⁹²INSERM U946, Fondation Jean Dausset, Paris, France. ⁹³Service de Génétique, Institut de Cancérologie Gustave Roussy, Villejuif, France. ⁹⁴Institut Curie, Department of Tumour Biology, Paris, France. ⁹⁵Centre René Gauducheau, Nantes, France. ⁹⁶Université Paris Descartes, Sorbonne Paris Cité, France. ⁹⁷Institut Curie, INSERM U830, Paris, France. ⁹⁸INSERM U1052, CNRS UMR5286, Université Lyon 1, Centre de Recherche en Cancérologie de Lyon, Lyon, France. ⁹⁹Unité d'Oncogénétique, CHU Arnaud de Villeneuve, Montpellier, France. ¹⁰⁰Unité d'Oncogénétique, CRLCC Val d'Aurelle, Montpellier, France. ¹⁰¹Department of Medical Oncology, Centre Hospitalier Universitaire Dupuytren, Limoges, France. ¹⁰²Unité Mixte de Génétique Constitutionnelle des Cancers Fréquents, Hospices Civils de Lyon – Centre Léon Bérard, Lyon, France. ¹⁰³Consultation de Génétique, Département de Médecine, Institut de Cancérologie Gustave Roussy, Villejuif, France. ¹⁰⁴INSERM 896, CRCM Val d'Aurelle, Montpellier, France. ¹⁰⁵GEMO study: National Cancer Genetics Network "UNICANCER Genetic Group," France. ¹⁰⁶Gynecologic Oncology Group Statistical and Data Center, Roswell Park Cancer Institute, Buffalo, New York. ¹⁰⁷Australia New Zealand Gynaecological Oncology Group (ANZGOG), Coordinating Center, Camperdown, Australia. ¹⁰⁸Division of Gynecologic Oncology, NorthShore University HealthSystem, Evanston, Illinois. ¹⁰⁹Ohio State University, Department of Obstetrics and Gynecology, Hilliard, Ohio. ¹¹⁰Molecular Oncology Laboratory, Hospital Clinico San Carlos, IdISSC, Madrid, Spain. ¹¹¹Department of Oncology, Hospital Clinico San Carlos, IdISSC, Madrid, Spain. ¹¹²Department of Obstetrics and Gynecology, Helsinki University Central Hospital, Helsinki, Finland. ¹¹³University of Helsinki, Helsinki, Finland. ¹¹⁴Department of Clinical Genetics, Helsinki University Central Hospital, Helsinki, Finland. ¹¹⁵Department of Clinical Genetics, Academic Medical Center, Amsterdam, the Netherlands. ¹¹⁶Department of Clinical Genetics, VU University Medical Centre, Amsterdam, the Netherlands. ¹¹⁷Department of Genetics, University Medical Center, Groningen University, Groningen, the Netherlands. ¹¹⁸Department of Human Genetics, Leiden University Medical Center (LUMC), Leiden, the Netherlands. ¹¹⁹Department of Human Genetics, Radboud University Medical Centre, Nijmegen, the Netherlands. ¹²⁰Department of Medical Genetics, University Medical Center Utrecht, Utrecht, the Netherlands. ¹²¹Department of Obstetrics and Gynecology, Division of Gynecologic Oncology, Erasmus University MC Cancer Institute, Rotterdam, the Netherlands. ¹²²Department of Clinical Genetics, Family Cancer Clinic, Erasmus University Medical Center, Rotterdam, the Netherlands. ¹²³Department of Molecular Genetics, National Institute of Oncology, Budapest, Hungary. ¹²⁴Oncogenetics Group, University Hospital Vall d'Hebron, Barcelona, Spain. ¹²⁵Universitat Autònoma de Barcelona, Barcelona, Spain. ¹²⁶Vall d'Hebron Institute of Oncology (VHIO), Barcelona, Spain. ¹²⁷Vall d'Hebron Research Institute (VHIR), Barcelona, Spain. ¹²⁸Genetic Counseling Unit, Hereditary Cancer Program, IDIBELL-Catalan Institute of Oncology, Barcelona, Spain. ¹²⁹Molecular Diagnostic Unit, Hereditary Cancer Program, IDIBELL-Catalan Institute of Oncology, Barcelona, Spain. ¹³⁰Genetic Counseling Unit, Hereditary Cancer Program, IDIBGI-Catalan Institute of Oncology, Girona, Spain. ¹³¹BMC,

Faculty of Medicine, University of Iceland, Reykjavik, Iceland. ¹³²Department of Pathology, Landspítali University Hospital, Reykjavik, Iceland. ¹³³Unité de Recherche en Santé des Populations, Centre des Maladies du Sein Deschênes-Fabia, Centre de Recherche FRSQ du Centre Hospitalier Affilié Universitaire de Québec, Québec, Canada. ¹³⁴Biomedical Sciences Institute (ICBAS), Porto University, Porto, Portugal. ¹³⁵Department of Genetics, Portuguese Oncology Institute, Porto, Portugal. ¹³⁶Department of Health Sciences Research, Mayo Clinic, Rochester, Minnesota. ¹³⁷Department of Laboratory Medicine and Pathology, and Health Sciences Research, Mayo Clinic, Rochester, Minnesota. ¹³⁸Health Sciences Research, Mayo Clinic, Scottsdale, Arizona. ¹³⁹Department of Laboratory Medicine and Pathology, Mayo Clinic, Rochester, Minnesota. ¹⁴⁰National Human Genome Research Institute, NIH, Bethesda, Maryland. ¹⁴¹Clinical Genetics Research Laboratory, Memorial Sloan-Kettering Cancer Center, New York, New York. ¹⁴²Clinical Genetics Service, Department of Medicine, Memorial Sloan-Kettering Cancer Center, New York, New York. ¹⁴³Diagnostic Molecular Genetics Laboratory, Department of Pathology, Memorial Sloan-Kettering Cancer Center, New York, New York. ¹⁴⁴Department of OB/GYN and Comprehensive Cancer Center, Medical University of Vienna, Vienna, Austria. ¹⁴⁵Department of Cancer Epidemiology, Moffitt Cancer Center, Tampa, Florida. ¹⁴⁶Clinical Genetics Branch, Division of Cancer Epidemiology and Genetics, National Cancer Institute, NIH, Rockville, Maryland. ¹⁴⁷Calit National Cancer Control Center, Haifa, Israel. ¹⁴⁸Department of Laboratory Medicine and Pathobiology, University of Toronto, Toronto, Ontario, Canada. ¹⁴⁹Laboratory Medicine Program, University Health Network, Toronto, Ontario, Canada. ¹⁵⁰Ontario Cancer Genetics Network: Lunenfeld-Tanenbaum Research Institute, Mount Sinai Hospital, Toronto, Ontario, Canada. ¹⁵¹Lunenfeld-Tanenbaum Research Institute, Mount Sinai Hospital, Toronto, Ontario, Canada. ¹⁵²Departments of Molecular Genetics and Laboratory Medicine and Pathobiology, University of Toronto, Ontario, Canada. ¹⁵³Division of Human Cancer Genetics, Departments of Internal Medicine and Molecular Virology, Immunology, and Medical Genetics, Comprehensive Cancer Center, The Ohio State University, Columbus, Ohio. ¹⁵⁴Department of Clinical Genetics, Vejle Hospital, Vejle, Denmark. ¹⁵⁵Section of Molecular Diagnostics, Department of Biochemistry, Aalborg University Hospital, Aalborg, Denmark. ¹⁵⁶Department of Clinical Genetics, Odense University Hospital, Odense C, Denmark. ¹⁵⁷Department of Clinical Genetics, Aarhus University Hospital, Aarhus, Denmark. ¹⁵⁸Sheba Medical Center, Tel Aviv, Israel. ¹⁵⁹Department of Clinical Genetics, Karolinska University Hospital, Stockholm, Sweden. ¹⁶⁰Department of Oncology, Karolinska University Hospital, Stockholm, Sweden. ¹⁶¹Department of Clinical Genetics, Lund University Hospital, Lund, Sweden. ¹⁶²Department of Immunology, Genetics, and Pathology, Uppsala University, Uppsala, Sweden. ¹⁶³Division of Clinical Genetics, Department of Clinical and Experimental Medicine, Linköping University, Linköping, Sweden. ¹⁶⁴Department of Oncology, Lund University, Lund, Sweden. ¹⁶⁵Department of Oncology, University of Cambridge, Cambridge, United Kingdom. ¹⁶⁶kConFab: Kathleen Cunningham Consortium for Research into Familial Breast Cancer—Peter MacCallum Cancer Center, Melbourne, Australia.

Note: Supplementary data for this article are available at Cancer Epidemiology, Biomarkers & Prevention Online (<http://cebp.aacrjournals.org/>).

†, Deceased.

Corresponding Authors: Paolo Peterlongo, Fondazione Istituto FIRC di Oncologia Molecolare, Via Adamello 16, 20139, Milan, Italy. Phone: 39-02-57430-3812; Fax: 39-02-57430-3231; E-mail: paolo.peterlongo@ifom.eu; and Eitan Friedman, The Susanne-Levy Gertner Oncogenetics Unit, The Danek Gertner Institute of Genetics, Chaim Sheba Medical Center, Tel-Hashomer, 52621, Israel. Phone: 972-3-530-3173; Fax: 972-3-535-7308; E-mail: eitan.friedman@sheba.health.gov.il or feitan@post.tau.ac.il

doi: 10.1158/1055-9965.EPI-14-0532

©2014 American Association for Cancer Research.

Table 1. Description of the 17 projects included in the study

Project	Rationale for testing SNPs as risk modifiers for breast cancer and ovarian cancer in <i>BRCA</i> -mutation carriers	Number of SNPs included	Reference
1	Previous data suggested that irradiation response genes whose expression is associated with <i>BRCA1</i> and <i>BRCA2</i> mutation status are enriched for the presence of common genetic modifiers of breast cancer risk.	18	Walker LC et al. Evidence for <i>SMAD3</i> as a modifier of breast cancer risk in <i>BRCA2</i> mutation carriers. <i>Breast Cancer Res</i> 2010;12:R102.
2	X chromosome SNPs shown to be associated with risk of breast cancer in the CGEMS breast cancer study were considered.	11	Hunter DJ et al. A genome-wide association study identifies alleles in <i>FGFR2</i> associated with risk of sporadic postmenopausal breast cancer. <i>Nat Genet</i> 2007;39:870–4.
3	Previous data suggested that the "del" allele of rs3834129 was associated with increased breast cancer risk in <i>BRCA1</i> -mutation carriers.	1	Catucci I et al. The <i>CASP8</i> rs3834129 polymorphism and breast cancer risk in <i>BRCA1</i> mutation carriers. <i>Breast Cancer Res Treat</i> 2011;125:855–60.
4	Search for risk modifiers of <i>BRCA1</i> 5382insC-mutation carriers was performed by a pooled GWAS in 124 women diagnosed with breast cancer (<45 years) and 119 unaffected controls (>50 years at last follow-up) from Poland. The highest-ranked SNPs from the pooled GWAS were selected.	137	None
5	The proposed SNPs are related to genes in regulatory T-cell (Treg) and myeloid-derived suppressor cell (MDSC) pathways. Both pathways play a role in cancer immunosuppression.	2,637	Schreiber RD et al. Cancer immunoediting: integrating immunity's roles in cancer suppression and promotion. <i>Science</i> 2011;331:1565–70.
6	The proposed SNPs were associated with breast density. These SNPs were tested only as modifier of breast cancer risk.	72	Steude JS et al. Mammographic density and matrix metalloproteinases in breast tissue. <i>Cancer Microenviron</i> 2010;3:57–65. Guo YP et al. Growth factors and stromal matrix proteins associated with mammographic densities. <i>Cancer Epidemiol Biomarkers Prev</i> 2001;10:243–8. Verheus M et al. Common genetic variation in the <i>IGF-1</i> gene, serum <i>IGF-1</i> levels and breast density. <i>Breast Cancer Res Treat</i> 2008;112:109–22. Diorio C et al. Genetic polymorphisms involved in insulin-like growth factor (<i>IGF</i>) pathway in relation to mammographic breast density and <i>IGF</i> levels. <i>Cancer Epidemiol Biomarkers Prev</i> 2008;17:880–8. Diorio C et al. Vitamin D pathway polymorphisms in relation to mammographic breast density. <i>Cancer Epidemiol Biomarkers Prev</i> 2008;17:2505–8.
7	SNPs or (SNPs in) genes were considered according to following criteria: (i) affecting circadian rhythms; (ii) interacting with <i>CLOCK</i> ; (iii) involved in binding <i>IGF-1</i> to binding proteins; (iv) in progesterone receptor gene and previously found associated with BC and OvC risk; (v) related to disease treatment.	20	Hoffman AE et al. <i>CLOCK</i> in breast tumorigenesis: genetic, epigenetic, and transcriptional profiling analyses. <i>Cancer Res</i> 2010;70:1459–68. Kelemen LE et al. Genetic variation in stromal proteins decorin and lumican with breast cancer: investigations in two case-control studies. <i>Breast Cancer Res</i> 2008;10:R98. Patel AV et al. <i>IGF-1</i> , <i>IGFBP-1</i> , and <i>IGFBP-3</i> polymorphisms predict circulating <i>IGF</i> levels but not breast cancer risk: findings from the Breast and Prostate Cancer Cohort Consortium (BPC3). <i>PLoS One</i> . 2008;3:e2578.
8	All these SNPs are located in selenoprotein genes and are involved in selenium metabolism; selenium is known to be associated with cancer risk.	11	Ostergaard MZ et al. Interactions between genes involved in the antioxidant defence system and breast cancer risk. <i>Br J Cancer</i> 2006;95:525–31. Méplan C et al. Association between Polymorphisms in Glutathione Peroxidase and Selenoprotein P Genes, Glutathione Peroxidase Activity, HRT Use and Breast Cancer Risk <i>PLoS One</i> . 2013;8:e73316. Udler M et al. Common germline genetic variation in antioxidant defense genes and survival after diagnosis of breast cancer. <i>J Clin Oncol</i> 2007;25:3015–23. Sutherland A et al. Polymorphisms in the selenoprotein S and 15-kDa selenoprotein genes are associated with altered susceptibility to colorectal cancer. <i>Genes Nutr</i> 2010;5:215–23.
9	Previous data suggested that the rs1045485 SNP modified disease penetrance of breast and ovarian cancer in <i>BRCA1</i> mutation carriers.	1	Engel C et al. Association of the variants <i>CASP8</i> D302H and <i>CASP10</i> V410I with breast and ovarian cancer risk in <i>BRCA1</i> and <i>BRCA2</i> mutation carriers. <i>Cancer Epidemiol Biomarkers Prev</i> 2010;19:2859–68.
10	The proposed SNPs are located within the <i>PARP1</i> gene that plays a key role in the repair of DNA single-strand breaks.	3	Gonçalves A et al. Poly(ADP-ribose) polymerase-1 mRNA expression in human breast cancer: a meta-analysis. <i>Breast Cancer Res Treat</i> 2011;127:273–81.
11	SNPs were considered because of observations based on evidences of recent positive selection and presence in the same genomic region of genes, (i) coding for <i>BRCA1</i> interacting proteins; (ii) involved in cancer or breast cancer; (iii) involved in DNA damage response and interacting with <i>TP53</i> .	13	Voight BF et al. A map of recent positive selection in the human genome. <i>PLoS Biol</i> 2006; 4:e72. Lappalainen T et al. Genomic landscape of positive natural selection in Northern European populations. <i>Eur J Hum Genet</i> 2010;18:471–8.

(Continued on the following page)

Table 1. Description of the 17 projects included in the study (Cont'd)

Project	Rationale for testing SNPs as risk modifiers for breast cancer and ovarian cancer in BRCA-mutation carriers	Number of SNPs included	Reference
12	Steroid hormones such as estrogens play an important role in the etiology of breast cancer contributing to tumor growth by promoting cell proliferation. SNPs in candidate genes involved in sex steroid metabolism were considered. The SNPs were tested also as breast cancer risk modifiers considering estrogen receptor status of BRCA-mutation carriers (see Supplementary Table S3).	139	Labrie F et al. Endocrine and intracrine sources of androgens in women: inhibition of breast cancer and other roles of androgens and their precursor dehydroepiandrosterone. <i>Endocr Rev</i> 2003;24:152-82.
13	<i>RAD51C</i> is a breast cancer gene. SNPs located within, or in close proximity to <i>RAD51C</i> were selected.	17	Meindl A et al. Germline mutations in breast and ovarian cancer pedigrees establish <i>RAD51C</i> as a human cancer susceptibility gene. <i>Nat Genet</i> 2010;42:410-4.
14	The highest-ranked SNPs from a GWAS based on 700 hereditary breast cancer cases and 1,200 controls were selected.	142	None
15	SNP rs2981582 in <i>FGFR2</i> is strongly associated with risk of breast cancer and acting as a risk modifier in <i>BRCA2</i> mutation carriers. Rs2981582 may also influence the risk of ovarian cancer among <i>BRCA1/2</i> -mutation carriers. This SNP was tested only as modifier of ovarian cancer risk.	1	Easton DF et al. Genome-wide association study identifies novel breast cancer susceptibility loci. <i>Nature</i> 2007;447(7148):1087-93. Hunter DJ et al. A genome-wide association study identifies alleles in <i>FGFR2</i> associated with risk of sporadic postmenopausal breast cancer. <i>Nat Genet</i> 2007;39: 870-4. Antoniou AC et al. Common breast cancer predisposition alleles are associated with breast cancer risk in <i>BRCA1</i> and <i>BRCA2</i> mutation carriers. <i>Am J Hum Genet</i> 2008;82:937-48.
16	The rs10895068 SNP in the promoter of the progesterone receptor (<i>PR</i>) gene (+331G/A) has been reported to be associated with endometrial cancer risk. Our previous study in 220 patients from BC and OC families showed a marginal association of the +331A allele with OC risk. This SNP was tested only as modifier of ovarian cancer risk.	1	Vivo ID et al. A functional polymorphism in the promoter of the progesterone receptor gene associated with endometrial cancer risk. <i>Proc Natl Acad Sci U S A</i> 2002;99:12263-68. Romano A et al. Impact of two functional progesterone receptor polymorphisms (PRP): +331G/A and PROGINs on the cancer risks in familial breast/ovarian cancer. <i>Open Cancer J</i> 2007;1:1-8.
17	The proposed SNPs were selected according to the hypothesis that different levels of expression of the remaining normal allele in <i>BRCA2</i> mutation carriers may be associated with variable penetrance of <i>BRCA2</i> mutations.	24	Maia AT et al. Effects of <i>BRCA2</i> cis-regulation in normal breast and cancer risk amongst <i>BRCA2</i> mutation carriers. <i>Breast Cancer Res</i> 2012;14:R63.

candidate genes on breast/ovarian cancer risk in 23,463 *BRCA1* and *BRCA2* mutation carriers.

Materials and Methods

Recruitment and data collection

All study participants were women, >18 years old, carrying a deleterious germline mutation in either *BRCA1* or *BRCA2*. DNA samples and phenotypic data were submitted by 54 study centers participating in the Consortium of Investigators of Modifiers of *BRCA1/2* (CIMBA; ref. 5). Recruitment strategies, clinical, demographic, and phenotypic data collected from each participant, and quality control procedures, have previously been reported (4, 5). All study participants took part in research studies at the parent institutions under ethically approved protocols as detailed (4, 5).

Sequence variants genotyped

DNA samples were genotyped using the custom Illumina iCOGS array which included 211,155 SNPs as previously described (<http://www.nature.com/icogs/primer/cogs-project-and-design-of-the-icogs-array/>; ref. 6). We report results from 3,248 SNPs from 445 candidate genes proposed by 17 PIs (= projects). The rationale for selecting the SNPs or genes as candidate cancer risk modifiers in *BRCA1* and *BRCA2* mutation carriers is shown in Table 1. The list of SNPs included in the study and their gene location (if any) are provided in Supplementary Table S1. Genotyping quality control procedures were carried out as reported elsewhere (6).

Statistical analysis

Associations were evaluated within a retrospective cohort framework, by modeling the retrospective likelihood of the observed genotypes conditional on the disease phenotypes (4, 7). The associations between genotype and breast or ovarian cancer risk were assessed using the 1 d.f. score test statistic based on this retrospective likelihood while accounting for the non-independence among related individuals (8). All analyses were stratified by country of residence and used calendar-year and cohort-specific breast and ovarian cancer incidence rates for *BRCA1* and *BRCA2* mutation carriers. Details are provided elsewhere (2).

Results

A total of 23,463 mutation carriers were included (15,252 *BRCA1*, 8,211 *BRCA2* carriers), 12,127 with breast cancer (7,797 *BRCA1*, 4,330 *BRCA2* carriers), 3,093 with ovarian cancer (2,462 *BRCA1*, 631 *BRCA2* carriers), and 9,220 cancer-free carriers (5,788 *BRCA1*, 3,432 *BRCA2* carriers). All 3,248 SNPs were tested as genetic risk modifiers for both breast and ovarian cancer in *BRCA1* and *BRCA2* mutation carriers depending on the selection rationale (Table 1). For each SNP, the number of individuals with genotype data, minor allele frequencies, values of the χ^2 score test statistic, approximate HR estimates based on the score test statistic (7), overall *P* values, and retrospective likelihood HR are shown in Supplementary Table S2. Because project 12 was based on the hypothesis that estrogens contribute to breast cancer pathogenesis, these 139 SNPs were stratified by somatic estrogen receptor

Table 2. Observed and expected number of SNPs with *P* values <0.05 and <0.01

Category	Tumor	Number of SNPs tested ^a	Number of SNPs with <i>P</i> < 0.01 (expected)	Number of SNPs with <i>P</i> < 0.05 (expected)
<i>BRCA1</i>	BrCa	3,232	25 (32)	202 (162)
<i>BRCA1</i>	OvCa	3,160	13 (32)	146 (158)
<i>BRCA2</i>	BrCa	3,230	5 (32)	96 (161)
<i>BRCA2</i>	OvCa	3,157	6 (32)	131 (159)

^aNot all the 3,248 SNPs were tested in each category/tumor group.

status (Supplementary Table S3). None of the SNPs tested showed significant evidence of association with breast and/or ovarian cancer risk, as a single tested variant or after adjusting for multiple testing. Indeed, there were fewer associations at a nominal *P* < 0.05 or *P* < 0.01 than would be expected by chance (Table 2).

Discussion

In this study, there were no discernible effects for the genotyped SNPs on either breast or ovarian cancer risk in *BRCA1* or *BRCA2* mutation carriers. Despite the lack of evidence of association between these specific variants and breast/ovarian cancer risk for *BRCA1/BRCA2* mutation carriers, these genes may still modify cancer risk by other sequence alterations that are not represented on the iCOGS platform, by epigenetic alterations in gene expression, or in combination and interaction with other polymorphisms, that in concert have an overall effect on cancer risk.

In conclusion, the genotyped SNPs in the candidate modifier genes evaluated here have no major role in breast or ovarian cancer risk modification in either *BRCA1* or *BRCA2* mutation carriers. Our results suggest that a candidate gene approach where the selected SNPs have little a priori biologic plausibility is of limited value in identifying modifier genes, unlike agnostic genome-wide associations which have been more successful (8). Applying more advanced technologies (whole-exome/genome sequencing) and targeting phenotypically distinct mutation carriers may also offer further insights into modifier genes' identity.

Disclosure of Potential Conflicts of Interest

R.A. Eeles reports receiving commercial research grant from Janssen - Medical Education support to GU-ASCO meeting Feb. 2013 and has received speakers' bureau honoraria from Succinct Communications. R.L. Nussbaum has ownership interest (including patents) in Personalis and is consultant/advisory board member for Complete Genomics, Personalis, Invitae, and McDermott Will & Emery LLP. D.E. Goldgar has royalties from the University of Utah on *BRCA1* and *BRCA2* patents. P. Radice has received speakers' bureau honoraria from Regione Lombardia and is a consultant/advisory board member for Comitato Etico Cremona, Mantova e Lodi. J.E. Garber is a consultant/advisory board member for Pfizer and Novartis. No potential conflicts of interest were disclosed by the other authors.

Disclaimer

The content of this manuscript does not necessarily reflect the views or policies of the National Cancer Institute or any of the collaborating centers in the Breast Cancer Family Registry (BCFR), nor does mention the trade names, commercial products, or organizations imply endorsement by the US Government or the BCFR. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH.

Authors' Contributions

Conception and design: P. Peterlongo, J. Chang-Claude, J. Simard, A.B. Spurdle, L.C. Walker, F. Lose, A.-T. Maia, E.B. Gómez García, T.R. Rebbeck, M.C. Southey, R. Varon-Mateeva, B. Buecher, L.J. Copeland, F.J. Couch, C.M. Phelan, G. Chenevix-Trench, A.C. Antoniou, E. Friedman

Development of methodology: M.A. Rookus, T.R. Rebbeck, A. Miron, B. Buecher, F.J. Couch, X. Wang, A. Lee, A.C. Antoniou

Acquisition of data (provided animals, acquired and managed patients, provided facilities, etc.): P. Peterlongo, K.B. Moysich, R.K. Schmutzler, J. Simard, P. Soucy, R.A. Eeles, D.F. Easton, M.A. Rookus, M.K. Schmidt, A.B. Spurdle, L.C. Walker, A.-T. Maia, M. Montagna, J. Lubinski, A. Jakubowska, E.B. Gómez García, O.I. Olopade, R.L. Nussbaum, K.L. Nathanson, S.M. Domchek, T.R. Rebbeck, B.K. Arun, B.Y. Karlan, S. Orsulic, J. Lester, W.K. Chung, A. Miron, M.C. Southey, D.E. Goldgar, S.S. Buys, R. Janavicius, C.M. Dorfling, E.J. van Rensburg, Y.C. Ding, S.L. Neuhausen, T.V.O. Hansen, A.-M. Gerdes, B. Ejlersen, L. Jønson, A. Osorio, C. Martínez-Bouzas, J. Benitez, K.R. Blazer, J.N. Weitzel, S. Manoukian, B. Peissel, D. Zaffaroni, G. Scuvera, M. Barile, F. Ficarazzi, F. Mariette, S. Fortuzzi, G. Giannini, L. Papi, A. Martayan, M.G. Tibiletti, P. Radice, J.E. Garber, A. Donaldson, C. Brewer, D.G.R. Evans, D. Frost, D. Eccles, A. Brady, J. Cook, M. Tischkowitz, J. Adlard, J. Barwell, L. Walker, L. Izatt, L.E. Side, M.J. Kennedy, M.T. Rogers, M.E. Porteous, P.J. Morrison, R. Davidson, S. Ellis, Trevor Cole, A.K. Godwin, K. Claes, T. Van Maerken, A. Meindl, A. Gehrig, C. Sutter, C. Engel, D. Niederacher, D. Steinemann, H. Plendl, K. Kast, K. Rhiem, N. Ditsch, N. Arnold, B. Wappenschmidt, S. Wang-Gohrke, B. Bressac-de Paillerets, B. Buecher, C. Delnatte, C. Houdayer, D. Stoppa-Lyonnet, F. Damiola, I. Coupier, L. Barjhoux, L. Venat-Bouvet, L. Golmard, O. Caron, P. Pujol, S. Mazoyer, M. Belotti, M. Piedmonte, M.L. Friedlander, G.C. Rodriguez, L.J. Copeland, M. de la Hoya, P.P. Segura, H. Nevanlinna, K. Aittomäki, T.A.M. van Os, H.E.J. Meijers-Heijboer, A.H. van der Hout, M.P.G. Vreeswijk, N. Hoogerbrugge, M.G.E.M. Ausems, J.M. Collée, E. Olah, O. Diez, I. Blanco, C. Lazaro, J. Brunet, L. Feliubadalo, C. Cybulski, J. Gronwald, K. Durda, K. Jaworska-Bieniek, G. Sukienicki, A. Arason, J. Chiquette, M.R. Teixeira, F.J. Couch, N.M. Lindor, X. Wang, C.I. Szabo, K. Offit, M. Corines, M.E. Robson, L. Zhang, V. Joseph, A. Berger, C.F. Singer, D.G. Kaulich, G. Pfeiler, M.-K.M. Tea, C.M. Phelan, M.H. Greene, P.L. Mai, G. Rennert, A.M. Mulligan, G. Glendon, S. Tchatchou, I.L. Andrulis, A.E. Toland, A. Bojesen, I.S. Pedersen, M. Thomassen, U.B. Jensen, Y. Laitman, J. Rantala, A. von Wachenfeldt, H. Ehrencrona, M.S. Askmal, Å. Borg, P.D.P. Pharoah, G. Chenevix-Trench, E. Friedman

Analysis and interpretation of data (e.g., statistical analysis, biostatistics, computational analysis): P. Peterlongo, J. Chang-Claude, A. Rudolph, R.K. Schmutzler, R.A. Eeles, D.F. Easton, U. Hamann, B. Chen, M.A. Rookus, F.H. van der Baan, A.B. Spurdle, L.C. Walker, A.-T. Maia, M. Montagna, E.B. Gómez García, B.Y. Karlan, A. Miron, M.C. Southey, A. Viel, D.G.R. Evans, B. Buecher, O. M. Sinilnikova, M. Piedmonte, G.C. Rodriguez, C. Lazaro, L. Feliubadalo, C. Olswold, M. Corines, K.B. Kuchenbaecker, A. Lee, G. Chenevix-Trench, A.C. Antoniou, E. Friedman

Writing, review, and/or revision of the manuscript: P. Peterlongo, J. Chang-Claude, K.B. Moysich, A. Rudolph, J. Simard, P. Soucy, R.A. Eeles, D.F. Easton, U. Hamann, M.K. Schmidt, A.B. Spurdle, L.C. Walker, F. Lose, L. Matricardi, J. Lubinski, A. Jakubowska, E.B. Gómez García, O.I. Olopade, R. L. Nussbaum, K.L. Nathanson, S.M. Domchek, T.R. Rebbeck, B.K. Arun, B.Y. Karlan, W.K. Chung, M.C. Southey, S.S. Buys, E.J. van Rensburg, S.L. Neuhausen, T.V.O. Hansen, B. Ejlersen, A. Osorio, K.R. Blazer, J.N. Weitzel, P. Radice, A. Vratimos, F. Fostira, J.E. Garber, D.G.R. Evans, D. Frost, M. Tischkowitz, J. Adlard, L.E. Side, M.J. Kennedy, M.E. Porteous, P.J. Morrison, R. Davidson, S. Ellis, Trevor Cole, T. Van Maerken, N. Arnold, B. Buecher, C. Houdayer, D. Stoppa-Lyonnet, L. Golmard, N. Boutry-Kryza, P. Pujol, M. Piedmonte, G.C. Rodriguez, M. de la Hoya, P.P. Segura, K. Aittomäki, T.A.M. van Os, H.E.J. Meijers-Heijboer, N. Hoogerbrugge, H.C. van Doorn, I. Blanco, C. Lazaro, C. Cybulski, J. Gronwald, K. Durda, K. Jaworska-Bieniek, G. Sukienicki, A. Arason, F.J. Couch, K. Offit, M.E. Robson, V. Joseph, C.F. Singer, C. Rappaport, G. Pfeiler, C.M. Phelan, M.H. Greene, P.L. Mai, G. Rennert, A.E. Toland, I.S. Pedersen, M. Thomassen, H. Ehrencrona, M.S. Askmal, Å. Borg, L. McGuffog, D. Barrowdale, S. Healey, P.D.P. Pharoah, G. Chenevix-Trench, A.C. Antoniou, E. Friedman

Administrative, technical, or material support (i.e., reporting or organizing data, constructing databases): A. Rudolph, R.K. Schmutzler, S. Wilkenning, M.K. Schmidt, F.H. van der Baan, A.B. Spurdle, K.L. Nathanson, T.R. Rebbeck, B.Y. Karlan, J. Lester, M.C. Southey, E.E. Conway, J.N. Weitzel, A. Viel, D. Frost, R. Platte, A. Meindl, C. Sutter, C. Engel, N. Ditsch, S. Wang-Gohrke, B. Buecher, M. Belotti, L.J. Copeland, H.E.J. Meijers-Heijboer, O. Diez, L. Feliubadalo, A. Arason, F.J. Couch, N.M. Lindor, X. Wang, L. Jacobs, L. Zhang, V. Joseph, A. Berger, C.F. Singer, C. Rappaport, G. Glendon, Y. Laitman, H. Ehrencrona, M.S. Askmal, L. McGuffog, D. Barrowdale, S. Healey, A. Lee

Study supervision: K.B. Moysich, A.B. Spurdle, R.L. Nussbaum, M.C. Southey, B. Buecher, A.C. Antoniou, E. Friedman

Peterlongo et al.

Other (sample and data contribution): P. Peterlongo, A.-T. Maia, O.M. Sinilnikova

Other (site principal investigator for Embrace Study): C. Foo

Acknowledgments

The authors thank the following for their contributions: Per Hall (COGS), Douglas F. Easton, Paul Pharoah, Kyriaki Michailidou, Manjeet K. Bolla, Qin Wang (BCAC), Andrew Berchuck (OCAC), Rosalind A. Eeles, Douglas F. Easton, Ali Amin Al Olama, Zsolt Kote-Jarai, Sara Benlloch (PRACTICAL), Georgia Chenevix-Trench, Antonis Antoniou, Lesley McGuffog, Fergus Couch and Ken Offit (CIMBA), Joe Dennis, Alison M. Dunning, Andrew Lee, and Ed Dicks, Craig Luccarini and the staff of the Centre for Genetic Epidemiology Laboratory, Javier Benitez, Anna Gonzalez-Neira and the staff of the CNIO genotyping unit, Jacques Simard and Daniel C. Tessier, Francois Bacot, Daniel Vincent, Sylvie La Boissière and Frederic Robidoux and the staff of the McGill University and Génomique Québec Innovation Centre, Stig E. Bojesen, Sune F. Nielsen, Borge G. Nordestgaard, and the staff of the Copenhagen DNA laboratory, and Julie M. Cunningham, Sharon A. Windebank, Christopher A. Hilker, Jeffrey Meyer, and the staff of Mayo Clinic Genotyping Core Facility.

The authors thank Sabine Behrens and Ursula Eilber for excellent technical assistance and the following:

Breast Cancer Family Registry

(BCFR): Members and participants in the Ontario Cancer Genetics Network for their contributions to the study.

BRCA-gene Mutations and Breast Cancer in South African Women

(BMBSA): The families who contributed to the BMBSA study.

Beckman Research Institute of the City of Hope

(BRICOH): Linda Steele for her work in participant enrollment and biospecimen and data management.

Centro Nacional de Investigaciones Oncológicas

(CNIO): Alicia Barroso, Rosario Alonso, and Guillermo Pita for their assistance.

Consorzio Studi Italiani sui Tumori Ereditari alla Mammella

(CONSTIT TEAM): Irene Feroce and Alessandra Rossi of the Istituto Europeo di Oncologia, Milan, Italy; Liliana Varesco of the IRCCS AOU San Martino - IST Istituto Nazionale per la Ricerca sul Cancro, Genoa, Italy; Stefania Tommasi and Brunella Pilato of the Istituto Nazionale Tumori "Giovanni Paolo II" - Bari, Italy; Loris Bernard and the personnel of the Cogentech Cancer Genetic Test Laboratory, Milan, Italy.

Epidemiological Study of BRCA1 and BRCA2 Mutation Carriers

(EMBRACE): Douglas F. Easton is the PI of the study. EMBRACE Collaborating Centres are: Coordinating Centre, Cambridge: Debra Frost, Steve Ellis, Radka Platte, Jo Perkins. North of Scotland Regional Genetics Service, Aberdeen: Zosia Miedzybrodzka, Helen Gregory. Northern Ireland Regional Genetics Service, Belfast: Patrick Morrison, Lisa Jeffers. West Midlands Regional Clinical Genetics Service, Birmingham: Trevor Cole, Kai-ren Ong, Jonathan Hoffman. South West Regional Genetics Service, Bristol: Alan Donaldson, Margaret James. East Anglian Regional Genetics Service, Cambridge: Marc Tischkowitz, Joan Paterson, Sarah Downing, Amy Taylor. Medical Genetics Services for Wales, Cardiff: Alexandra Murray, Mark T. Rogers, Emma McCann. St James's Hospital, Dublin & National Centre for Medical Genetics, Dublin: M. John Kennedy, David Barton. South East of Scotland Regional Genetics Service, Edinburgh: Mary Porteous, Sarah Drummond. Peninsula Clinical Genetics Service, Exeter: Carole Brewer, Emma Kivuva, Anne Searle, Selina Goodman, Kathryn Hill. West of Scotland Regional Genetics Service, Glasgow: Rosemarie Davidson, Victoria Murday, Nicola Bradshaw, Lesley Snadden, Mark Longmuir, Catherine Watt, Sarah Gibson, Eshika Haque, Ed Tobias, Alexis Duncan. South East Thames

Regional Genetics Service, Guy's Hospital London: Louise Izatt, Chris Jacobs, Caroline Langman. North West Thames Regional Genetics Service, Harrow: Huw Dorkins. Leicestershire Clinical Genetics Service, Leicester: Julian Barwell. Yorkshire Regional Genetics Service, Leeds: Julian Adlard, Gemma Serra-Feliu. Cheshire & Merseyside Clinical Genetics Service, Liverpool: Ian Ellis, Claire Foo. Manchester Regional Genetics Service, Manchester: D. Gareth Evans, Fiona Laloo, Jane Taylor. North East Thames Regional Genetics Service, NE Thames, London: Lucy Side, Alison Male, Cheryl Berlin. Nottingham Centre for Medical Genetics, Nottingham: Jacqueline Eason, Rebecca Collier. Northern Clinical Genetics Service, Newcastle: Fiona Douglas, Oonagh Claber, Irene Jobson. Oxford Regional Genetics Service, Oxford: Lisa Walker, Diane McLeod, Dorothy Halliday, Sarah Durell, Barbara Stayner. The Institute of Cancer Research and Royal Marsden NHS Foundation Trust: Ros Eeles, Susan Shanley, Nazneen Rahman, Richard Houlston, Elizabeth Bancroft, Elizabeth Page, Audrey Arden-Jones, Kelly Kohut, Jennifer Wiggins, Elena Castro, Anita Mitra. North Trent Clinical Genetics Service, Sheffield: Jackie Cook, Oliver Quarrell, Cathryn Bardsley. South West Thames Regional Genetics Service, London: Shirley Hodgson, Sheila Goff, Glen Brice, Lizzie Winchester, Charlotte Eddy, Vishakha Tripathi, Virginia Attard. Wessex Clinical Genetics Service, Princess Anne Hospital, Southampton: Diana Eccles, Anneke Lucassen, Gillian Crawford, Donna McBride, Sarah Smalley.

Fox Chase Cancer Center

(FCCC): JoEllen Weaver and Dr. Betsy Bove for their technical support.

German Consortium of Hereditary Breast and Ovarian Cancer

(GC-HBOC): Dr. Sabine Preisler-Adams for providing information and samples and to all family members who participated in this study.

GFAST

The technical support of Ilse Coene and Brecht Crombez.

Genetic Modifiers of Cancer Risk in BRCA1/2 Mutation Carriers

(GEMO) study: National Cancer Genetics Network «UNICANCER Genetic Group», France, all the GEMO collaborating groups for their contribution to this study. GEMO Collaborating Centers are: Coordinating Centres, Unité Mixte de Génétique Constitutionnelle des Cancers Fréquents, Hospices Civils de Lyon - Centre Léon Bérard, & Equipe «Génétique du cancer du sein», Centre de Recherche en Cancérologie de Lyon: Olga Sinilnikova, Sylvie Mazoyer, Francesca Damiola, Laure Barjhoux, Carole Verny-Pierre, Alain Calender, Sophie Giraud, Mélanie Léone; and Service de Génétique Oncologique, Institut Curie, Paris: Dominique Stoppa-Lyonnet, Marion Gauthier-Villars, Bruno Buecher, Claude Houdayer, Virginie Moncoutier, Muriel Belotti, Carole Tirapo, Antoine de Pauw. Institut Gustave Roussy, Villejuif: Brigitte Bressac-de-Paillerets, Olivier Caron. Centre Jean Perrin, Clermont-Ferrand: Yves-Jean Bignon, Nancy Uhrhammer. Centre Léon Bérard, Lyon: Christine Lasset, Valérie Bonadona, Sandrine Handallou. Centre François Baclesse, Caen: Agnès Hardouin, Pascaline Berthet. Institut Paoli Calmettes, Marseille: Hagay Sobol, Violaine Bourdon, Tetsuro Noguchi, Audrey Réménieras, François Eisinger. CHU Arnaud-de-Villeneuve, Montpellier: Isabelle Coupiat, Pascal Pujol. Centre Oscar Lambret, Lille: Jean-Philippe Peyrat, Joëlle Fournier, Françoise Révillion, Philippe Vennin, Claude Adenis. Hôpital René Huguenin/Institut Curie, St Cloud: Etienne Rouleau, Rosette Lidereau, Liliane Demange, Catherine Nogues. Centre Paul Strauss, Strasbourg: Danièle Muller, Jean-Pierre Fricker. Institut Bergonié, Bordeaux: Emmanuelle Barouk-Simonet, Françoise Bonnet, Virginie Bubien, Nicolas Sevenet, Michel Longy. Institut Claudius Regaud, Toulouse: Christine Toulas, Rosine Guimbaud, Laurence Gladieff, Viviane Feillel. CHU Grenoble: Dominique Leroux, Hélène Dreyfus, Christine Rebischung, Magalie Peysselon. CHU Dijon: Fanny Coron, Laurence Faivre. CHU St-Etienne: Fabienne Prieur, Marine Lebrun, Caroline Kientz. Hôtel Dieu Centre Hospitalier, Chambéry: Sandra Fert Ferrer. Centre Antoine Lacassagne, Nice: Marc Frénay. CHU Limoges: Laurence Vénat-Bouvet. CHU Nantes: Capucine Delnatte. CHU Bretonneau, Tours: Isabelle Mortemousque. Groupe Hospitalier Pitié-Salpêtrière, Paris: Florence Coulet, Chrystelle Colas, Florent Soubrier. CHU Vandoeuvre-les-Nancy: Johanna Sokolowska, Myriam

Bronner. CHU Besançon: Marie-Agnès Collonge-Rame, Alexandre Damette. Creighton University, Omaha, USA: Henry T. Lynch, Carrie L. Snyder.

Helsinki Breast Cancer Study

(HEBCS): Taru A. Murañen, Drs. Carl Blomqvist and Kirsimari Aaltonen, and RNs Irja Erkkilä and Virpi Palola for their help with the HEBCS data and samples.

The Hereditary Breast and Ovarian Cancer Research Group Netherlands

(HEBON): consists of the following Collaborating Centers: Coordinating center: Netherlands Cancer Institute, Amsterdam, NL: M.A. Rookus, F.B.L. Hogervorst, F.E. van Leeuwen, S. Verhoef, M.K. Schmidt, J.L. de Lange, R. Wijnands; Erasmus Medical Center, Rotterdam, NL: J.M. Collée, A.M.W. van den Ouweland, M.J. Hoening, C. Seynaeve, C.H.M. van Deurzen, I.M. Obdeijn; Leiden University Medical Center, NL: C.J. van Asperen, J.T. Wijnen, R.A.E.M. Tollenaar, P. Devilee, T.C.T.E.F. van Cronenburg; Radboud University Nijmegen Medical Center, NL: C.M. Kets, A.R. Mensenkamp; University Medical Center Utrecht, NL: M.G.E.M. Ausems, R.B. van der Luijt; Amsterdam Medical Center, NL: C.M. Aalfs, T.A.M. van Os; VU University Medical Center, Amsterdam, NL: J. J.P. Gille, Q. Waisfisz, H.E.J. Meijers-Heijboer; University Hospital Maastricht, NL: E.B. Gómez-García, M.J. Blok; University Medical Center Groningen, NL: J. C. Oosterwijk, A.H. van der Hout, M.J. Mourits, G.H. de Bock; The Netherlands Foundation for the detection of hereditary tumours, Leiden, NL: H.F. Vasen; The Netherlands Cancer Registry: S. Siesling; The Dutch Pathology Registry (PALGA): L.L.H. Overbeek. HEBON thanks the registration teams of the Comprehensive Cancer Centre Netherlands and Comprehensive Centre South (together the Netherlands Cancer Registry) and PALGA (Dutch Pathology Registry) for part of the data collection.

Molecular Genetic Studies of Breast and Ovarian Cancer in Hungary

(HUNBOCS): The Hungarian Breast and Ovarian Cancer Study Group members (Janos Papp, Tibor Vaszko, Aniko Bozsik, Tímea Pócsa, Judit Franko, Maria Balogh, Gabriella Domokos, Judit Ferenczi, Department of Molecular Genetics, National Institute of Oncology, Budapest, Hungary) and the clinicians and patients for their contributions to this study.

University Hospital Vall d'Hebron

(HVH): The Oncogenetics Group, and the High Risk and Cancer Prevention Unit of the University Hospital Vall d'Hebron led by Dr. J. Balmaña.

Institut Catala d'Oncologia

(ICO): The ICO Hereditary Cancer Program team led by Dr. Gabriel Capella.

Interdisciplinary Health Research Internal Team Breast Cancer Susceptibility

(INHERIT): Dr. Martine Dumont, Martine Tranchant for sample management and skillful technical assistance. J. Simard is Chairholder of the Canada Research Chair in Oncogenetics. J. Simard and P. Soucy were part of the QC and Genotyping coordinating group of iCOGS (BCAC and CIMBA).

Kathleen Cuninghām Consortium for Research into Familial Breast Cancer

(kConFab): Heather Thorne, Eveline Niedermayr, all the kConFab research nurses and staff, the heads and staff of the Family Cancer Clinics, and the Clinical Follow Up Study for their contributions to this resource, and the many families who contribute to kConFab. Georgia Chenevix-Trench and Amanda B Spurdle are NHMRC Senior Research Fellows

Memorial Sloan-Kettering Cancer Center

(MSKCC): Anne Lincoln.

Ontario Cancer Genetics Network

(OCGN): Members and participants in the Ontario Cancer Genetics Network for their contributions to the study.

The Ohio State University Comprehensive Cancer Center

(OSUCCG): Leigha Senter, Kevin Sweet, Caroline Craven, and Michelle O'Connor were instrumental in accrual of study participants, ascertainment of medical records, and database management. Samples were processed by the OSU Human Genetics Sample Bank.

Sheba Medical Centre

(SMC): The assistance of the Meirav Comprehensive Breast Cancer Center team at the Sheba Medical Center for assistance in this study.

Swedish Breast Cancer Study

(SWE-BRCA): Swedish scientists participating as SWE-BRCA collaborators are Anna von Wachenfeldt, Annelie Liljegren, Annika Lindblom, Brita Arver, Gisela Barbany Bustinza and Johanna Rantala (Karolinska University Hospital); Marie Stenmark-Askmal and Sigrun Liedgren (Linköping University); Åke Borg, Helena Jernström and Katja Harbst (Lund University); Håkan Olsson, Karin Henriksson, Maria Soller, Niklas Loman and Ulf Kristoffersson (Lund University Hospital); Anna Öfverholm, Margareta Nordling, Per Karlsson and Zakaria Einbeigi (Sahlgrenska University Hospital); Beatrice Melin, Christina Edwinstodter Ardnor and Monica Emanuelsson (Umeå University); Maritta Hellström Pigg and Richard Rosenquist (Uppsala University); Hans Ehrencrona (Uppsala University and Lund University Hospital).

Grant Support

Funding for the iCOGS infrastructure came from: the European Community's Seventh Framework Programme under grant agreement n° 223175 (HEALTH-F2-2009-223175; COGS), Cancer Research UK (C1287/A10118, C1287/A 10710, C12292/A11174, C1281/A12014, C5047/A8384, C5047/A15007, C5047/A10692), the NIH (CA128978) and Post-Cancer GWAS initiative (1U19CA148537, 1U19 CA148065 and 1U19 CA148112 - the GAME-ON initiative), the Department of Defence (W81XWH-10-1-0341), the Canadian Institutes of Health Research (CIHR) for the CIHR Team in Familial Risks of Breast Cancer, Komen Foundation for the Cure, the Breast Cancer Research Foundation, and the Ovarian Cancer Research Fund. BCFR was supported by grant UM1 CA164920 from the National Cancer Institute. BFOCC was partly supported by: Research Council of Lithuania grant LIG-07/2012; BRCA-gene mutations and breast cancer in South African women (BMBSA) was supported by grants from the Cancer Association of South Africa (CANSa) to Elizabeth J. van Rensburg; the CNIO study was supported by Spanish Association against Cancer (AECC08), RTICC 06/0020/1060 and FISPI12/00070 and Mutua Madrileña Foundation (FMMA); City of Hope Clinical Cancer Genetics Community Research Network and the Hereditary Cancer Research Registry (COH-CCGCRN) was supported in part by Award Number RC4CA153828 (PI: J. Weitzel) from the National Cancer Institute and the Office of the Director, NIH. CONSTIT TEAM was partially supported by funds from Italian citizens who allocated the 5×1000 share of their tax payment in support of the Fondazione IRCCS Istituto Nazionale dei Tumori, according to Italian laws (INT-Institutional strategic projects `5×1000`); the DKFZ study was supported by the DKFZ; EMBRACE was supported by Cancer Research UK Grants C1287/A10118, C1287/A16563 and C1287/A17523. D. Gareth Evans and Fiona Laloo are supported by an NIHR grant to the Biomedical Research Centre, Manchester. The Investigators at The Institute of Cancer Research and The Royal Marsden NHS Foundation Trust were supported by an NIHR grant to the Biomedical Research Centre at The Institute of Cancer Research and The Royal Marsden NHS Foundation Trust. Ros Eeles and Elizabeth Bancroft were supported by Cancer Research UK Grant C5047/A8385; the German Consortium of Hereditary Breast and Ovarian Cancer (GC-HBOC) is kindly supported by the German Cancer Aid to Rita K. Schmutzler (grant no. 109078) and by the Center for Molecular Medicine Cologne (CMMC); the GEMO study was supported by the Ligue Nationale Contre le Cancer; the Association "Le cancer du sein, parlons-en!" Award; and the Canadian Institutes of Health Research for the "CIHR Team in Familial Risks of Breast Cancer" program; the HEBCS was financially supported by the Helsinki University Central Hospital Research Fund, Academy of Finland (266528), the Finnish Cancer Society and the Sigrid Juselius Foundation; The HEBON study was supported by the Dutch Cancer Society grants NKI1998-1854, NKI2004-3088, NKI2007-3756, the Netherlands Organization of Scientific Research grant NWO 91109024, the Pink Ribbon grant 110005 and the BBMRI grant NWO 184.021.007/CP46; Hungarian Breast and Ovarian Cancer

Peterlongo et al.

Study (HUNBOCS) was supported by Hungarian Research Grants KTIA-OTKA CK-80745 and OTKA K-112228; ICO was sponsored by Asociación Española Contra el Cáncer, Spanish Health Research Fund; Carlos III Health Institute; Catalan Health Institute and Autonomous Government of Catalonia, contract grant numbers: ISCIII RETIC RD06/0020/1051, RD12/0036/008, PI10/01422, PI10/00748, PI13/00285, and 2009SGR290; The IHCC was supported by Grant PBZ_KBN_122/P05/2004; The ILUH group was supported by the Icelandic Association "Walking for Breast Cancer Research" and by the Landspítali University Hospital Research Fund; IOVHBOCS was supported by Ministero della Salute and "5×1000" Istituto Oncologico Veneto grant; kConFab was supported by grants from the National Breast Cancer Foundation, the National Health and Medical Research Council (NHMRC) and by the Queensland Cancer Fund, the Cancer Councils of New South Wales, Victoria, Tasmania and South Australia, and the Cancer Foundation of Western Australia; MAYO was supported by NIH grant CA128978, an NCI Specialized Program of Research Excellence (SPORE) in Breast Cancer (CA116201), a U.S. Department of Defense Ovarian Cancer Idea award (W81XWH-10-1-0341) and a grant from the Breast Cancer Research Foundation, the David and Margaret T. Grohne Family Foundation, and the Ting Tsung and Wei Fong Chao Foundation; MSKCC was supported by grants from the Breast Cancer Research Foundation and Robert and Kate Niehaus Clinical Cancer Genetics Initiative; OSUCCG was supported by the Ohio State University Comprehensive Cancer Center; SWE-BCRA collaborators are supported by the Swedish Cancer Society; the Women's Cancer Program (WCP) at the Samuel Oschin Comprehensive Cancer Institute was funded by the American Cancer Society Early Detection Professorship (SIOP-06-258-01-COUN).

This work was supported by the NEYE Foundation; by the European Union (European Social Fund – ESF) and Greek national funds through the Operational Program "Education and Lifelong Learning" of the National Strategic Reference Framework (NSRF) - Research Funding Program of the General Secretariat for Research & Technology; ARISTEIA, Investing in knowledge society through the European Social Fund; by the University of Kansas Cancer Center

(P30 CA168524) and the Kansas Bioscience Authority Eminent Scholar Program; by National Cancer Institute grants to the Gynecologic Oncology Group (GOG) Administrative Office and Tissue Bank (CA 27469), the GOG Statistical and Data Center (CA 37517), and by NCI's Community Clinical Oncology Program (CCOP) grant (CA 101165); by the Canadian Institutes of Health Research for the "CIHR Team in Familial Risks of Breast Cancer" program, the Canadian Breast Cancer Research Alliance-grant #019511 and the Ministry of Economic Development, Innovation and Export Trade – grant # PSR-SIIRI-701; through a grant by the Israel Cancer Association and the funding for the Israeli Inherited Breast Cancer Consortium; by NIH (R01-CA102776 and R01-CA083855; by Breast Cancer Research Foundation; by Susan G. Komen Foundation; by Basser Research Center; by RD12/00369/0006 from ISCIII and the European Regional Development funds, Spain and by 1R01 CA149429-01 grant.

Susan L. Neuhausen was partially supported by the Morris and Horowitz Families Endowed Professorship; Andrew K. Godwin was funded by 5U01CA113916, R01CA140323, and by the Chancellors Distinguished Chair in Biomedical Sciences Professorship; the research of Mark H. Greene and Phuong L. Mai was supported by the Intramural Research Program of the US National Cancer Institute, NIH, and by support services contracts NO2-CP-11019-50 and NO2-CP-65504 with Westat, Inc, Rockville, MD.

Note

The Editor-in-Chief of *Cancer Epidemiology, Biomarkers & Prevention* is an author of this article. In keeping with the AACR's Editorial Policy, the paper was peer reviewed and an AACR Journals' Editor not affiliated with *Cancer Epidemiology, Biomarkers & Prevention* rendered the decision concerning acceptability.

Received May 17, 2014; revised August 25, 2014; accepted September 29, 2014; published OnlineFirst October 21, 2014.

References

- Begg CB, Haile RW, Borg A, Malone KE, Concannon P, Thomas DC, et al. Variation of breast cancer risk among BRCA1/2 carriers. *JAMA* 2008;299:194–201.
- Gaudet MM, Kuchenbaecker KB, Vijai J, Klein RJ, Kirchhoff T, McGuffog L, et al. Identification of a BRCA2-specific modifier locus at 6p24 related to breast cancer risk. *PLoS Genet* 2013;9:e1003173.
- Levy-Lahad E, Friedman E. Cancer risks among BRCA1 and BRCA2 mutation carriers. *Br J Cancer* 2007;96:11–5.
- Antoniou AC, Sinilnikova OM, Simard J, Léoné M, Dumont M, Neuhausen SL, et al. RAD51 135G→C modifies breast cancer risk among BRCA2 mutation carriers: results from a combined analysis of 19 studies. *Am J Hum Genet* 2007;81:1186–200.
- Chenevix-Trench G, Milne RL, Antoniou AC, Couch FJ, Easton DF, Goldgar DE; CIMBA. An international initiative to identify genetic modifiers of cancer risk in BRCA1 and BRCA2 mutation carriers: the Consortium of Investigators of Modifiers of BRCA1 and BRCA2 (CIMBA). *Breast Cancer Res* 2007;9:104.
- Pooley KA, Bojesen SE, Weischer M, Nielsen SF, Thompson D, Amin Al Olama A, et al. A genome-wide association scan (GWAS) for mean telomere length within the COGS project: identified loci show little association with hormone-related cancer risk. *Hum Mol Genet* 2013;22:5056–64.
- Barnes DR, Lee A, EMBRACE Investigators, kConFab Investigators Easton DF, Antoniou AC. Evaluation of association methods for analysing modifiers of disease risk in carriers of high-risk mutations. *Genet Epidemiol* 2012;36:274–91.
- Antoniou AC, Wang X, Fredericksen ZS, McGuffog L, Tarrell R, Sinilnikova OM, et al. A locus on 19p13 modifies risk of breast cancer in BRCA1 mutation carriers and is associated with hormone receptor-negative breast cancer in the general population. *Nat Genet* 2010;42:885–92.

Cancer Epidemiology, Biomarkers & Prevention

Candidate Genetic Modifiers for Breast and Ovarian Cancer Risk in *BRCA1* and *BRCA2* Mutation Carriers

Paolo Peterlongo, Jenny Chang-Claude, Kirsten B. Moysich, et al.

Cancer Epidemiol Biomarkers Prev 2015;24:308-316. Published OnlineFirst October 21, 2014.

Updated version	Access the most recent version of this article at: doi: 10.1158/1055-9965.EPI-14-0532
Supplementary Material	Access the most recent supplemental material at: http://cebp.aacrjournals.org/content/suppl/2014/10/22/1055-9965.EPI-14-0532.DC1

E-mail alerts [Sign up to receive free email-alerts](#) related to this article or journal.

**Reprints and
Subscriptions** To order reprints of this article or to subscribe to the journal, contact the AACR Publications Department at pubs@aacr.org.

Permissions To request permission to re-use all or part of this article, use this link
<http://cebp.aacrjournals.org/content/24/1/308>.
Click on "Request Permissions" which will take you to the Copyright Clearance Center's (CCC)
Rightslink site.