

## REFERENCES

Allen, J.R.L., 1984. Experiments on the settling, overturning and entrainment of bivalve shells and related models. *Sedimentology*, 31, 227-250.

Andrade, C., 1990. *O ambiente de barreira da Ria Formosa, Algarve-Portugal*. PhD thesis, Universidade de Lisboa, Portugal, 627 p. (in Portuguese).

Andrade, C., Barata, A., Teles, M., 1998. An analysis of the vulnerability to overwash of the Ria Formosa barrier system (Portugal) using a simple multi-attribute rating technique (smart) approach. *Proceedings of 4<sup>th</sup> International Symposium Littoral'98*, EUROCOAST, Barcelona, Spain, pp. 511-519.

Andrews, P.B., 1970. *Facies and genesis of a Hurricane-Washover Fan, St. Joseph Island, Central Texas Coast*. Report of Investigations no. 67, Bureau of Economic Geology, University of Texas, Austin, 147 p.

Anthony, E.J., Lang, J., Oyédé, L.M., 1996. Sedimentation in a tropical, microtidal, wave-dominated coastal-plain estuary. *Sedimentology*, 43, 665-675.

Arens, S.M., 1994. *Aeolian processes in the Dutch foredunes*. PhD thesis, Universiteit van Amsterdam, 150 p.

Armon, J.W. and McCann, S.B., 1979. Morphology and landward sediment transfer in a transgressive barrier island system, southern Gulf of St. Lawrence, Canada. *Marine Geology*, 31, 333-344.

Ashley, G.M., 1990. Classification of large-scale sub-aqueous bedforms: a new look at an old problem. *Journal of Sedimentary Petrology*, 60, 363-396.

Bagnold, R., 1941. *The physics of blown sands and desert dunes*. Chapman and Hall, London, 265 p.

Balsillie, J.H., and Tanner, W.F., 1999. Suite versus composite statistics. *Sedimentary Geology*, 125, 225-234.

Bartholdy, J., Christiansen, C., Petersen, J.B.T., 2004. Comparing advantages and disadvantages in the interpretation of grain-size trends described by the log-normal and the log-hyperbolic distribution models. *Extended abstracts of the International workshop "From*

*Particle Size to Sediment Dynamics*", Hanse Institute of Advanced Studies, Delmenhorst, Germany, 16-22.

Bascom, W.N., 1951. The relationship between sand-size and beach-face slope. *Eos, Transactions, American Geophysical Union*, 32, 866-874.

Bettencourt, P., 1985. *Géomorphologie et processus d'évolution récente de la côte sotavento (Algarve, Sud Portugal)*. Rapport D.E.A., Université de Bordeaux I, 92 p. (in French).

Bettencourt, P., 1988. Contribution of the sedimentological study for the understanding of recent evolution of a barrier island system (Algarve, South Portugal). *Bulletin de L' Institut de Géologie du Bassin d'Aquitaine*, 44, 81-96 (in French).

Bettencourt, P., 1994. *Les environnements sédimentaires de la côte Sotavento (Algarve Sud Portugal) et leur évolution Holocène et Actuelle*. PhD thesis, Université de Bordeaux I, France (in French).

Bird, E.C.F., 1985. *Coastline Changes – A Global Review*. John Wiley – Interscience, Chichester, England, 219 p.

Blott, S.J. and Pye, K., 2001. GRADISTAT: a grain size distribution and statistics package for the analysis of unconsolidated sediments. *Earth Surface Processes and Landforms*, 26, 1237-1248, technical communication.

Boak, E.H. and Turner, I.L., 2005. Shoreline definition and detection: a review. *Journal of Coastal Research*, 21 (4), 688-703.

Bray, T.F. and Carter, C.H., 1992 - Physical processes and sedimentary record of a modern, transgressive, lacustrine barrier island. *Marine Geology*, 105, 155-168.

Bureau of Beaches and Coastal Systems, 2004. *Hurricane Ivan, beach and dune erosion and structural damage assessment and post-storm recovery plan for the Panhandle Coast of Florida*. Division of Water Resource Management, Department of Environmental Protection, State of Florida, 61 p.

Carter, R.W.G., 1988. *Coastal environments - An Introduction to the Physical, Ecological and Cultural Systems of Coastlines*. Academic Press, 617 p.

- C.E.R.C., 1984. *Shore Protection Manual*. 4<sup>th</sup> edition. US Army Engineer Waterways Experiment Station, Washington D.C., 354 p.
- Ciavola, P., Taborda, R., Ferreira, Ó., Dias, J.A., 1997. Field measurements of longshore sand transport and control processes on a steep meso-tidal beach in Portugal. *Journal of Coastal Research*, 13 (4), 1119-1129.
- Ciavola, P., Dias, N., Ferreira, Ó., Taborda, R., Dias, J.A., 1998. Fluorescent sands for measurement of longshore transport rates: a case study from Praia de Faro in southern Portugal. *Geo-Marine Letters*, 18, 49-57.
- Cleary, W.J. and Hosier, P.E., 1979. Geomorphology, washover history, and inlet zonation: Cape Lookout, N.C. to Bird Island, N.C. In: *Barrier Islands – From the Gulf of St. Lawrence to the Gulf of Mexico* (ed. S. P. Leatherman), Academic Press, 237-271.
- Cleary, W.J., McLeod, M.A., Rauscher, M.A., Johnston, M.K., Riggs, S.R., 2001. Beach nourishment on hurricane impacted barriers in Southeastern North Carolina, USA: targeting shoreface and tidal inlet sand resources. *Journal of Coastal Research*, (SI) 34, 232-255.
- Clifton, H.E., 1969. Beach lamination: nature and origin. *Marine Geology*, 7, 553-559.
- Cloutier, M. and Héquette, A., 1998. Aeolian and overwash sediment transport across a low barrier spit, southeastern Canadian Beaufort Sea. *Zeitschrift fur Geomorphologie*, 42 (3): 349-366.
- Collins, M.B., Simwell, S.J., Gao, S.S., Powell, H., Hewitson, C., Taylor, J.A., 1995. Water and sediment movement in the vicinity of linear sandbanks: the Norfolk Banks, southern North Sea. *Marine Geology*, 123, 125-142.
- Costa, C., 1994. *Final Report of Sub-Project A. Wind Wave Climatology of the Portuguese Coast*. Report PO-WAVES 6/94-A, IH/LNEC, 80 p.
- Costa, M., Silva, R., Vitorino, J., 2001. Contribuição para o estudo do clima de agitação marítima na costa portuguesa. *Proceedings of 2<sup>as</sup> Jornadas Portuguesas de Engenharia Costeira e Portuária*, International Navigation Association PIANC, Sines, Portugal (in Portuguese).

- Courtemanche, R.P., Hester, M.W. and Mendelsohn, I.A., 1999. Recovery of a Louisiana Barrier Island Marsh Plant Community Following Extensive Hurricane- Induced Overwash. *Journal of Coastal Research*, 15 (4), 872-883.
- Cunha, F.R., 1957. *O Clima do Algarve*. Relatório final do curso de engenheiro agrónomo. Universidade Técnica de Lisboa, 591 p. (in Portuguese).
- Cunha, F.R., 1985. O meio físico da Ria Formosa. Aspectos climáticos. Cooperação Oceanográfica Luso/Francesa. *Proceedings of Seminário "Sistemas Lagunares. Ria Formosa"*, 16 p. (in Portuguese).
- Davidson-Arnott, R.G.D. and Fisher, J.D., 1992. Spatial and temporal controls on overwash occurrence on a Great Lakes barrier spit. *Canadian Journal of Earth Sciences*, 29, 102-117.
- Davidson-Arnott, R.G.D. and Reid, H.E.C., 1994. Sedimentary processes and the evolution of the distal bayside of Long Point, Lake Erie. *Canadian Journal of Earth Sciences*, 31, 1461-1473.
- Dech, J.P., Maun, M.A., Pazner, M.I., 2005. Blowout dynamics on Lake Huron sand dunes: analysis of digital multispectral data from colour air photos. *Catena*, 60, 165-180.
- Delaney, C. and Devoy, R., 1995. Evidence from sites in Western Ireland of late Holocene changes in coastal environments. *Marine Geology*, 124, 273-287.
- Dias, J.A., 1986. Observações sobre a origem das areias das ilhas barreira da Ria Formosa. *Proceedings of IV Congresso do Algarve*, RACAL Clube, 579-587 (in Portuguese).
- Dias, J.A., 1988. Aspectos geológicos do Litoral Algarvio. *Geonovas*, 10, 113-128 (in Portuguese).
- Dias, J.A., Ferreira, Ó., Matias, A., Vila-Concejo, A., Sá-Pires, C., 2003. Evaluation of soft protection techniques in barrier islands by monitoring programs: case studies from Ria Formosa (Algarve-Portugal). *Journal of Coastal Research*, SI 35, 117-131.
- Dingler, J.R., Reiss, T.E., 1990. Cold-front driven storm erosion and overwash in the central part of the Isles Dernieres, a Louisiana Barrier-Island arc. *Marine Geology*, 91 (3), 195-206.

- Doeglas, D.J., 1946. Interpretation of the results of mechanical analyses. *Journal of Sedimentary Petrology*, 16, 19-40.
- Dolan, R. and Godfrey, P., 1973. Effects of Hurricane Ginger on the barrier islands of North Carolina. *Geological Society of America Bulletin*, 84, 1329-1334.
- Dolan, R. and Hayden, B., 1981. Storms and shoreline configuration. *Journal of Sedimentary Petrology*, 51, 737-744.
- Donnelly, C., Kraus, N., Larson, M., *in press a*. State of knowledge on measurement and modelling of coastal overwash. *Journal of Coastal Research*.
- Donnelly, C., Ranasinghe, R., Larson, M., *in press b*. Numerical modelling of beach profile change caused by overwash. *Proceedings of Coastal Dynamics '05*.
- Dyer, K.R., 1986. *Coastal and estuarine sediment dynamics*. John Wiley & Sons, 342 p.
- El Ashry, M.T. and Wanless, H.R., 1968. Photo interpretation of shoreline changes between Capes Hatteras and Fear, North Carolina. *Marine Geology*, 6, 347-379.
- Esaguy, A.S., 1984. *Ria de Faro, Barra da Armona. Evolução 1873-1983*. Direcção Geral de Portos Internal Report, 5 p. (in Portuguese).
- Esaguy, A.S., 1985. *Ria de Faro, Barra da Fuseta. Evolução 1944-1984*. Direcção Geral de Portos Internal Report, 11 p. (in Portuguese).
- Esaguy, A.S., 1986a. *Ria de Faro, Barra de Faro-Olhão. Evolução 1955-1985*. Direcção Geral de Portos Internal Report, 10 p. (in Portuguese).
- Esaguy, A.S., 1986b. *Ria de Faro, Ilha de Tavira. Evolução 1950-1985*. Direcção Geral de Portos Internal Report, 8 p. (in Portuguese).
- Esaguy, A.S., 1986c. *Ria de Faro, Ilha do Ancão. Evolução 1950-1985*. Direcção Geral de Portos Internal Report, 7 p. (in Portuguese).
- Esaguy, A.S., 1987. *Ria de Faro. Barra de Tavira. Evolução*. Direcção Geral de Portos Internal Report, 13 p. (in Portuguese).

- Faria, J.M.R., Godinho, S., Almeida, M.J.R., Machado, M.S., 1981. *Estudo Hidroclimatológico da Região do Algarve*. O Clima de Portugal, Fascículo XXVII. Instituto Nacional de Meteorologia e Geofísica, 155 p. (in Portuguese).
- Fenster, M.S., Dolan, R., Morton, R.A., 2001. Coastal storms and shoreline change: signal or noise? *Journal of Coastal Research*, 17 (3), 714-720.
- Ferreira, Ó. and Dias, J.A., 1993. Dune erosion and shoreline retreat between Aveiro and Cape Mondego (Portugal). Prediction of future evolution. *Proceedings of the International Coastal Congress*, Kiel, 187-200.
- Ferreira, Ó., Ciavola, P., Taborda, R., Bairros, M., Dias, J.A., 2000. Sediment mixing depth determination for steep and gentle foreshores. *Journal of Coastal Research*, 16 (3), 830-839.
- Ferreira, Ó., Fachin, S., Coli, A., Taborda, R., Dias, J.A., Lontra, G., 2002. Study of a harbour infilling using sand tracer experiments. *Journal of Coastal Research*, SI (36), 283-289.
- Ferreira, Ó., Garcia, T., Matias, A., Taborda, R., Dias, J.A., *in press*. Integrated method for representation of set back lines for coastal erosion hazards at sandy shores. *Continental Shelf Research*.
- Ferreira, T., Cruces, A., Freitas, M.C., Andrade, C., Araújo, M.F., Bao, R., 2005. Microscale characterization of Lagoa da Sancha – An acidic dune slack in the Portuguese SW Coast. *Proceedings of Iberian Coastal Holocene Paleoenvironmental Evolution-COASTAL HOPE*, FCUL-Universidade de Lisboa, 58-61.
- Fisher, J.S. and Stauble, D.K., 1977. Impact of Hurricane Belle on Assateague Island washover. *Geology*, 5 (12), 765-768.
- Fisher, J.J. and Simpson, E.J., 1979. Washover and tidal sedimentation rates as environmental factors in development of a transgressive barrier shoreline. In: *Barrier Islands – From the Gulf of St. Lawrence to the Gulf of Mexico* (ed. S. P. Leatherman), Academic Press, 127-148.
- Fisher, J.S., Leatherman, S.P., Perry, F.C., 1974. Overwash processes on Assateague Island. *Proceedings of 14<sup>th</sup> Conference on Coastal Engineering*, ASCE, 1194-1211.

FitzGerald, D.M., Van-Heteren, S., Montello, T.M., 1994. Shoreline processes and damage resulting from the Halloween Eve storm of 1991 along the north and south shores of Massachusetts Bay, USA. *Journal of Coastal Research*, 10 (1): 113-132.

FitzGerald, D.M., Kraus, N.C., Hands, E.B., 2001. *Natural Mechanisms of Sediment Bypassing at Tidal Inlets*. ERDC/CHL CHETN-IV-30, U.S. Army Engineer Research and Development Center, Vicksburg, Mississippi, 10 p.

Flemming, B.W., 2004. Factors affecting the shape of particles frequency distributions and associated textural parameters. *Extended abstracts of the International workshop "From Particle Size to Sediment Dynamics"*, Hanse Institute of Advanced Studies, Delmenhorst, Germany, 53-58.

Fletcher, C.H., Richmond, B.M., Barnes, G.M., Schroeder, T.A., 1995. Marine flooding on the coast of Kauai during Hurricane Iniki: Hindcasting inundation components and delineating washover. *Journal of Coastal Research*, 11 (1) 188-204.

Freitas, M.C., 1996. Lagunas costeiras: ambientes em evolução. *Seminário sobre lagunas costeiras e ilhas-barreira da zona costeira de Portugal*. EUROCOAST, Aveiro, 107-123.

Friedman, G.M., 1961. Distinction between dune, beach and river sands from their textural characteristics. *Journal of Sedimentary Petrology*, 31, 514-529.

Friedman, G.M. and Sanders, J.E., 1978. *Principles of Sedimentology*. John Wiley & Sons. 792 p.

Gama, C., 1996. *Caracterização do fenómeno de sobrelevação do nível do mar de origem meteorológica em Portugal continental. Efeito amplificador deste fenómeno sobre as variações de sedimentos nas praias da Comporta, S. Torpes, Odeceixe e Arrifana*. Master thesis, Universidade de Lisboa, 138 p. (in Portuguese).

Gama, C., Dias, J.A., Ferreira, Ó., Taborda, R., 1994. Analysis of storm surge in Portugal, between June 1986 and May 1988. *Proceedings of the Second International Symposium on Coastal Zone Research-Management and Planning*, EUROCOAST, Lisbon, Portugal, I, 381-387.

- Garcia, T., Ferreira, Ó., Matias, A., Dias, J.A., 2002. Recent evolution of Culatra Island. *Proceedings of 6<sup>th</sup> International Symposium Littoral 2002*, EUROCOAST, Porto, Portugal, pp. 423-429.
- Garcia, T., Ferreira, Ó., Matias, A., Dias, J.A., 2005. Coastal hazards representation for Praia do Barril (Algarve, Portugal). *Journal of Coastal Research*, SI 49, 28-33.
- Garcia, T., Ferreira, Ó., Matias, A., Dias, J.A., *in preparation*. A method for overwash vulnerability evaluation based on the long-term washovers evolution. *Natural Hazards*.
- Godfrey, P.J., 1977. Climate, plant response, and development of dunes on barrier beaches along the U.S. East Coast. *International Journal of Biometeorology*, 21, 203-215.
- Godfrey, P.J., Leatherman, S.P., Zaremba, R., 1979. A geobotanical approach to classification of barrier beach systems. In: *Barrier Islands – From the Gulf of St. Lawrence to the Gulf of Mexico*, (Ed. S.P. Leatherman), Academic Press, 99-126.
- Goldsmith, V., 1978. Coastal dunes. In: *Coastal Sedimentary Environments* (Ed. R.A. Davis), Springer Verlag, New York, pp. 337-378.
- Gomes, N., Andrade, C., Nevin, C., McCluskey, J., Jackson, D., 1994. Aeolian sand transport in Culatra barrier, Ria Formosa (Portugal). *Proceedings of 2<sup>nd</sup> International Symposium Littoral '94*, EUROCOAST, Lisbon, Portugal, 509-516.
- Gonzalez, R., Dias, J.A., Ferreira, Ó., 2005. Analysis of land-cover shifts in time and their significance. In: *High Resolution Morphodynamics and Sedimentary Evolution of Estuaries* (ed. D.M. FitzGerald and J. Knight), Springer, 57-82.
- Gourlay, M.R., 1968. *Beach and dune erosion tests*. Delft Hydraulics Laboratory, Report No. M935/M936.
- Granja, H., 1984. *Étude Géomorphologique, Sédimentologique et Geoquimique de la Ria Formosa (Algarve-Portugal)*. PhD thesis., Université de Bordeaux I, 254 p. (in French).
- Granja, H., Froidefond, J.M., Pera, T., 1984. Morpho-sedimentary evolution process of the Ria Formosa coastal lagoon (Portugal). *Bulletin de L' Institut de Géologie du Bassin d'Aquitaine*, 36, 37-50 p. (in French).

- Guillèn, J., Camp, J., Palanques, A., 1994. Short-time evolution of a microtidal barrier-lagoon system affected by storm and overwashing: the Trabucador Bar (Ebro Delta, NW Mediterranean). *Zeitschrift für Geomorphologie*, 38 (3): 267-281.
- Guy, D.E., 1999. Erosion hazard area mapping, Lake County, Ohio. *Journal of Coastal Research*, SI 28, 185-196.
- Guzza, R.T. and Inman, D.L., 1975. Edge waves and beach cusps. *Journal of Geophysical Research*, 80 (21), 2997-3012.
- Hayden, B. and Dolan, R., 1977. Storm-surge overwash along the US mid-Atlantic coast. *Bulletin of the American Meteorological Society*, 58 (10), 1128.
- Hayes, M.O., 1967. *Hurricanes as geological agents: Case studies of Hurricane Carla, 1961, and Cindy, 1963*. Report of Investigations no. 61, Bureau of Economic Geology, University of Texas, Austin, 54 p.
- Hennessy, J.T. and Zarillo, G.A., 1987. The interrelation and distinction between flood-tidal delta and washover deposits in a transgressive barrier island. *Marine Geology*, 78, 35-56.
- Héquette, A. and Ruz, M.H., 1991. Spit and barrier island migration in the southeastern Canadian Beaufort Sea. *Journal of Coastal Research*, 7 (3), 677-698.
- Hesp, P., 2002. Foredunes and blowouts: initiation, geomorphology and dynamics. *Geomorphology*, 48, 245-268.
- Hobday, D.K. and Jackson, P.A., 1979. Transgressive shore zone sedimentation and syndepositional deformation in the Pleistocene of Zululand, South Africa. *Journal of Sedimentary Petrology*, 49, 0145-0158.
- Holland, K.T., Holman, R.A., Sallenger, A.H., 1991. Estimation of overwash bore velocities using video techniques. *Proceedings of the International Conference on Coastal Sediments '91*, 489-497.
- Holman, R.A., 1986. Extreme values statistics for wave runup on a natural beach. *Coastal Engineering*, 9, 527.

- Hosier, P.E. and Cleary, W.J., 1977. Cyclic geomorphic patterns of washover on a barrier island in southeastern North Carolina. *Environmental Geology*, 2, 23-31.
- IM, 2004. *Caracterização Climática 2004*. Relatórios Anuais, Clima em Portugal, Instituto de Meteorologia, 19 p. (in Portuguese). Available at:  
[http://web.meteo.pt/resources/im/pdfs/clim\\_ap\\_00\\_04.pdf](http://web.meteo.pt/resources/im/pdfs/clim_ap_00_04.pdf)
- Inman, D.L. and Dolan, R., 1989. The Outer Banks of North Carolina: budget of sediment and inlet dynamics along a migrating barrier system. *Journal of Coastal Research*, 5 (2), 193-237.
- INMG, 1991. *Normais climatológicas da região de "Alentejo e Algarve", correspondentes a 1951-1980*. O Clima de Portugal, Fascículo XLIX (4), Instituto Nacional de Meteorologia e Geofísica, 98 p. (in Portuguese).
- Jelgersma, S., Stive, M.J.F., van der Valk, L., 1995. Holocene storm surge signatures in the coastal dunes of the western Netherlands. *Marine Geology*, 125, 95-110.
- King, C.A.M., 1951. Depth of disturbance of sand on sea beaches by waves. *Journal of Sedimentary Petrology*, 21 (3), 131-140.
- Kobayashi, N., Tega, Y., Hancock, M.W., 1996. Wave reflection and overwash of dunes. *Journal of Waterway, Port, Coastal, and Ocean Engineering*, 122/3, 150-153.
- Kochel, R.C. and Dolan, R., 1986. The role of overwash on a mid-Atlantic coast barrier island. *Journal of Geology*, 94, 6, 902-906.
- Kochel, R.C. and Wampfler, L.A., 1989. Relative role of overwash and aeolian processes on washover fans, Assateague Island, Virginia-Maryland. *Journal of Coastal Research*, 5 (3), 453-475.
- Komar, P.D. and Inman, D.L., 1970. Longshore sand transport on beaches. *Journal of Geophysical Research*, 75, 5514-5527.
- Komar, P.D., Diaz-Mendez, G.M., Marra, J.J., 2001. Stability of the New River Spit, and the position of Oregon's beach-zone line. *Journal of Coastal Research*, 17 (3), 625-635.
- Kraus, N.C. and Wise, R.A., 1993. Simulation of January 4, 1992 storm erosion at Ocean City, Maryland. *Shore & Beach*, 61 (1), 34-41.

Kraus, N.C., Militello, A., Todoroff, G. 2002. Barrier breaching processes and barrier spit breach, Stone Lagoon, California. *Shore & Beach*, 70 (4), 21-28.

Larson, M., Wise, R.A., Kraus, N.C., 2004. Modeling dune response due to overwash transport. *Proceedings of the 29<sup>th</sup> Coastal Engineering Conference*, ASCE, 2133-2145.

Leatherman, S.P., 1976. *Quantification of overwash processes*. PhD dissertation, University of Virginia, 245 p.

Leatherman, S.P., 1977. Overwash Hydraulics and sediment transport. *Proceedings of Coastal Sediments '77*, ASCE, 135-148.

Leatherman, S.P., 1979. Migration of Assateague Island, Maryland, by inlet and overwash processes. *Geology*, 7 (2), 104-107.

Leatherman, S.P., 1988. *Barrier island handbook*. Coastal Publications Series, Laboratory for Coastal Research, University of Maryland, 92 p.

Leatherman, S.P. and Williams, A.T., 1977. Lateral textural grading in overwash sediments. *Earth Surface Processes*, 2, 333-341.

Leatherman, S.P. and Williams, A.T., 1978. Barrier island processes. *Journal of the Geological Society* (London), 135 (4), 479.

Leatherman, S.P. and Williams, A.T., 1983. Vertical sedimentation units in a barrier island washover fan. *Earth Surface Processes and Landforms*, 8, 141-150.

Leatherman, S.P. and Zaremba, R.E., 1987. Overwash and Aeolian Processes on a US Northeast Coast Barrier. *Sedimentary Geology*, 52 (3-4), 183-206.

Leatherman, S.P., Williams, A.T., Fisher, J.S., 1977. Overwash sedimentation associated with a large-scale northeastern. *Marine Geology*, 24, 109-121.

Machado, M.J.S.S., 1980. *Número máximo de dias seguidos "sem" e "com" precipitação em Portugal Continental*. O Clima de Portugal, fascículo XXII. Instituto Nacional de Meteorologia e Geofísica, 20 p. (in Portuguese).

Madsen, O.S., 1987. Use of tracers in sediment transport studies. *Proceedings of the International Conference on Coastal Sediments '87*, ASCE, New Orleans, USA, 424-435.

- Mason, C.C. and Folk, R.L., 1958. Differentiation of beach, dune, and aeolian flat environments by size analysis, Mustang Island, Texas. *Journal of Sedimentary Petrology*, 28 (2), 211-226.
- Masselink, G. and Lessa, G., 1995. Barrier stratigraphy on the macrotidal central Queensland coastline, Australia. *Journal of Coastal Research*, 11 (2), 454-477.
- Masselink, G. and Short, A., 1993. The effect of tide range on beach morphodynamics and morphology: a conceptual beach model. *Journal of Coastal Research*, 9 (3), 785-800.
- Matias, A., 2000. *Estudo Morfo-sedimentar da Península de Cacela*. MSc thesis, Universidade do Algarve, Faro, 244 p. (in Portuguese).
- Matias, A., Vila-Concejo, A., Ferreira, Ó., Dias, J.A., 2003. Field measurements of morphologic variations during an overwash event. *Proceedings of the 4<sup>th</sup> Symposium on the Atlantic Iberian Continental Margin*, Thalassas, 19 (2b), 164-165.
- Matias, A., Ferreira, Ó., Dias, J.A., Vila-Concejo, A., 2004. Development of indices for the evaluation of dune recovery techniques. *Coastal Engineering*, 51, 261-276.
- Matias, A., Ferreira, Ó., Mendes, I., Dias, J.A., Vila-Concejo, A., 2005. Artificial construction of dunes in the south of Portugal. *Journal of Coastal Research*, 21 (3), 472-481.
- May, J.P., 1973. Selective transport of heavy minerals by shoaling waves. *Sedimentology*, 20, 203-212.
- McBride, R.A. and Byrnes, M.R., 1997. Regional variations in shore response along barrier island systems of the Mississippi River delta plain: historical change and future prediction. *Journal of Coastal Research*, 13 (3), 628-655.
- McCluskey, J.M., 1987. *The role and magnitude of eolian processes in the barrier island environment*. PhD thesis, Rutgers State University of New Jersey, 339 p.
- Melo, J.S., 1989. Caracterização Hidro-Oceanográfica da Ria Formosa. *Anais do Instituto Hidrográfico*, 10, 7-23 (in Portuguese).

- Mendes, I., Ferreira, Ó., Matias, A., 1999. Comparação granulométrica temporal entre a Praia de Faro e a Península de Cacela. *Proceedings of X Congresso do Algarve*, RACAL Clube, 491-498 (in Portuguese).
- Miller, R.L. and Zeigler, J.M., 1958. A model relating sediment pattern in the region of shoaling waves, breaker zone, and foreshore. *Journal of Geology*, 66, 417-441.
- Moore, L.J., Benumof, B.T., Griggs, G.B., 1999. Coastal erosion hazards in Santa Cruz and San Diego Counties, California. *Journal of Coastal Research*, SI (28), 121-139.
- Morris, B.D., Bell, P.S., Matias, A., Ferreira, Ó., Williams, J.J., 2004. Estimates of swash processes using a high resolution radar. *Proceedings of the Workshop: Methods for Determining and Representing Coastal Hazards*, Universidade do Algarve, Faro, 21-22.
- Morton, R.A., 1978. Large-scale rhomboid bed forms and sedimentary structures associated with hurricane washover. *Sedimentology*, 25, 183-204.
- Morton, R.A. and Sallenger, A.H., 2003. Morphological impacts of extreme storms on sandy beaches and barriers. *Journal of Coastal Research*, 19 (3), 560-573.
- Morton, R.A., Gonzalez, J.L., Lopez, G.I., Correa, I.D., 2000. Frequent Non-storm Washover of Barrier Islands, Pacific Coast of Colombia. *Journal of Coastal Research*, 16 (1), 82-87.
- Morton, R. A., Guy, K. K., Hill, H. W., Pascoe, T., 2003. Regional morphological responses to the March 1962 Ash Wednesday storm. *Proceedings of the International Conference on Coastal Sediments 2003* (in CD-ROM).
- Nichol, S.L. and Boyd, R., 1993. Morphostratigraphy and facies architecture of sandy barriers along the Eastern Shore of Nova Scotia. *Marine Geology*, 114, 59-80.
- Nordstrom, K.F. and Jackson, N.L., 1995. Temporal scales of landscape change following storms on a human-altered coast, New Jersey, USA. *Journal of Coastal Conservation*, 1 (1), 51 a 62.
- Oertel, G.F., 1972. Sediment transport of estuary entrance shoals and the formation of swash platforms. *Journal of Sedimentary Petrology*, 42 (4), 857-863.

- Orford, J.D. and Carter, R.W.G., 1982. Crestal overtop and washover sedimentation on a fringing sandy gravel coast, Carnsore Point, Southeast Ireland. *Journal of Sedimentary Petrology*, 1, 265-278.
- Orford, J.D., Carter, R.W.G., Jennings, S.C., Hinton, A.C., 1995. Processes and timescales by which a coastal gravel-dominated barrier responds geomorphologically to sea-level rise: Story Head barrier, Nova Scotia. *Earth Surface Processes and Landform*, 20, 21-37.
- Parker, W.R., 1976. Sediment mobility and erosion on a multibarred foreshore (Southwest Lancashire, U.K.). In: *Nearshore Sediment Dynamics and Sedimentation* (Eds. J.R. Hails and A.P. Carr). John Wiley, Chichester, 151-179.
- Pessanha, L.E. and Pires, H.O., 1981. *Elementos sobre o clima de agitação marítima na costa sul do Algarve*. Report of Instituto Nacional de Meteorologia e Geofísica. 66 p. (in Portuguese).
- Pilkey, H., Neal, W.J., Monteiro, J.H., Dias, J.A., 1989. Algarve barrier islands: a noncoastal-plain system in Portugal. *Journal of Coastal Research*, 5 (2), 239-261.
- Pierce, J.W., 1969. Sediment budget along a Barrier Island Chain. *Sedimentary Geology*, 3, 5-16.
- Pires, H.O., 1998. *Preliminary Report on the wave climate at Faro*. (unpublished) Project India. Instituto de Meteorologia – Instituto Superior Técnico, 37 p.
- Pope, J., 1997. Responding to coastal erosion and flooding damages. *Journal of Coastal Research*, 13 (3), 704-710.
- Ramos, L. and Dias, J.A., 2000. Atenuação da vulnerabilidade a galgamentos oceânicos no sistema da Ria Formosa mediante intervenções suaves. *Proceedings of the 3<sup>rd</sup> Symposium on the Iberian Atlantic Margin*, Faro, 361-362 (in Portuguese).
- Ramsey, K.W., Leathers, D.J., Wells, D.V., Talley, J.H., 1998. *Summary Report: the Coastal Storms of January 27-29 and February 4-6, 1998, Delaware and Maryland*. Delaware Geological Survey, Open File Report, No. 40, Available at: [www.udel.edu/dgs/Publications/pubsonline/OFR40/1998storms.html](http://www.udel.edu/dgs/Publications/pubsonline/OFR40/1998storms.html)

- Ranwell, D.S. and Boar, R., 1986. *Coast dune management guide*. Institute of Terrestrial Ecology. Natural Environment Research Council, 105 p.
- Ritchie, W. and Penland, S., 1988. Rapid dune changes associated with overwash processes on the deltaic coast of South Louisiana. *Marine Geology*, 81, 97-122.
- Rodriguez, R.W., Webb, R.M.T., Bush, D.M., 1994. Another look at the impact of Hurricane Hugo on the shelf and coastal resources of Puerto Rico, USA. *Journal of Coastal Research*, 10 (2), 278-296.
- Rosen, P.S., 1979. Aeolian dynamics of a barrier island system. In: *Barrier Islands – From the Gulf of St. Lawrence to the Gulf of Mexico*, (Ed. S.P. Leatherman), Academic Press, 81-98.
- Salles, P., 2001. *Hydrodynamic controls on multiple tidal inlet persistence*. PhD thesis, Massachusetts Institute of Technology and Woods Hole Oceanographic Institution, 272 p.
- Sallenger, A. H., 2000. Storm Impact Scale for Barrier Islands. *Journal of Coastal Research*, 16 (3), 890-895.
- Sallenger, A.H., Howd, P., Brock, J., Krabill, W.B., Swift, R.N., Manizade, S., Duffy, M., 1999. Scaling winter storm impacts on Assateague Island, MD, VA. *Proceedings of the International Conference on Coastal Sediments '99*, 1814-1825.
- Sallenger, A.H., Howd, P., Stockdon, H., Guy, K., Morgan, K.L.M., 2003. On predicting storm-induced coastal change. *Proceedings of the International Conference on Coastal Sediments 2003* (in CD-ROM).
- Sanchez-Arcilla, A. and Jiménez, J.A., 1994. Breaching in a wave-dominated barrier spit: the Trabucador Bar (Northeastern spanish coast). *Earth Surface Processes and Landforms*, 19, 483-498.
- Santo, E.L. and Sánchez, L.E., 2002. GIS applied to determine environmental impact indicators made by sand mining in a floodplain in southeastern Brazil. *Environmental Geology*, 41, 628-637.
- Schwartz, R.K., 1975. *Nature and genesis of some storm washover deposits*. Technical memorandum, Coastal Engineering Research Center, 61, 69 pp.

- Schwartz, R.K., 1982. Bedform stratification characteristics of some modern small-scale washover sand bodies. *Sedimentology*, 29, 835-849.
- Sexton, W.J., 1995. The post-storm Hurricane Hugo recovery of the undeveloped beaches along the South Carolina coast, "Capers Island to the Santee Delta". *Journal of Coastal Research*, 11 (4), 1020-1025.
- Shepard, F.P., 1973. *Submarine Geology*. New York, N.Y., Harper and Row Publishers, 517 p.
- Stallins, J.A., 2002. Dune plant species diversity and function in two barrier island biogeomorphic systems. *Plant Ecology*, 165, 183-196.
- Stone, G.W., Grymes, J.M., Dingler, J.R., Pepper, D.A., 1997. Overview and significance of hurricanes on the Louisiana Coast, U.S.A. *Journal of Coastal Research*, 13 (3), 656-669.
- Stone, G., Liu, B., Pepper, D.A., Wang, P., 2004. The importance of extratropical and tropical cyclones on the short-term evolution of barrier islands along the northern Gulf of Mexico, USA. *Marine Geology*, 210, 63-78.
- Stumpf, R.P., Krohn, M.D., Morgam, K.L.M., Peterson, R., Wiese, D., 1996. *Preliminary mapping of overwash from Hurricane Fran, September 5, 1996. Cape Fear to Bogue Inlet, North Carolina*. US Geological Survey Open-File Report 96-674, 4 p.
- Sunamura, T., 1983. Processes of sea cliff and platform erosion, In: *Handbook of coastal processes and erosion* (Ed. P.D. Komar), CRC Press, Boca Raton, Florida, 233-265.
- Swift, D.J.P., 1975. Barrier-island genesis: evidence from the central Atlantic shelf: Eastern U.S.A. *Sedimentary Geology*, 14, 1-43.
- Teixeira, S.B., Alves, F.J., Andrade, C., Romariz, C., 1989. Dinâmica morfológica das praias das ilhas barreira da "Ria Formosa" (Algarve-Portugal). *Geolis*, III (1-2), 238-254 (in Portuguese).
- Tanner, W.F., 1991. Suite statistics: the hydrodynamic evolution of the sediment pool. In: *Principles, Methods and Application of Particle Size Analysis* (Ed. J. P. M. Syvitski), Cambridge University Press, 225-236.

Vidinha, J., Andrade, C., 1995. Análise da susceptibilidade ao galgamento no litoral entre Espinho e o Cabo Mondego (Portugal). *Geociências*, 9, 35-46 (in Portuguese).

Vila-Concejo, A., 2003. *Sediment dynamics and tidal inlet relocation in mixed-energy settings: The case of Ancão Inlet (Algarve – Portugal)*. PhD thesis, Universidade do Algarve, 197 p.

Vila-Concejo, A., Matias, A., Ferreira, Ó., Duarte, C., Dias, J.A., 2002. Recent evolution of the natural inlets of a barrier island system in Southern Portugal. Proceedings of International Coastal Symposium, Templepatrick, Northern Ireland. *Journal of Coastal Research*, SI (36), 741-752.

Vila-Concejo, A., Ferreira, Ó., Matias, A., Dias, J.A., 2003. The first two years of an inlet: sedimentary dynamics. *Continental Shelf Research*, 23, 1425-1445.

Vila-Concejo, A., Ferreira, Ó., Ciavola, P., Matias, A., Dias, J.A., 2004. Tracer studies on the updrift margin of a complex inlet system. *Marine Geology*, 208, 43-72.

Vila-Concejo, A., Matias, A., Ferreira, Ó., Dias, J.A., *in press a*. Inlet sediment bypassing to a downdrift washover plain. *Journal of Coastal Research* (SI 39), Proceedings of the International Coastal Symposium.

Vila-Concejo, A., Matias, A., Pacheco, A., Ferreira, Ó., Dias, J.A., *in press b*. Quantification of inlet-related hazards in barrier island systems. An example from the Ria Formosa (Portugal). *Continental Shelf Research*.

Walton, T.L. and Dean, R.G., 1976. Uses of outer bars of inlets as sources of beach nourishment material. *Shore & Beach*, 44 (2), 13-19.

Ward, L.G., Kearney, M.S., Stevenson, J.C., 1998. Variations in sedimentary environments and accretionary patterns in estuarine marshes undergoing rapid submergence, Chesapeake Bay. *Marine Geology*, 151, 111-134.

Webb, C.A., Bush, D.M., Young, R.S., 1997. Property damage lessons from Hurricane Opal: The Florida panhandle coast, October 4, 1995. *Journal of Coastal research*, 13 (1): 246-252.

Weinholtz, M., 1964. *Contribuição para o estudo da evolução das flechas de areia na costa sotavento do Algarve (Ria de Faro)*. Boletim trimestral de Informação da Direcção-Geral de Serviços Hidráulicos, 14 (in Portuguese).

Williams, A.T., Randerson, P., Sothern, E., 1997. Trampling and vegetation response on sand dunes in South Wales, UK. In *The Ecology and Conservation of European Dunes*, (Ed. F.G. Novo, R.M.M. Crawford and M.C.D. Barradas), Universidad de Sevilla, Spain, pp. 287-298.

Wright, L.D., Chappell, J., Thom, B.G., Bradshaw, M.P., Cowell, P., 1979. Morphodynamics of reflective and dissipative beach and inshore systems: Southeastern Australia. *Marine Geology*, 32, 105-140.