

- AUSTIN, B., AUSTIN, D.A. (1999). *Bacterial Fish Pathogens – Disease of Farmed and Wild Fish*, 3<sup>rd</sup> Ed., Springer-Praxis, Chichester, UK, 457p.
- AUSTIN, B., STUCKEY, L. F., ROBERTSON, P.A.W., EFFENDI, I., GRIFFITH, D.R. (1995). A probiotic strain of *Vibrio alginolyticus* effective in reducing diseases caused by *Aeromonas salmonicida*, *Vibrio anguillarum* and *Vibrio ordalii*, *Journal of Fish Diseases*, **18**: 93-96.
- ABDEL, I., ABELLÁN, E., LÓPEZ-ALBORS, O., VALDÉS, P., NORTES, M.J., GARCIA-ALCÁZAR, A. (2004). Abnormalities in the juvenile stage of sea bass (*Dicentrarchus labrax* L.) reared at different temperatures: types, prevalence and effect on growth, *Aquaculture International*, **12**: 523-538.
- ALEMANY, I.A.C. (2003). Condition Indices and their relationship with environmental factors in fish larvae – Thesis Doctoral, Facultat de Biologia, Departament d'Ecologia, Universitat de Barcelona, 272p.
- BAGNI, M. (2005). Cultured Aquatic Species Information Programme – *Dicentrarchus labrax*, Retrieved [5<sup>th</sup> April, 2006 at 18:36h], from FAO Inland Water Resources and Aquaculture Service (FIRI), FAO, Rome, Italy – Available on-line: [http://www.fao.org:80/figis/servlet/static?dom=culturespecies&xml=Dicentrarchus\\_labrax.xml](http://www.fao.org:80/figis/servlet/static?dom=culturespecies&xml=Dicentrarchus_labrax.xml).
- BALON, E.K. (1975). Terminology of Intervals in Fish Development, *J. Fish. Res. Board Can.*, **32** : 1663-1670.
- BARNABÉ, G. (1976). Contribution a la connaissance de la biologie du loup *Dicentrarchus labrax* L. (Poisson Serranidae) de la region de Sète, These présentée à Université des Sciences et Techniques du Languedoc, Académie de Monte Pellier, Station Biologie Marine et Lagunaire, Sète, 426p.
- BARNABÉ, G. (1990). *Aquaculture – Volume 2*, Ellis Horwood, New York, 1104p.
- BERGH, Ø., HANSEN, G., JELMERT, A. (1990). Bacterial diseases of eggs and yolk sac larvae of halibut (*Hippoglossus hippoglossus*, L.): Characterization and experimental infection, International Council for the Exploration of Sea (ICES), C.M. 1990/F: 38, 7p.
- BERGH, Ø., JELMERT, A. (1990). Antibacterial treatment procedures of eggs of halibut (*Hippoglossus hippoglossus*), International Council for the Exploration of Sea (ICES), C.M. 1990/F: 39, 6p.
- BERGH, Ø., JELMERT, A. (1996). Iodopher Disinfection of Eggs of Atlantic Halibut, *Journal of Aquatic Animal Health*, **8**: 135-145.
- BERGH, Ø., OPSTAD, I., PITTMAN, K., SHIFTESVIK, A.B., SKJOLDDAL, L., STRAND, H., VANTHUYNE, V. (1989). Preliminary report on the effects of temperature on the development of eggs and larvae of halibut (*Hippoglossus hippoglossus*) and on the bacterial population in the incubators, International Council for the Exploration of Sea (ICES), C.M. 1989/F: 19, 20p.
- BRICKNELL, I., DALMO, R.A. (2005). The use of immunostimulants in fish larval aquaculture, *Fish & Shellfish Immunology*, **19**: 457-472.
- BROMAGE, N., BRUCE, M., BASAVARAJA, N., RANA, K., SHIELDS, R., YOUNG, C., DYE, J., SMITH, P., GILLESPIE, M., GAMBLE, J. (1994). Egg Quality Determinants in Finfish The Role of Overripening with Special Reference to the Timing of Stripping in the Atlantic Halibut, *Hippoglossus hippoglossus*, *Journal of the World Aquaculture Society*, **25(1)**: 13-21.

- BROMAGE, N.R., RONALD, J.R. (1995). Broodstock Management and Egg and Larval Quality, Blackwell Science, University Press, Great Britain, Cambridge, 424p.
- CABELLO, F.C. (2006). Heavy use of prophylactic antibiotics in aquaculture: a growing problem for human and animal health and for the environment, *Environmental Microbiology*, **8(7)**: 1137-1144.
- CALLEJA, J.B. (1984). Microbial Aggregation, CRC Press, Florida, USA, 276p.
- CARRILLO, M., ZANUY, S., PRAT, F., CORDA, J., RAMOS, J., MANANOS, E., BROMAGE, N. (1995). Broodstock Management and Egg Quality, Bromage, N.R., Roberts, R.J. (EDS.), University Press, Cambridge, UK, 424p.
- CASTILHO, R. (1998). Genetic analysis of European seabass (*Dicentrarchus labrax*, L.) from Portuguese waters using allozyme and microsatellite loci – Thesis presented for the degree of Doctor of Philosophy to the University of Stirling, England, 223p.
- CATARCI, C. (2007). FISH INFOnetwork Market Report on Seabass & Seabream – “General Trends” – Published in May 2007 – FAO / GLOBEFISH, Retrieved [4<sup>th</sup> May, 2007 at 20:23h], from Globefish – Available on-line: <http://www.globefish.org/dynamisk.php4?id=3679>.
- CERQUEIRA, V.R., CHATAIN, B. (1991). Photoperiodic effects on the growth and feeding rhythm of European sea bass, *Dicentrarchus labrax*, larvae in intensive rearing *in* “Larvi’91 – Fish and Crustacean Larviculture Symposium”, Lavens, P., Sorgeloos, P., Jaspers, E., Ollevier, F. (EDS.), *European Aquaculture Society* (Special Publication), **15**: 304-306.
- CHATAIN, B., SAROGLIA, M., SWEETMAN, J., LAVENS, P. (1996). Handbook of contributions and short communications presented at the International Workshop on “Seabass and Seabream Culture: Problems and Prospects” – October 16-18, Verona, Italy, 388p.
- CLEARY, T. J., MORALES, A.R., NADJI, M., NASSARI, M., VINCEK, V. (2005). Antimicrobial activity of UMFix tissue fixative, *Journal of Clinical Pathology*, **58**: 22-25.
- COHEN, J. (1988). Statistical power analysis for the behavioural sciences, 2<sup>nd</sup> Ed., Lawrence Earlbaum Associates Inc. Publishers, Hillsdale, USA, 567p.
- COHEN, J. (1992). A power primer, *Psychological Bulletin*, **112(1)**: 155-159.
- CONIDES, J., HUNTER, S.A., (2000). Study on the effect of egg density, temperature and salinity on the hatching success and post-hatching, growth and survival of the European Sea Bass, *Dicentrarchus labrax* (Linnaeus, 1758) *in* “Responsible Aquaculture in the New Millenium” – Abstracts of contributions presented at the International Conference AQUA2000 – May 2-6 / Nice, France, European Aquaculture Society Special Publication N.º 28 – Oostende, Belgium, 834p.
- COOPER, K.R., McGEORGE, L. (1991). Decreased Effluent Toxicity in the Japanese Medaka, *Oryzias latipes*, Embryo-Larval Assay Following Initiation of a Toxicant Reduction Strategy *in* “Aquatic Toxicology and Risk Assessment”, Mayes, M.A., Barron, M.G. (EDS.), Volume 14, American Society for Testing and Materials, Philadelphia, **1**: 67-83.
- CRISTIAKOV, D.A., HELLEMANS, B., VOLCKAERT, F.A.M. (2007). Review on the immunology of European sea bass *Dicentrarchus labrax*, *Veterinary Immunology and Immunopathology*, **117**: 1-16.
- CUVIER-PÉRES, A., JOURDAN, S., FONTAINE, P., KESTEMONT, P. (2000). Light intensity affected the onset of a stomach enzyme activity in seabass *Dicentrarchus labrax* post larvae *in* “Responsible

- Aquaculture in the New Millenium” – Abstracts of contributions presented at the International Conference AQUA2000 – May 2-6 / Nice, France, European Aquaculture Society Special Publication N.º 28 – Oostende, Belgium, 834p.
- DAVENPORT, J., BLACK, K., BURNELL, G., CROSS, T., CULLOTY, S., EKARATNE, S., FURNESS, B., MULCARY, M. THETMEYER, H. (2003). Aquaculture – The Ecological Issues, British Ecological Society, Blackwell Science, 89p.
- DEFOIRDT, T., BOSSIER, P., SORGELOOS, P., VERSTRAETE, W. (2005). The impact of mutations in the quorum sensing systems of *Aeromonas hydrophila*, *Vibrio anguillarum* and *Vibrio harveyi* on their virulence towards gnotobiotically cultured *Artemia franciscana*. *Environ Microbiol*, **7**: 1239-1247.
- DEPLANO, M., CONNES, R., DIAZ, J.P., BARNABÉ, G. (1991). Variation in the absorption of macromolecular proteins in larvae of the sea bass *Dicentrarchus labrax* during transition on the exotrophic phase, *Mar. Biol.*, **110**: 29–36.
- DETOLLA, L.J., SRINIVAS, S., WHITAKER, B.R., ANDREWS, C., ANDREW, B.H., KANE, S., REIMSCHUESSEL, R. (1995). Guidelines for the Care and Use of Fish in Research *in* “Fish, Amphibians, and Reptiles”, *ILAR Journal*, **37(4)**, Retrieved [27<sup>th</sup> September, 2007 at 02:27h], from Institute for Laboratory Animal Research (ILAR) – Available on-line: [http://dels.nas.edu/ilar\\_n/ilarjournal/37\\_4/Guidelines.shtml](http://dels.nas.edu/ilar_n/ilarjournal/37_4/Guidelines.shtml).
- DHERT, P., DIVANACH, P., KENTOURI, M. SORGELOOS, P. (1998). Rearing Techniques for Difficult Marine Fish Larvae, *World Aquaculture*, **48**: 55p.
- DOUILLET, P.A., HOLT, G.J. (1994). Surface disinfection of red drum (*Sciaenops ocellatus*, L.) eggs leading to bacteria-free larvae, *J. Exp. Mar. Biol. Ecol.*, **179**: 253-266.
- DOUILLET, P.A., LANGDON, C.J. (1994). Use of a probiotic for the culture of the Pacific oyster (*Crassostrea gigas*, Thunberg), *Aquaculture*, **119**: 25-40.
- DOUILLET, P.A., (2000). Bacterial additives that consistently enhance rotifer growth under synxenic culture conditions – Evaluation of commercial products and pure isolates, *Aquaculture*, **182**: 249-260.
- ERASMUS, J., COOK, P., COYNE, V. (1997). The role of bacteria in the digestion of seaweed by the abalone *Haliotis midae*, *Aquaculture*, **155**: 377-386.
- ESCAFFRE, A.M., BAZIN, D., PERGOT, P. (2001). Disinfection of *Sparus aurata* eggs with glutaraldehyde, *Aquaculture International*, **9**: 451-458.
- European Economic Commission (1990). Council Regulation (EEC) No. 2377/1990. Community procedure for the establishment of maximum residue limits of veterinary medicinal products in foodstuffs of animal origin, *Official Journal of the European Communities*, N.º L. 224/1-8. EEC, Brussels, Belgium.
- FALK, P.G., HOOPER, L.V., MIDTVEDT, T., GORDON, J.I. (1998). Creating and Maintaining the Gastrointestinal Ecosystem: What We Know and Need To Know from Gnotobiology, Microbiology and Molecular Biology Reviews, *American Society for Microbiology*, **62(4)**: 1157-1170.
- FAO (2006). State of World Aquaculture: 2006, Inland Water Resources and Aquaculture Service, Fishery Resources Division, Fisheries Department, FAO Fisheries Technical Paper. N.º 500, Rome, Italy, 134p.

- FAUSTO, A.M., PICCHIETTI, S., TADDEI, A.R., ZENI, C., SCAPIGLIATI, G., MAZZINI, ABELLI, L. (2004). Formation of the egg envelope of a teleost, *Dicentrarchus labrax* (L.): Immunochemical and cytochemical detection of multiple components, *Anat. Embryol.*, **208**: 43-53.
- FARZANFAR, A. (2006). The use of probiotics in shrimp aquaculture, *FEMS Immunol. Med. Microbiol.*, **48**: 149-158.
- FIELD, A. (2002). *Discovering Statistics using SPSS for Windows – Advanced Techniques for the Beginner*, 2<sup>nd</sup> Ed., Sage Publications, London, UK, 496p.
- FILIC, Z., HRS-BRENKO, M., IVANCIC, I. (1987). Production in Marine Hatcheries, Mediterranean Regional Aquaculture Project (MEDRAP), FAO/MEDRAP, Tunis, Tunisie, 386p.
- FOWLER, J., COHEN, L. (1990). *Practical Statistics for Field Biology*, Open University Press, Buckingham, UK, 227p.
- FRANZ, N. (2006). FISH INFOnetwork Market Report on Seabass & Seabream – “Strong seabass and seabream markets” – Published in July 2006 – FAO, Retrieved [1<sup>st</sup> September, 2006 at 00:56h], from Eurofish – Available on-line: <http://www.eurofish.dk/indexSub.php?id=3271>.
- FULLER, R. (1989). Probiotics in man and animals: A Review, *Journal of Applied Bacteriology*, **66**: 365-378.
- GARCÍA HERNÁNDEZ, M.P., LOZANO, M.T., ELBAL, M.T. (2001). Development of the digestive tract of sea bass (*Dicentrarchus labrax* L.). Light and electron microscopic studies, *Anat. Embryol.*, **204**: 39-57.
- GATESOUBE, F.J. (1991). *Bacillus* sp. Spores: a new tool against early bacterial infection in turbot larvae *in* “Larvi’91 – Fish and Crustacean Larviculture Symposium”, Lavens, P., Sorgeloos, P., Jaspers, E., Ollevier, F. (EDS.), *European Aquaculture Society, Special Publication*, **24**: 409-411.
- GATESOUBE, F.J. (1994). Lactic acid bacteria increase the resistance of turbot larvae, *Scophthalmus maximus*, against pathogenic *Vibrio*, *Aquat. Living. Resour.*, **7**: 277-282.
- GATESOUBE, F.J. (1995). Technical Note – A method for the early assessment of quality of turbot larvae, *Aquaculture International*, **3**: 150-154.
- GATESOUBE, F.J. (2002). Probiotic and formaldehyde treatments of *artemia* nauplii as food for larval Pollack, *Pollachius pollachius*, *Aquaculture*, **212**: 347-360.
- GATESOUBE, F.J. (2007). Live yeast in the gut: Natural occurrence, dietary introduction, and their effects on fish health and development, *Aquaculture*, 1-14 – Published in January 2007 – Retrieved [19<sup>st</sup> May, 2007 at 23:58h], from Archive Institutionelle de l’ Ifremer – Available on-line: <http://www.ifremer.fr/docelec/>.
- GIBSON, L., WOODWORTH, J., GEORGE, A.M. (1998). Probiotic activity of *Aeromonas media* on the Pacific oyster, *Crassostrea gigas*, when challenged with *Vibrio tubiashii*, *Aquaculture*, **169**: 111-120.
- GÓMEZ, R.G.D. BALCÁZAR, J.L., SHEN, M.A. (2007). Probiotics as Control Agents in Aquaculture, *Journal of Oceans University of China*, **6(1)**: 76-79.
- GOMEZ-GIL, B., HERRERA-VEGA, M., ABREU-GROBOIS, F., ROQUE, A. (1998). Bioencapsulation of two different *Vibrio* species in nauplii of the brine shrimp (*Artemia franciscana*), *Applied and Environmental Microbiology*, **64**: 2318-2322.

- GOMEZ-GIL, B., ROQUE, A., TURNBULL, J.F. (2000). The use and selection of probiotic bacteria for use in the culture of larval aquatic organism, *Aquaculture*, **191**: 259-270.
- GORDON, H.A., PESTI, L. (1971). The Gnotobiotic Animal as a Tool in the Study of Host Microbial Relationships, *Bacteriological Reviews, American Society for Microbiology*, **35(4)**: 390-429.
- GROTMOL, S., DAHL-PAULSEN, E., TOTLAND, G. (2003). Hatchability of eggs from Atlantic cod, turbot and Atlantic halibut after disinfection with ozonated seawater, *Aquaculture*, **221**: 245-254.
- GUNASEKARAN, P. (1995). *Laboratory Manual in Microbiology*, New Age International Publishers, New Delhi, India, 148p.
- HANSEN, G., OLAFSEN, J. (1989). Bacterial Colonization of Cod (*Gadus morhua*, L.) and Halibut (*Hippoglossus hippoglossus*) Eggs in Marine Aquaculture, *Applied and Environmental Microbiology*, **55(6)**: 1435-1446.
- HANSEN, G.H., OLAFSEN, J.A. (1999). Bacterial Interactions in Early Life Stages of Marine Cold Water Fish – Review Article, *Microbial Ecology*, **38**: 1-26.
- HANSEN, T.K., FALK-PETERSEN, I.B (2001). Effects of egg disinfection and incubation temperature on early life stages of spotted wolfish, *Aquaculture International*, **9**: 333-344.
- HARBOE, T., HUSE, I., ØIE, G. (1994). Effects of egg disinfection on yolk sac and first feeding stages of halibut (*Hippoglossus hippoglossus*, L.) larvae, *Aquaculture*, **119**: 157-165.
- HARRIS, J. M. (1993). The Presence, Nature, and Role of Gut Microflora in Aquatic Invertebrates: a Synthesis, *Microb. Ecol.*, **25**: 195-231.
- HEM, A. (2001). The Biology of Laboratory Animals in “Compendium in Laboratory Animal Science”, Hem, A., Eide, M.E., Engh, E., Smith, A. (EDS.), ForskDok Publications, Norwegian School of Veterinary Science – Laboratory Animal Unit, Oslo, Norway, 199p.
- HEM, A., ENGH, E. (2001a). Microbiological Standards *in* “Compendium in Laboratory Animal Science”, Hem, A., Eide, M.E., Engh, E., Smith, A. (EDS.), ForskDok Publications, Norwegian School of Veterinary Science – Laboratory Animal Unit, Oslo, Norway, 199p.
- HEM, A., ENGH, E. (2001b). Laboratory Animal Science in a Nutshell *in* “Compendium in Laboratory Animal Science”, Hem, A., Eide, M.E., Engh, E., Smith, A. (EDS.), ForskDok Publications, Norwegian School of Veterinary Science – Laboratory Animal Unit, Oslo, Norway, 199p.
- HENECHAN, J.B. (1973). Germfree Research: A New Approach in Micro-Ecology *in* “Germfree Research: Biological Effect of Gnotobiotic Environments” – Proceedings of the IV<sup>th</sup> Symposium on Germfree Research held in New Orleans – 1972/April/Louisiana, Heneghan, J.B. (EDS.), Academic Press, New York, USA, 673p.
- HJORTSO, M.A., ROSS, J.W. (1994). Cell Adhesion: Fundamentals and Biotechnological Applications – Biotechnology and Bioprocessing, Volume 20, Marcel Dekker Inc., Louisiana, USA, 288p.
- HOLZAPFEL, W.H., HABERER, P., SNEL, J., SCHILLINGER, U., HUIS IN'T VELD, J.H.J. (1998). Overview of gut flora and probiotics, *International Journal of Food Microbiology*, **41**: 85-101.
- HOPWOOD, D. (1977). Fixation and fixatives *in* “Theory and Practice of Histological Techniques”, Bancroft, J.D., Stevens, A. (EDS.), Churchill – Livingstone, London, UK, 436p.

- IRIANTO, A. ROBERTSON, P.A.W., AUSTIN, B. (2003). Oral administration of formalin-inactivated cells of *Aeromonas hydrophila* A3-51, controls infection by typical *A. salmonicida* in goldfish, *Carassius auratus* L., *Journal of Fish Diseases*, **26**: 117-120.
- IUCHI, I., HA, C., MATSUDA, K. (1995). Chorion hardening in medaka (*Oryzias latipes*) eggs, *Fish Biology Journal*, **7**: 15-20.
- JELMERT, A., NAAS, K.E. (1990). Induced deformities of the Atlantic halibut (*Hippoglossus hippoglossus*, L.) yolk stage larvae – A new experimental approach, International Council for the Exploration of Sea (ICES), C.M. 1990/F: 45p.
- JOHNSON, A.C. (1944). "Germless Life", *Times Magazine*, 13<sup>th</sup> March issue – Available on-line: <http://www.time.com/time/magazine/article/0,9171,932413,00.html>.
- JOHNSON, D.W., KATAVIC, I. (1986). Survival and growth of Seabass (*Dicentrarchus labrax*) larvae as influenced by temperature, salinity and delayed initial feeding, *Aquaculture*, **52**: 11-19.
- KARNOVSKY, M.J. (1965). A formaldehyde-glutaraldehyde fixative of high osmolarity for use in electron microscopy, *J. Cell Biol.*, **27**: 137 A.
- KHODABNDEH, S., ABTHAHI, B. (2006). Effects of sodium chlorine, formalin and iodine on the hatching success of common carp, *Cyprinus carpio* eggs, *J. Appl. Ichthyol.*, **22**: 54-56.
- KOUMOUNDOUROS, G., DIVANACH, P., ANEZAKI, L., KENTOURI, M. (2001). Temperature-induced ontogenic plasticity in seabass (*Dicentrarchus labrax*), *Marine Biology*, **139**: 817-830.
- LAGAT, F.K. (2001). Disinfection of fish eggs and the use of probiotics during hatching and non feeding period of turbot larvae (*Scophthalmus maximus*, L.) – Thesis submitted in partial fulfilment of the requirements for the academic degree of Master of Science in Aquaculture, Faculty of Agricultural and Applied Biological Sciences, Ghent University, 84p.
- LEM, A. (2006). FISH INFOnetwork Market Report on Seabass & Seabream – "Stability in the market" – Published in April 2006 – FAO, Retrieved [1<sup>st</sup> September, 2006 at 01:30h], from Eurofish – Available on-line: <http://www.eurofish.dk/indexSub.php?id=3221>.
- LINHART, O. (1991). Evaluation of the sperm and the activation and fecundity of eggs, Research Institute of Fish Culture and Hydrobiology, Vodňany, Czechoslovakia, Edice Metodics, 12p.
- LLORIS, D. (2002). A World Overview of Species of Interest to Fisheries – Chapter: *Dicentrarchus labrax*, Retrieved [9<sup>th</sup> April, 2006 at 18:36h] from FIGIS Species Fact Sheets /Species Identification and Data Programme (SIDP), FAO /FIGIS – Available on-line: <http://www.fao.org/figis/servlet/species?fid=2291>.
- LUCKENBACH, T., TRIEBKORN, R., MÜLLER, E., OBEREMM, A. (2001). Toxicity of waters from two streams to early stages of brown trout (*Salmo trutta* f. *fario* L.), tested under semi-field conditions, *Chemosphere*, **45**: 571-579.
- MACHINANDIARENA, L., MÜLLER, M., LÓPEZ, A. (2003). Early life stages of development of red porgy *Pagrus pagrus* (Pisces, Sparidae) in captivity, Argentina, *Investigaciones Marinas*, **31(1)**: 5-13.
- MAKRIDIS P., FJELLHEIM A.J., SKJERMO J., VADSTEIN O. (2000). Control of bacterial flora of *Branchionus plicatilis* and *Artemia franciscana* by incubation in bacterial suspensions, *Aquaculture*, **185**: 207-218.

- MARQUES, A., FRANÇOIS, J., DHONT, J., BOSSIER, P., SORGELOOS, P. (2004). Influence of yeast quality on performance of gnotobiotically grown *Artemia*, *Journal of Experimental Marine Biology and Ecology*, **310**: 247-264.
- MARQUES, A.M.B. (2005). A Gnotobiotic Artemia Test System to Study Host-microbial Interactions, PhD thesis, Ghent University, Belgium, 309p.
- MARQUES, A., DINH, T., IOAKEIMIDIS, C., HUYS, G., SWING, J., VERSTRAETE, W., DHONT, J., SORGELOOS, P., BOSSIER, P. (2005). Effects of bacteria on *Artemia franciscana* cultured in different gnotobiotic environments, *Applied and Environmental Microbiology*, **71(8)**: 4307-4317.
- MARQUES, A., OLLEVIER, F., VERSTRAETE, W., SORGELOOS, P., BOSSIER, P. (2006a). Gnotobiotically grown aquatic animals: opportunities to investigate host-microbe interactions, *Journal of Applied Microbiology*, **100**: 903-918.
- MARQUES, A., DHONT, J., SORGELOOS, P., BOSSIER, P. (2006b). Immunostimulatory nature of  $\beta$ -glucans and baker's yeast in gnotobiotic Artemia challenge tests, *Fish & Shellfish Immunology*, **20**: 682-692.
- MASSIE, H.R., SAMIS, H.V., BAIRD, M.B. (1972). The effects on the buffer HEPES on the division potential of WI-38 cells, *In Vitro*, **7**: 191-194.
- MBALUKA, R.K. (2002). Disinfection of fish eggs and the use of mixtures of probiotics during the hatching and non-feeding period of fish larvae – Thesis submitted in partial fulfilment of the requirements for the academic degree of Master of Science in Aquaculture, Faculty of Agricultural and Applied Biological Sciences, Ghent University, 63p.
- MICKELSEN, O. (1962). Nutrition-Germfree Animal Research, *Annual Review of Biochemistry*, **31**: 515-548.
- MORALES, J.C. (1991). Acuicultura – Marina Animal, 3<sup>rd</sup> Ed., Ediciones Mundi-Prensa, Spain, 671p.
- MOREHEAD, D.T., HART, P.R. (2003). Disinfection of striped trumpeter (*Latris lineata*) eggs with glutaraldehyde, *Aquaculture International*, **11**: 255-260.
- MORETTI, A., FERNANDEZ-CRIADO, M.P., CITTOLIN, G., GUIDASTRI, R. (1999). Manual on Hatchery Production of Seabass and Gilthead Seabream – Volume 1, Food and Agriculture Organization of United Nations (FAO), Rome, Italy, 194p.
- MORETTI, A., FERNANDEZ-CRIADO, M.P., VETILLART, R. (2005). Manual on Hatchery Production of Seabass and Gilthead Seabream – Volume 2, Food and Agriculture Organization of United Nations (FAO), Rome, Italy, 152p.
- MORIARTY, D. (1998). Control of luminous *Vibrio* species in penaeid aquaculture ponds, *Aquaculture* **164**: 351-358.
- MORRISON, C.M., MACDONALD, C.A. (1995). Normal and abnormal jaw development of the yolk-sac larva of Atlantic halibut (*Hippoglossus hippoglossus*), *Dis. Aquat. Org.*, **22**: 173-184.
- MORRISON, C.M., MIYAKE, T., WRIGHT JR., J.R. (2001). Histological Study of the Development of the Embryo and Early Larva of *Oreochromis niloticus* (Pisces: Cichlidae), *Journal of Morphology*, **247**: 172-195.

- MUNRO, P., BARBOUR, A., BIRKBECK, T. (1995). Comparison of the growth and survival of larval turbot in the absence of culturable bacteria with those in the presence of *Vibrio anguillarum*, *Vibrio alginolyticus* or a marine *Aeromonas* sp., *Applied and Environmental Microbiology*, **61**: 4425-4428.
- NACA/FAO (2001). Technical Proceedings of the Conference on "Aquaculture in the third Millennium" – 2000/February 20-25/Bangkok, Subasinghe, R.P., Bueno, P.B., Phillips, M.J., Hough, C., Mc Gladdery, S.E., Arthur, J.R. (Eds.), Thailand – Network of Aquaculture Centres in Asia-Pacific Department of Fisheries – Thailand Food and Agriculture Organization (NACA/FAO), Bangkok and FAO, Rome, 471p.
- NICOLAS, J.L., ROBIC, E., ANSQUER, D. (1989). Bacterial Flora Associated with a Trophic Chain Consisting of Microalgae, Rotifers and Turbot Larvae, *Aquaculture*, **83**: 237-248.
- OBENSCHAIN, C. (2005). "Aquatic Animal Models: The time is now", *ALR Magazine™*, January/February issue – Available on-line: <http://www.animallab.com/articles.asp?pid=87>.
- OHTSUKA, E. (1960). On the Hardening of Chorion of the Fish Egg after Fertilization, *Biological Bulletin*, **118(1)**: 120-128.
- OLAFSEN, J.A. (2001). Interactions between fish larvae and bacteria in marine aquaculture, *Aquaculture*, **200**: 223-247.
- OLAFSEN, J.A. (2004). "Aspects of host-microflora interactions in marine aquaculture: From diseases problems to microflora management?" *in* Handbook of contributions and short communications presented at the International Workshop on "The Second Hatchery Feeds and Technology" – 30<sup>th</sup> September till 1<sup>st</sup> October, Sydney, Australia, 130p.
- OLIVAR, M. P., AMBROSIO, P.P., CATALÁN, I.A. (2000). A closed water recirculation system for ecological studies in marine fish larvae: growth and survival of sea bass larvae fed with live prey, *Aquat. Living Resour.*, **13(1)**: 29–35.
- OLSSON, J.F., WESTERDAHL, A., CONWAY, P.L., KJELLEBERG, S. (1992). Intestinal Colonization Potential of Turbot (*Scophthalmus maximus*) and Dab (*Limanda limanda*) – Associated Bacteria with Inhibitory Effects against *Vibrio anguillarum*, *Applied and Environmental Microbiology*, **58(2)**: 551-556.
- PANINI, E.B., CONSTANTINOS, C.M., ZANUY, S., CARRILLO, M., RAMOS, J., BRUCE, M.P. (2001). Incubation of embryos and larvae of marine fish using microtiter plates, *Aquaculture International*, **9**: 189-195.
- PAULET, T.G., KAISER, H. (2004). Formalin-induced shrinkage in preserved goldfish (*Carassius auratus* L.) larvae, *Appl. Ichthyol.*, **20**: 551-552.
- PECK, M. A., BUCKLEY, L.J., O'BRYAN, L.M., DAVIES, E.J., LAPOLLA, A.E. (2004). Efficacy of egg surface disinfectants in captive spawning atlantic cod *Gadus morhua* L. and haddock *Melanogrammus aeglefinus* L., *Aquaculture Research*, **35**: 992-996.
- PÉREZ, A., CAHU, C.L., ZAMBONINO-INFANTE, J.L. (1997). Dietary spermine supplementation induces intestinal maturation in sea bass (*Dicentrarchus labrax*) larvae, *Fish. Physiol. Biochem.*, **16**: 479-485.

- PIANETTI, A., FALCIONI, T., BRUSCOLINI, F., SABATINI, L., SISTI, E., PAPA, S. (2004). Determination of the Viability of *Aeromonas hydrophila* in Different Types of Water by Flow Cytometry, and Comparison with Classical Methods, *Applied and Environmental Microbiology*, **71**: 7948-7954.
- PICKETT, G.D., PAWSON, M.G. (1994). Sea Bass – Biology, Exploitation and Conservation, Chapman & Hall, London, UK, 337p.
- PILLAY, T.V.R. (1990). Aquacultura – Principles and Practices, Fishing News Books, Cambridge, UK, 575p.
- PILLAY, T.V.R. (2004). Aquacultura – Marina Animal, 3<sup>rd</sup> Ed., Ediciones Mundi-Prensa, Spain, 671p.
- POLETO, T. (2006). Development of a gnotobiotic growth system for turbot (*Psetta maxima*) – Thesis submitted in partial fulfilment of the requirements for the academic degree of Master of Aquaculture and Fisheries of Algarve University, Faculty Bioscience Engineering, Ghent University, 68p.
- PRICKETT, A.R. (1998). European Sea Bass and Sea Bream Industry: Development, Present Status and Prospects for the Future, *Bull. Aquacul. Assoc. Canada*, **1**: 21-29.
- PROVASOLI, L. (1977). Cultivation of Animals – Research Cultivation – Axenic Cultivation *in* “Marine Ecology”, Kinne, O. (ED.), Volume III (Part 3 - Cultivation), Wiley, London, 1295-1319p.
- RAWLS, J. F., SAMUEL, B.S., GORDON, J.I. (2004). Gnotobiotic zebrafish reveal evolutionarily conserved responses to the gut microbiota, *PNAS*, **101**: 4596-4601.
- RAWLS, J. F., MAHOWALD, M.A., LEY, R.E., GORDON, J.I. (2006). Reciprocal Gut Microbiota Transplants from Zebrafish and Mice to Germ-free Recipients Reveal Host Habitat Selection, *Cell*, **127**: 423-433.
- RENGPIPAT, S., PHIANPHAK, S., PIYATIRATITIVORAKUL, S., PENASA-VETA, P. (1998). Effects of a probiotic bacterium in black tiger shrimps *Penaeus monodon* survival and growth, *Aquaculture*, **167**: 301-313.
- RINGØ, E., VADSTEIN, O. (1998). Colonization of *Vibrio pelagius* and *Aeromonas caviae* in early developing turbot (*Scophthalmus maximus*, L.) larvae, *Journal of Applied Microbiology*, **84**: 227-233.
- RINGØ, E., OLSEN, R.E., MAYHEW, M. T., MYKLEBUST, R. (2003). Electron microscopy of intestinal microflora of fish, *Aquaculture*, **227**: 395-415.
- RIQUELME, C., ARAYA, R., VERGARA, N., ROJAS, A., GUAITA, M., CANDIA, M. (1997). Potential probiotic strains in the culture of the Chilean scallop *Argopecten purpuratus* (Lamarck, 1819), *Aquaculture*, **154**: 17-26.
- ROMBAUT, G., DHERT, P., VANDENBERGHE, J., VERSCHUERE, L., SORGELOOS, P., VERSTRAETE, W. (1999). Selection of bacteria enhancing the growth rate of axenically hatched rotifers (*Brachionus plicatilis*), *Aquaculture*, **176**: 195-207.
- RUIZ-PONTE, C., SAMIN, J.F., SÁNCHEZ, J.L., NICOLAS, J.L. (1999). The benefit of a *Roseobacter* species on the survival of scallop larvae, *Mar. Biotechnol.*, **1**: 52-59.
- RUTALA, W.A. (1996). APIC Guideline for Selection and Use of Disinfectants, *AJIC Am J Infect Control*, **24**: 313-42.

- SAKA, S., FIRAT, K., KAMACI, H.O. (2001). The Development of European Sea Bass (*Dicentrarchus labrax* L., 1758) Eggs in Relation to Temperature, *Turk. J. Vet. Anim. Sci.*, **25**: 139-147.
- SAILLANT, E., CHATAIN, B., FOSTIER, A., PRZYBYLA, C., FAUVEL, C. (2001). Parental influence on early development in the European sea bass, *Journal of Fish Biology*, **58(6)**: 1585–1600.
- SAKAI, M. (1999). Current research status of fish immunostimulants, *Aquaculture*, **172**: 63-92.
- SALEMA, R., SANTOS, I. (1992). Microscopia Electrónica de Transmissão – Instrumentação e Técnicas para Material Biológico, Instituto Nacional de Investigação Científica, Lisboa, 252p.
- SALVESEN, I., VADSTEIN, O. (1995). Surface disinfection of eggs from marine fish: evaluation of four chemicals, *Aquaculture International*, **3**: 155-171.
- SALVESEN, I., ØIE, G., VADSTEIN, O. (1997). Surface disinfection of Atlantic halibut and turbot eggs with glutaraldehyde : Evaluation of concentrations and contact times, *Aquaculture International*, **5**: 249-258.
- SAMBROOK, J., RUSSELL, D. (2001). Molecular cloning: A laboratory manual – Volume 3, 3<sup>rd</sup> Ed., Cold Spring Harbor Laboratory Press, New York, USA, 2344p.
- SÁNCHEZ-BAYO, F., GOKA, K. (2005). Unexpected effects of zinc pyrethrin and imidacloprid on Japanese medaka fish (*Oryzias latipes*), *Aquatic Toxicology*, **74**: 285-293.
- SANO, L.L., KRUEGER, A.M., LANDRUM, P.F. (2005). Chronic toxicity of glutaraldehyde : Differential sensitivity of three freshwater organisms, *Aquatic Toxicology*, **71**: 283-296.
- SCHACHTE, J.H. JR. (1979). Iodophor Disinfection of Mukellunge Eggs Under Intensive Culture in Hatcheries, *The Progressive Fish-Culturist*, **41(4)**: 189-190.
- SHEEHAN, D., HRAPCHAK, B. (1980). Theory and practice of Histotechnology, 3<sup>rd</sup> Ed., Battelle Press, Ohio, USA, 46p.
- SKJERMO, J., VADSTEIN, O. (1999). Techniques for microbial control in the intensive rearing of marine larvae, *Aquaculture*, **177**: 333-343.
- SOUTO, B.F., VILLANUEVA, X.L.R. (2004). European Fish Farming Guide, Xunta de Galicia, Consellería de Pesca y Asuntos Marítimos, Pontevedra, Spain, 68p.
- SUBASINGHE, R.P. (2006). State of the World Aquaculture 2006 *in* “FAO Aquaculture Newsletter N.º 36”, Aquaculture Management and Conservation Service, Fisheries and Aquaculture Department, Food and Agriculture Organization of United Nations, Rome, 55p.
- TAKIZAWA, K., FUJITA, Y., OGUSHI, Y., MATSUNO, S. (1994). Relative change in body length and weight, in several fish larvae due to formalin fixation and preservation, *Fish. Sci.*, **60**: 355–359.
- TAN-TUE, V. (1976). Étude du développement du tube digestive des larves de bar *Dicentrarchus labrax* (L.), *Arch. Zool. exp. gén.*, **117**: 493-509.
- THEODOROU, A. (2002). Current and Future Technological Trends of European Seabass-Seabream Culture, *Reviews in Fisheries Science*, **10** (3 & 4): 529-543.
- TINH, N.T.N., PHUOC, N.N., DIERCKENS, K., SORGELOOS, P., BOSSIER, P. (2006). Gnotobiotically grown rotifer *Brachionus plicatilis* sensu strictu as a tool for evaluation of microbial functions and nutritional values of different food types, *Aquaculture*, **253**: 421-432.

- TINH, N.T.N. (2007). Quorum Sensing Control for Microbial Management of the Aquaculture Food Chain Rotifers – Turbot, PhD thesis, Ghent University, Belgium, 214p.
- TOVAR, D., ZAMBONINO, J., CAHU, C., GATESOUE, F.J., VASQUEZ-JUAREZ, R., LESEL, R. (2002). Effect of live yeast incorporation in compound diet on digestive enzyme activity in sea bass (*Dicentrarchus labrax*) larvae, *Aquaculture*, **204**: 113-123.
- TOVAR-RAMIREZ, D., INFANTE, J., CAHU, C., GATESOUE, F.J., VASQUEZ-JUAREZ, R. (2004). Effect of dietary live yeast on European sea bass (*Dicentrarchus labrax*) larval development, *Aquaculture*, **234**: 415-427.
- TREXTLER, P.C., ORCUTT, R.P. (1999). Gnotobiotic Principles Development of Gnotobiotics and Contamination Control in Laboratory Animal Science *in* “50 Years of Laboratory Animal Science”, McPherson, C.W., Mattingly, S.F. (EDS.), Retrieved [24<sup>th</sup> April, 2007 at 16:39h] from American Association for Laboratory Animal Science – Available on-line: [http://www.aalas.org/pdf/50\\_yrs/ch16.pdf](http://www.aalas.org/pdf/50_yrs/ch16.pdf).
- TRUST, T.J. (1974). Sterility of salmonid Roe and Practicability of Hatching Gnotobiotic Salmonid Fish, *Applied Microbiology*, **28(3)**: 340-341.
- TYLER, C.R., SUMPETR, J.P. (1996). Oocyte growth and development in teleosts, *Reviews in Fish Biology and Fisheries*, **6(3)**: 287-318.
- VARSAMOS, S., DIAZ, J.P., CHARMANTIER, G., BLASCO, C., CONNES, R., GLIK, G. (2002). Location and morphology of chloride cells during the post-embryonic development of the European sea bass, *Dicentrarchus labrax*, *Anat. Embryol.*, **205**: 203-213.
- VENKAT, H.K., SAHU, N.P., JAIN, K.K. (2004). Effect of feeding Lactobacillus-based probiotics on the gut microflora, growth and survival of postlarvae of *Macrobrachium rosenbergii* (de Man), *Aquaculture Research*, **35(5)**: 501-507.
- VERNEY-JEFFREYS, SHIELDS, R., BIRKBECK, T. (2003). The Role of bacteria in Atlantic halibut, *Hippoglossus hippoglossus* L., yolk-sac larval survival and influence on the start-feed response, *Dis. Aquat. Org.*, **56**: 105-113.
- VERNER-JEFFREYS, D.W., NAKAMURA, I., SHIELDS, R. J. (2006). Egg-associated microflora of Pacific threadfin, *Polydactylus sexfilis* and amberjack, *Seriola rivoliana*, eggs – Characterization and Properties, *Aquaculture*, **253**: 184-196.
- VERNEY-JEFFREYS, D.W., NAKAMURA, I., SHIELDS, R. (2007). Surface disinfection of Pacific threadfin, *Polydactylus sexfilis*, and amberjack, *Seriola rivoliana* eggs, *Aquaculture Research*, **38**: 605-612.
- VERSCHUERE, L., ROMBAUT, G., HUYS, G., DHONT, J., SORGELOOS, P., VERSTRAET, W. (1999). Microbial Control of the Culture of *Artemia* Juveniles through Preemptive Colonization by Selected Bacterial Strains, *Applied and Environmental Microbiology*, **65(6)**: 2527-2533.
- VERSCHUERE, L., ROMBAUT, G., SORGELOOS, P., VERSTRAETE, W. (2000a). Probiotic Bacteria as Biological Control Agents in Aquaculture, *Applied and Environmental Microbiology*, **64(4)**: 655-671.
- VERSCHUERE, L., HEANG, H., CRIEL, G., SORGELOOS, P., VERSTRAETE, W. (2000b). Selected Bacteria Strains Protect *Artemia* sp. from Pathogenic Effects of *Vibrio proteolyticus* CW8T2, *Applied and Environmental Microbiology*, **66**: 1139-1146.

- VINE, N.G., LEUKES, W.D., KAISER, H. (2004). *In vitro* growth characteristics of five candidate aquaculture probiotics and two fish pathogens grown in fish intestinal mucus, *FEMS Microbiology Letters*, **231**: 145-152.
- VINE, N.G., LEUKES, W.D., KAISER, H. (2006). Probiotics in marine larviculture, *FEMS Microbiology Letters*, **30**: 404-427.
- VUNGOT, U.T. (1997). The application of probiotics in turbot (*Scophthalmus maximus*) larviculture using rotifers (*Bracionus plicatilis*) as a vector – Thesis submitted in partial fulfilment of the requirements for the academic degree of Master of Science in Aquaculture, Faculty of Agricultural and Applied Biological Sciences, Ghent University, 78p.
- WOOD, A.D. (2000). The description of *Austroglossus pectoralis* (Teleostei: Soleidae) larvae from the South-east coast of South Africa, *Sci. Mar.*, **64(4)**: 387-392.
- WOSTMANN, B.S. (1996). Germfree and Gnotobiotic Animal Models – Background and Applications, CRC Press, New York, USA, 189p.
- WOYNAROVICH, E., HORVATH, L. (1980). The artificial propagation of warm-water finfishes – “A manual for extension”, *FAO Fish. Tech. Pap.*, **201**: 183p.
- WRIGHT, L.D., SNOW, J.R. (1975). The Effect of Six Chemicals for Disinfection on Largemouth Bass Eggs, *The Progressive Fish-Culturist*, **37(4)**: 213-217.
- XU, D. (1998). Search for probiotic bacterial strains in turbot (*Scophthalmus maximus*, L.) larviculture – Thesis submitted in partial fulfilment of the requirements for the academic degree of Master of Science in Aquaculture, Faculty of Agricultural and Applied Biological Sciences, Ghent University, 73p.
- YESAKI, T.Y., EK, R., SIPLE, J., VAN EENENNAAM, J.P., DOROSHOV, S.I. (2002). The effects of iodophor disinfection and transportation on the survival to hatch of fertilized white sturgeon (*Acipenser transmontanus*) eggs, *J. Appl. Ichthyol.*, **18**: 639-641.