

Bibliography

- Amano, M., M. Ito, et al. (1996). "Phosphorylation and activation of myosin by Rho-associated kinase (Rho-kinase)." J Biol Chem **271**(34): 20246-9.
- Bachmann, A., M. Schneider, et al. (2001). "Drosophila Stardust is a partner of Crumbs in the control of epithelial cell polarity." Nature **414**(6864): 638-43.
- Bamba, M., H. Sugihara, et al. (2008). "A case of multiple diffuse gastric carcinoma with regional expression of mutant E-cadherin." Virchows Arch **452**(5): 581-3.
- Barrett, K., M. Leptin, et al. (1997). "The Rho GTPase and a putative RhoGEF mediate a signaling pathway for the cell shape changes in Drosophila gastrulation." Cell **91**(7): 905-15.
- Benton, R. and D. St Johnston (2003). "Drosophila PAR-1 and 14-3-3 inhibit Bazooka/PAR-3 to establish complementary cortical domains in polarized cells." Cell **115**(6): 691-704.
- Bertet, C., L. Sulak, et al. (2004). "Myosin-dependent junction remodelling controls planar cell intercalation and axis elongation." Nature **429**(6992): 667-71.
- Bhat, M. A., S. Izaddoost, et al. (1999). "Discs Lost, a novel multi-PDZ domain protein, establishes and maintains epithelial polarity." Cell **96**(6): 833-45.
- Blankenship, J. T., S. T. Backovic, et al. (2006). "Multicellular rosette formation links planar cell polarity to tissue morphogenesis." Dev Cell **11**(4): 459-70.
- Bohl, J., N. Brimer, et al. (2007). "The stardust family protein MPP7 forms a tripartite complex with LIN7 and DLG1 that regulates the stability and localization of DLG1 to cell junctions." J Biol Chem **282**(13): 9392-400.
- Bowerman, B., M. K. Ingram, et al. (1997). "The maternal par genes and the segregation of cell fate specification activities in early Caenorhabditis elegans embryos." Development **124**(19): 3815-26.
- Campbell, K., E. Knust, et al. (2009). "Crumbs stabilises epithelial polarity during tissue remodelling." J Cell Sci **122**(Pt 15): 2604-12.
- Campos-Ortega, J.A. and Hartenstein, V. (1985). "The Embryonic development of *Drosophila melanogaster*". Springer-Verlag, Berlin.
- Castrillon, D. H. and S. A. Wasserman (1994). "Diaphanous is required for cytokinesis in Drosophila and shares domains of similarity with the products of the limb deformity gene." Development **120**(12): 3367-77.
- Crittenden, S. L., D. Rudel, et al. (1997). "Genes required for GLP-1 asymmetry in the early Caenorhabditis elegans embryo." Dev Biol **181**(1): 36-46.
- Davis, M. A., R. C. Ireton, et al. (2003). "A core function for p120-catenin in cadherin turnover." J Cell Biol **163**(3): 525-34.
- Delva, E. and A. P. Kowalczyk (2009). "Regulation of cadherin trafficking." Traffic **10**(3): 259-67.

- Foe, V. E. and B. M. Alberts (1983). "Studies of nuclear and cytoplasmic behaviour during the five mitotic cycles that precede gastrulation in *Drosophila* embryogenesis." J Cell Sci **61**: 31-70.
- Georgiou, M., E. Marinari, et al. (2008). "Cdc42, Par6, and aPKC regulate Arp2/3-mediated endocytosis to control local adherens junction stability." Curr Biol **18**(21): 1631-8.
- Guerra, M., J. H. Postlethwait, et al. (1973). "The development of the imaginal abdomen of *Drosophila melanogaster*." Dev Biol **32**(2): 361-72.
- Guo, S. and K. J. Kemphues (1995). "par-1, a gene required for establishing polarity in *C. elegans* embryos, encodes a putative Ser/Thr kinase that is asymmetrically distributed." Cell **81**(4): 611-20.
- Harris, T. J. and M. Peifer (2004). "Adherens junction-dependent and -independent steps in the establishment of epithelial cell polarity in *Drosophila*." J Cell Biol **167**(1): 135-47.
- Harris, T. J. and M. Peifer (2005). "The positioning and segregation of apical cues during epithelial polarity establishment in *Drosophila*." J Cell Biol **170**(5): 813-23.
- Harris, T. J. and M. Peifer (2007). "aPKC controls microtubule organization to balance adherens junction symmetry and planar polarity during development." Dev Cell **12**(5): 727-38.
- Harrison, D. A. and N. Perrimon (1993). "Simple and efficient generation of marked clones in *Drosophila*." Curr Biol **3**(7): 424-33.
- Hirano, Y., S. Yoshinaga, et al. (2004). "Solution structure of atypical protein kinase C PB1 domain and its mode of interaction with ZIP/p62 and MEK5." J Biol Chem **279**(30): 31883-90.
- Hirano, Y., S. Yoshinaga, et al. (2005). "Structure of a cell polarity regulator, a complex between atypical PKC and Par6 PB1 domains." J Biol Chem **280**(10): 9653-61.
- Hug, H. and T. F. Sarre (1993). "Protein kinase C isoenzymes: divergence in signal transduction?" Biochem J **291** (Pt 2): 329-43.
- Hurov, J. B., J. L. Watkins, et al. (2004). "Atypical PKC phosphorylates PAR-1 kinases to regulate localization and activity." Curr Biol **14**(8): 736-41.
- Hutterer, A., J. Betschinger, et al. (2004). "Sequential roles of Cdc42, Par-6, aPKC, and Lgl in the establishment of epithelial polarity during *Drosophila* embryogenesis." Dev Cell **6**(6): 845-54.
- Inoue, M., A. Kishimoto, et al. (1977). "Studies on a cyclic nucleotide-independent protein kinase and its proenzyme in mammalian tissues. II. Proenzyme and its activation by calcium-dependent protease from rat brain." J Biol Chem **252**(21): 7610-6.
- Irvine, K. D. and E. Wieschaus (1994). "Cell intercalation during *Drosophila* germband extension and its regulation by pair-rule segmentation genes." Development **120**(4): 827-41.

- Izumi, Y., T. Hirose, et al. (1998). "An atypical PKC directly associates and colocalizes at the epithelial tight junction with ASIP, a mammalian homologue of *Caenorhabditis elegans* polarity protein PAR-3." J Cell Biol **143**(1): 95-106.
- Joberty, G., C. Petersen, et al. (2000). "The cell-polarity protein Par6 links Par3 and atypical protein kinase C to Cdc42." Nat Cell Biol **2**(8): 531-9.
- Kallay, L. M., A. McNickle, et al. (2006). "Scribble associates with two polarity proteins, Lgl2 and Vangl2, via distinct molecular domains." J Cell Biochem **99**(2): 647-64.
- Karr, T. L. and B. M. Alberts (1986). "Organization of the cytoskeleton in early *Drosophila* embryos." J Cell Biol **102**(4): 1494-509.
- Katoh, M. (2004). "Identification and characterization of human GUKH2 gene in silico." Int J Oncol **24**(4): 1033-8.
- Keller, R. E. (1981). "An experimental analysis of the role of bottle cells and the deep marginal zone in gastrulation of *Xenopus laevis*." J Exp Zool **216**(1): 81-101.
- Kemphues, K. J., J. R. Priess, et al. (1988). "Identification of genes required for cytoplasmic localization in early *C. elegans* embryos." Cell **52**(3): 311-20.
- Keranen, L. M., E. M. Dutil, et al. (1995). "Protein kinase C is regulated in vivo by three functionally distinct phosphorylations." Curr Biol **5**(12): 1394-1403.
- Kim, S., I. Gailite, et al. (2009). "Kinase-activity-independent functions of atypical protein kinase C in *Drosophila*." J Cell Sci **122**(Pt 20): 3759-71.
- Knust, E., U. Tepass, et al. (1993). "crumbs and stardust, two genes of *Drosophila* required for the development of epithelial cell polarity." Dev Suppl: 261-8.
- Kuchinke, U., F. Grawe, et al. (1998). "Control of spindle orientation in *Drosophila* by the Par-3-related PDZ-domain protein Bazooka." Curr Biol **8**(25): 1357-65.
- Leibfried, A., R. Fricke, et al. (2008). "*Drosophila* Cip4 and WASp define a branch of the Cdc42-Par6-aPKC pathway regulating E-cadherin endocytosis." Curr Biol **18**(21): 1639-48.
- Lemmers, C., E. Medina, et al. (2002). "hINADI/PATJ, a homolog of discs lost, interacts with crumbs and localizes to tight junctions in human epithelial cells." J Biol Chem **277**(28): 25408-15.
- Leptin, M. and B. Grunewald (1990). "Cell shape changes during gastrulation in *Drosophila*." Development **110**(1): 73-84.
- Li, Q., T. Xin, et al. (2008). "Lethal(2)giant larvae is required in the follicle cells for formation of the initial AP asymmetry and the oocyte polarity during *Drosophila* oogenesis." Cell Res **18**(3): 372-84.
- Lock, J. G. and J. L. Stow (2005). "Rab11 in recycling endosomes regulates the sorting and basolateral transport of E-cadherin." Mol Biol Cell **16**(4): 1744-55.
- Margolis, J. and A. Spradling (1995). "Identification and behavior of epithelial stem cells in the *Drosophila* ovary." Development **121**(11): 3797-807.
- Martin, A. C., M. Kaschube, et al. (2009). "Pulsed contractions of an actin-myosin network drive apical constriction." Nature **457**(7228): 495-9.

- Matsui, T., M. Amano, et al. (1996). "Rho-associated kinase, a novel serine/threonine kinase, as a putative target for small GTP binding protein Rho." EMBO J **15**(9): 2208-16.
- Matter, K. and M. S. Balda (2003). "Functional analysis of tight junctions." Methods **30**(3): 228-34.
- Mavrakakis, M., R. Rikhy, et al. (2009). "Plasma membrane polarity and compartmentalization are established before cellularization in the fly embryo." Dev Cell **16**(1): 93-104.
- Mazumdar, A. and M. Mazumdar (2002). "How one becomes many: blastoderm cellularization in *Drosophila melanogaster*." Bioessays **24**(11): 1012-22.
- Medina, E., J. Williams, et al. (2002). "Crumbs interacts with moesin and beta(Heavy)-spectrin in the apical membrane skeleton of *Drosophila*." J Cell Biol **158**(5): 941-51.
- Messerschmidt, A., S. Macieira, et al. (2005). "Crystal structure of the catalytic domain of human atypical protein kinase C- ι reveals interaction mode of phosphorylation site in turn motif." J Mol Biol **352**(4): 918-31.
- Muller, H. A. (2003). "Epithelial polarity in flies: more than just crumbs." Dev Cell **4**(1): 1-3.
- Nagai-Tamai, Y., K. Mizuno, et al. (2002). "Regulated protein-protein interaction between aPKC and PAR-3 plays an essential role in the polarization of epithelial cells." Genes Cells **7**(11): 1161-71.
- Navarro, C., S. Nola, et al. (2005). "Junctional recruitment of mammalian Scribble relies on E-cadherin engagement." Oncogene **24**(27): 4330-9.
- Nelson, W. J. (2003). "Epithelial cell polarity from the outside looking in." News Physiol Sci **18**: 143-6.
- Nelson, W. J. (2008). "Regulation of cell-cell adhesion by the cadherin-catenin complex." Biochem Soc Trans **36**(Pt 2): 149-55.
- Ninov, N., D. A. Chiarelli, et al. (2007). "Extrinsic and intrinsic mechanisms directing epithelial cell sheet replacement during *Drosophila* metamorphosis." Development **134**(2): 367-79.
- Nobes, C. D. and A. Hall (1995). "Rho, rac, and cdc42 GTPases regulate the assembly of multimolecular focal complexes associated with actin stress fibers, lamellipodia, and filopodia." Cell **81**(1): 53-62.
- Oda, H., T. Uemura, et al. (1997). "Phenotypic analysis of null mutants for DE-cadherin and Armadillo in *Drosophila* ovaries reveals distinct aspects of their functions in cell adhesion and cytoskeletal organization." Genes Cells **2**(1): 29-40.
- Padash Barmchi, M., S. Rogers, et al. (2005). "DRhoGEF2 regulates actin organization and contractility in the *Drosophila* blastoderm embryo." J Cell Biol **168**(4): 575-85.
- Petronczki, M. and J. A. Knoblich (2001). "DmPAR-6 directs epithelial polarity and asymmetric cell division of neuroblasts in *Drosophila*." Nat Cell Biol **3**(1): 43-9.

- Pilot, F. and T. Lecuit (2005). "Compartmentalized morphogenesis in epithelia: from cell to tissue shape." Dev Dyn **232**(3): 685-94.
- Pollard, T. D., L. Blanchoin, et al. (2000). "Molecular mechanisms controlling actin filament dynamics in nonmuscle cells." Annu Rev Biophys Biomol Struct **29**: 545-76.
- Richard, M., N. Muschalik, et al. (2009). "A role for the extracellular domain of Crumbs in morphogenesis of Drosophila photoreceptor cells." Eur J Cell Biol **88**(12): 765-77.
- Rohatgi, R., H. Y. Ho, et al. (2000). "Mechanism of N-WASP activation by CDC42 and phosphatidylinositol 4, 5-bisphosphate." J Cell Biol **150**(6): 1299-310.
- Rolls, M. M., R. Albertson, et al. (2003). "Drosophila aPKC regulates cell polarity and cell proliferation in neuroblasts and epithelia." J Cell Biol **163**(5): 1089-98.
- Santoni, M. J., P. Pontarotti, et al. (2002). "The LAP family: a phylogenetic point of view." Trends Genet **18**(10): 494-7.
- Sotillos, S., M. T. Diaz-Meco, et al. (2004). "DaPKC-dependent phosphorylation of Crumbs is required for epithelial cell polarity in Drosophila." J Cell Biol **166**(4): 549-57.
- Spradling, A. C. (1993). "Germline cysts: communes that work." Cell **72**(5): 649-51.
- Sweeton, D., S. Parks, et al. (1991). "Gastrulation in Drosophila: the formation of the ventral furrow and posterior midgut invaginations." Development **112**(3): 775-89.
- Tabuse, Y., Y. Izumi, et al. (1998). "Atypical protein kinase C cooperates with PAR-3 to establish embryonic polarity in Caenorhabditis elegans." Development **125**(18): 3607-14.
- Tanentzapf, G., C. Smith, et al. (2000). "Apical, lateral, and basal polarization cues contribute to the development of the follicular epithelium during Drosophila oogenesis." J Cell Biol **151**(4): 891-904.
- Tepass, U. (1996). "Crumbs, a component of the apical membrane, is required for zonula adherens formation in primary epithelia of Drosophila." Dev Biol **177**(1): 217-25.
- Tepass, U., C. Theres, et al. (1990). "crumbs encodes an EGF-like protein expressed on apical membranes of Drosophila epithelial cells and required for organization of epithelia." Cell **61**(5): 787-99.
- Watanabe, N., P. Madaule, et al. (1997). "p140mDia, a mammalian homolog of Drosophila diaphanous, is a target protein for Rho small GTPase and is a ligand for profilin." EMBO J **16**(11): 3044-56.
- Wodarz, A., A. Ramrath, et al. (2000). "Drosophila atypical protein kinase C associates with Bazooka and controls polarity of epithelia and neuroblasts." J Cell Biol **150**(6): 1361-74.
- Yamada, S., S. Pokutta, et al. (2005). "Deconstructing the cadherin-catenin-actin complex." Cell **123**(5): 889-901.

- Yamanaka, T., Y. Horikoshi, et al. (2003). "Mammalian Lgl forms a protein complex with PAR-6 and aPKC independently of PAR-3 to regulate epithelial cell polarity." Curr Biol **13**(9): 734-43.
- Yamanaka, T., Y. Horikoshi, et al. (2001). "PAR-6 regulates aPKC activity in a novel way and mediates cell-cell contact-induced formation of the epithelial junctional complex." Genes Cells **6**(8): 721-31.