Referências Bibliográficas

A.A. Hill, C.P. Hunter, B.T. Tsung, G. Tucker-Kellogg, E.L. Brown. (2000). Genomic analysis of gene expression in C. elegans, Science 290: 809–812.

Anderson, D.P. & Jenney, G., 1992. Immunostimulants added to injected Aeromonas salmonicida bacterin enhance defence mechanisms and protection in rainbow trout (*Oncorhynchus mykiss*). Veterinary Immunology and Immunopathology 34 (3-4): 379-389.

Anderson, D.P. & Siwicki, A. K., 1994a. Duration and protection against Aeromonas salmonicida in book trout immunostimulated with glucan or chitosan by injection or immersion. Progressive Fish Culturist 56 (4): 258-261

Anderson, D.P. & Siwicki, A. K., 1994b. Assaying Nonspecific Defense Mechanisms in Fish: Monitoring Health, Immunization Regimens and Contaminant Exposure. In International on Aquatic Animal Health, Program and Abstracts. Univ. California, Seattle,WA (USA), 4-8 Sep. p.-73

Anderson, D.P., 1990. Immunological indicators: effects of environmental stress on immune protection and disease outbreaks. American Fisheries Society Symposium 8: 38-50.

Anderson, D.P., 1992. Immunostimulants, adjuvants and vaccine carries in fish: applications to aquaculture. Annual Review of Fish Diseases 2: 281-307

Atauri, J.A. & Lucio, J.V. de (2001). The role of landscape structure in species richness distribution of birds, amphibians, reptiles and lepidopterans in Mediterranean landscapes. Landscape Ecology, 16, 147 – 159.

Babin, Patrick J., Ange` le Tingaud-Sequeira, Jean Forgue, Miche` le André (2006). Epidermal Transient Down-Regulation of Retinol-Binding Protein 4 and Mirror Expression of Apolipoprotein Eb and Estrogen Receptor 2a During

Zebrafish Fin and Scale Development. Development Dynamics 235:3071–3079.

Benjamini, E.; Sunshine, G. & Leskowitz, S., 1996. Immunology. A short course. Wiley-Liss (Eds.). Third Edition. 484p.

Bereiter-Hahn J. 1986. Epidermal cell migration and wound repair. In: Bereiter-Hahn J, Matoltsy AG, Richards KS, editors. Biology of the integument Berlin: Springer Verlag. 2. Vertebrates. IX. 23:443– 471.

Bernerd, F.; Asselineau, D.; Frechet, M., Sarasin[b], A.and Magnaldo, T. (2005). Reconstruction of DNA Repair–deficient Xeroderma Pigmentosum Skin *In Vitro*: A Model to Study Hypersensitivity to UV Light. Photochemistry and Photobiology 81(1):19-24.

Borrego, J.J., 1997. Procesos patológicos de origen bacteriano en peces marinos cultivados. In Gonzáles De Canales, M.L.; Munõz-Cueto, J. A.; Sarasquete, C. (Eds.). histopatologia de Especies Marinas de Interés en Acuicultura. Servicio de Publicaciones de la Universidad de Cádiz. 35-46.

Burdak, V.D. (1979) Morphologie fonctionnelle du tégument écailleux des poissons. La Pensée Scientifique, Kiev (en russe), traduction française, Vol. spécial, Cybium, 10, 145.

Cerdà J., Mercadé J., Lozano,Manchado, Tingaud-Sequeira, Astola, Infante4, Halm5, Viñas, Castellana, Asensio, Cañavate, Gonzalo Martínez-Rodríguez, Francesc Piferrer, Planas J., Francesc Prat, Manuel Yúfera, Olga Durany, Francesc Subirada, Elisabet Rosell and Tamara Mães. (2008). Genomic resources for a commercial flatfish, the Senegalese sole (*Solea senegalensis*): EST sequencing, oligo microarray design, and development of the Soleamold bioinformatic platform. BMC Genomics 9:508.

Cole, A. M.; Weis, P. and Diamond G. (1997). Isolation and Characterization of Pleurocidin, an Antimicrobial Peptide in the Skin Secretions of Winter Flounder. The Journal of Biological Chemistry Vol. 272 (18):12008–12013.

Dalmo, R.A.; Ingebrigtsen, K. & Bøgwald J. (1997). Non-specific defence mechanisms in fish, with particular reference to the reticuloendothelial system (RES). Journal of Fish Diseases 20 (4): 241-273.

Darnell, James; Lodish, Harvey; Baltimore, David; Berk, Arnold; Zipursky, S.L.; Matsudaira, Paul (1995). Molecular Cell Biology. 3ª Edição Scientific American Books, Inc.

Ebran, N.; Julien, S.; Orange, N.; Auperin, B. and Molle, G. (2000). Isolation and characterization of novel glycoproteins from fish epidermal mucus: correlation between their pore- forming properties and their antibacterial activities. Biochimica et Biophysica Acta 1467: 271-280

Fänge, R., 1992. Fish blood cells. In Hoar, W. S.; Randall, D. J. & Farrel, A. P. (Eds.). Fish Physiology, Vol. XII, Parte B – The cardiovascular system. Academic Press, Inc., USA. 1-54.

Ferraresso, S.; Vitulo N.; Mininni, A.; Ronualdi, C.; Cardazzo, B.; Negrisolo, E.; Reinhardt, R.; Canario, A.; Patarnello, T. and Bargelloni, L.(2008). Development and validation of a gene expression oligo microarray for the gilthead sea bream (*Sparus aurata*). BMC Genomics, 9:580.

Fishelson, L. (1984) A comparative study of ridge-mazes on surface epithelial cellmembranes of fish scales (*Pisces, Teleostei*). Zoomorphology, 104: 231-238.

Franchi, Luigi; Warner, Neil; Viani, Kyle and Nuñez, Gabriel (2008). Function of Nod-like receptors in microbial recognition and host defense. Immunological Reviews Vol. 227 (1): 106-128.

Fujii, R. (1968) Fine structure of the collagenous lamella underlying the epidermis of the goby, Chasmichthys gulosus. Annot. Zool. Jpn, 41: 95-106.

Garrone, R.; Lethias, C. & Le Guellec, D. (1997). Distribuition of minor collagens during skin development. Microsc Res Tech, 38:407-412.

Giraud, M. M., Castanet, J.; Meunier, F.J. & Bouligand, Y. (1978). The fibrous structure of coelacanth scales: a twisted ´polywood`. Tissue Cell, 10:671-686.

Gomez-Guillen, M.-C., Turnay, J., Fernandez-Diaz, M.-D., Ulmo, N., Lizarbe, M. A., & Hickman C, Roberts L, Larson A, I`Anson H, Eisenhour D, (2004). Integrated Principles of Zoology. Thirteenth edition. McGraw-Hill International Edition. New York

Huang, Tony T.; D`Andrea, Alan D. (2006). Regulation of DNA repair by ubiquitylation. Nature Reviews Molecular Cell Biology, 7:323-334.

Jenney, G. & Anderson, D.P., 1993. Enhanced response and protection in rainbow trout to Aeromonas salmonicida bacterin following prior immersion in immunostimulants. Fish & Shellfish Immunology, 3: 51-58.

Junqueira, L.C., Carneiro, J., Kelley, R.O. (1995). Basic Histology: A Large Medical book. Eighth edition. Prentice-Ha5 µm ll International, Inc, USA.

Karaplis, A.C. & Goltzman,D. (2000). PTH and PTHrP effects on the skeleton . Rev. Endroc Metab Disord 1: 331-341.

Kudo, A.; Nemoto, Y.; Higuchi, K.; Baba, O. and Takano, Y. (2007) Multinucleate osteoclasts in medaka as evidence of active bone remodelling. Bone 40: 399–408

Kyoichi Azuma, Masaki Kobayashi, Masahisa Nakamura, Nobuo Suzuki, Sayaka Yashima, Shawichi Iwamuro, Mika Ikegame, Toshio Yamamoto d, Atsuhiko

Hattori. (2007). Two osteoclastic markers expressed in multinucleate osteoclasts of goldfish scales. Biochemical and Biophysical Research Communications 362: 594–600

Lall, S.P. & Oliver, G., 1993. Role of micronutrients in immune response and disease resistance in fish. In Fish Nutrition in Practice. INRA (Ed.). IVth International Symposium on Fish Nutrition and Feeding, Biarritz, June 24-27. 101-118.

Larsson, J.; Gunnarsson, L.; Kristiansson, E.; Förlin, L.; Nerman, O. and D G. (2007). Sensitive and robust gene expression changes in fish exposed to estrogen – a microarray approach. BMC Genomics, 8:149.

Le Guellec, Dominique; Morvan-Dubois, Ghislaine e Sire, Jean-Yves (2004). Skin development in bony fish with particular emphasis on collagen deposition in the dermis of the zebrafish (*Danio rerio*). Int. J. Dev. Biol., 48:217-231.

Lehane, D.B., McKie, N., Russell, R.G.G., Henderson, I.W., (1999). Cloning of a fragment of the osteonectin gene from goldfish, *Carassius auratus*: its expression and potential regulation by estrogen. General and Comparative Endocrinology 114, 80–87.

Lima, Nelson; Mota, Manuel (2003). Biotecnologia Fundamentos e Aplicações. Lidel edições técnicas.

Lynch MD, Gill RT, Stephanopoulos G. 2004. Mapping phenotypic landscapes using DNA micro-arrays. Metabolic Engineering, 6(3):177-185.

Manning, M., 1998. Immune defence systems. In Black, K & Pickering, A. (Eds.). Biology of Farmed Fish. Sheffield Academic Press. 180-221.

Manolagas, S.C. (2000). Birth and death of bone cells: basic regulatory mechanisms and implications for the pathogenesis and treatment of osteoporosis, Endocr. Rev. 21: 115– 137.

Mazona, Aurélia de Fátima; Declan Thomas Nolan, Robert A.C. Lockb, Sjoerd E. Wendelaar Bongab, Marisa Narciso Fernandes. (2007). Opercular epithelial cells: A simple approach for in vitro studies of cellular responses in fish. Toxicology 230: 53–63

Miller, P. J.; Loates, M. J. (1997). Fish of Britain and Europe. Harper Collins Publishers. London 288.

Mittal AK, Datta Munshi JS. 1974. On the regeneration and repair of superficial wounds in the skin of Rita rita (Ham) (*Bagridae, Pisces*). Acta Anat 88:424–442.

Montero, P. (2002). Structural and physical properties of gelatin extracted from different marine species: A comparative study. Food Hydrocolloids, 16: 25–34.

Norlén, L. (2001). Skin Barrier Structure and Function: The Single Gel Phase Model. Journal of Investigative Dermatology 117: 830–836.

Ohira, Yasuharu; Shimizu, Motohiro; Ura, Kazuhiro and Takagi, Yasuaki. 2007. Scale regeneration and calcification in goldfish *Carassius auratus*: quantitative and morphological processes. FISHERIES SCIENCE; 73: 46– 54

Oren, Z. And Shai, Y. (1996). A class of highly potent antibacterial peptides derived from pardaxin, a pore-forming peptide isolated from Moses sole fish *Pardachirus marmoratus.* Eur. Journal. Biochemistry; 237: 303-310.

Persson P, Björnsson BTh, Takagi Y. 1999. Characterization of morphology and physiological actions of scale osteoclasts in the rainbow trout. J. Fish Biol.; 54: 669- 684.

Persson P, Takagi Y, Björnsson BTh. 1995. Tartrate resistant acid phosphatase as a marker for scale resorption in rainbow trout, *Oncorhynchus mykiss*: effects of estradiol 17β treatment and refeeding. Fish Physiol. Biochem.; 14: 329–339.

Pfeiffer, W.; Sasse, D. and Arnold, M. (1971) Die Schreckstoffzellen von Phoxinus phoxinus und Morulius chrysophakedion (*Cyprinidae, Ostariophysi, Pisces*). Z. Zellforsch. michrosk. Anat., 118: 203-213.

Pillay, T. V. R. (1990). Aquaculture. Principles and Practices. Fishing News Books. Cambridge. p575.

Pinto, P.I.S.; Estêvão, M.D.; Redruello, B.; Socorro, S. M.; Canário, A.V.M.; Power, D.M.. (2009) Immunohistochemical detection of estrogen receptors in fish scales. General and Comparative Endocrinology 160: 19–29

Pollack SV. 1984. The wound healing process. Clin Dermatol 2:8 – 16.

Quilhac, A. and Sire, J.-Y. (1999) Spreading, proliferation and differentiation of the epidermis after wounding the cichlid fish, *Hemichromis bimaculatus*. Anat. Rec., 254: 435-451.

R. Miki, K. Kadota, H. Bono, Y. Mizuno, Y. Tomaru, P. Carninci, M. Itoh, K. Shibata, J. Kawai, H. Konno. (2001). Delineating developmental and metabolic pathways in vivo by expression profiling using RIKIEN set of 18,816 full-length enriched mouse cDNA arrays, Proc. Natl. Acad. Sci. USA 98: 2199–2204.

Raa, J., 1996. The use of immunostimulatory substances in fish and shellfish farming. Reviews in Fisheries Science 4 (3): 229-288.

Radice G. 1980a. The spreading of epidermal cells during wound closure in *Xenopus larvae*. Dev Biol 76:26–46.

Radice G. 1980b. Locomotion and cell-substrate contacts of Xenopus epidermal cells *in vitro* and *in situ*. J Cell Science44:201–223.

Redruello, B., Estevao, M.D., Rotllant, J., Guerreiro, P.M., Anjos, L.I., Canario, A.V., Power, D.M., (2005). Isolation and characterization of piscine osteonectin and downregulation of its expression by PTH-related protein. J. Bone Miner. Res. 20: 682–692.

Rovira i Pato, L., 1998. Molècules aglutinants en la resposta humoral dels peixos Teleostis. Influència de l´estrès. La maladia d`hivern en l`orada, *Sparus aurata*. Tesi Doctoral, Bellaterra (Cerdanyola del Vallès), Universitat Autónoma de Barcelona. 209.

Saldanha, L. (1997) Fauna Submarina Atlântica. 3ª Edição. Publicações Europa-América. Lisboa. 364p

Sarropoulou, E.; Kotoulas, G.; Power, D.; and Geisler, R. (2005). Gene expression profiling of gilthead sea bream during early development and detection of stress-related genes by the application of cDNA microarray technology. *Physiol Genomics* 23: 182–191.

Schena M, Shalon D, Davis RW, Brown PO. 1995. Quantitative Monitoring Of Gene-Expression Patterns With A Complementary - Dna Microarray. Science, 270(5235):467-470.

Schmitz, B.; Papan, C. and Campos-Ortega, J.A. (1993) Neurulation in the anterior trunk region of the zebrafish *Brachydanio rerio*. Roux's Arch. Dev. Biol. 202: 250-259.

Sire J.-Y. and Quilhac, A. (1997). Scale development in zebrafish (*Danio rerio*). Journal of Anatomy 190:4:545-561.

Sire J.-Y. and Akimenko M.-A. 2004. Scale development in fish: a review, with description of sonic hedgehog (shh) expression in the zebrafish (*Danio rerio*). Int. J. Dev. Biol. 48: 233-247

Sire J-Y, Géraudie J. 1984. Fine structure of regenerating scales and their associated cells in the cichlid *Hemichromis bimaculatus* (Gill). Cell Tissue Res.; 237: 537–547.

Sire, J.-Y. (1986) Ontogenic development of surface ornamentation in the scales of *Hemichromis bimaculatus (Cichlidae*). J. Fish. Biol., 28: 713-724.

Sire, J.-Y. and Huysseune, A. (2003) Formation of skeletal and dental tissues in fish: A comparative and evolutionary approach. Biol. Rev., 78: 219-249.

Sire, J.-Y. e Akimenko, Marie-Andrée (2004). Scale development in fish: a review,with description of sonic hedgehog (shh) expression in the zebrafish (*Danio rerio*). Int. J. Dev. Biol., 48:233-247

Siwicki, A.K & Anderson, D.P., 1993a. The immune system of fish. In Siwicki, A.K & Anderson, D.P & Waluga, J. (Eds.). Fish Disease Diagnosis and Preventions Methods. Wydawnictwo Instytutu Rybactwa Strodladowego, Olsztyn, Poland, 7-10.

Suzuki N, Suzuki T, Kurokawa T. 2000. Suppression of osteoclastic activities by calcitonin in the scales of goldfish (freshwater teleost) and nibbler fish (seawater teleost). Peptides 21: 115–124

Tews, J.; Brose, U.; Grimm, V.; Tielbo¨rger, K.; Wichmann, M. C.; Schwager, M. and Jeltsch, F. (2004). Animal species diversity driven by habitat heterogeneity/diversity: the importance of keystone structures. Journal of Biogeography (J. Biogeogr.) 31, 79 – 92.

Ton, Christopher; Stamatiou, Dimitri; Dzau, Victor J. and Liew, Choong-Chin. (2002). Construction of a zebrafish cDNA microarray: gene expression profiling of the zebrafish during development Biochemical and Biophysical Research Communications 296: 1134–1142

Vanable JW. 1989. Integumentary potentials and wound healing. In: Electric fields in vertebrates repair. New York: Alan R. Liss, Inc. 5:171–224.

Walker, WF (1987). Functional Anatomy of the Vertebrates – An Evolutionary perspective. Saunders College Publishing, USA

Wedemeyer, G.A., 1996. Physiology of fish in intensive culture systems. Chapman & Hall (Eds.). 232p.

Whitear, M (1971.1a). The free nerve endings in fish epidermis. J. Zool., Lond., 163: 231-236.

Whitear, M. (1971b). Cell specialisation and sensory function in fish epidermis. J. Zool., Lond., 163: 237-264.

Whitear, M. (1977). A functional comparison between the epidermis of fish and of amphibians. Symp. Zool. Soc. Lond., 39:291-313

Whitear, M. (1986). The skin of fishes including cyclostomes. Epidermis. Dermis. In: Biology of the Integument. 2. Vertebrates (Bereiter-Hahn, J., Matoltzy, A.G. and Richards, S., eds), Springer-Verlag, Heidelberg pp. 8-64.

Yoshikubo, H. N. Suzuki, K. Takemura, M. Hoso, S. Yashima, S. Iwamuro, Y. Takagi, M.J. Tabata, A. Hattori, .(2005). Osteoblastic activity and estrogenic response in the regenerating scale of goldfish, a good model of osteogenesis, Life Sci. 76: 2699–2709.

Yu, Benjamin D.; Mukhopadhyay, Anandaroop; Wong, Crystal. (2008). Skin and hair: models for exploring organ regeneration. Human Molecular Genetics 17:54-59.

[1] - www.roche.pt/e-books/files/pdfs/dexpantenol2.pdf

[2] - www.concise.britannica.com

[3] - www.geneontology.org/