
V. Bibliografia

- Andersen, S.S., Ashford, A.J., Tournebize, R., Gavet, O., Sobel, A., Hyman, A. A. & Karsenti, E. (1997) Mitotic chromatin regulates phosphorylation of Stathmin/Op18. *Nature*, 389: 640–643.
- Baker, D. J., Dawlaty, M. M., Galardy, P. & van Deursen, J. M. (2007). Mitotic regulation of the anaphase-promoting complex. *Cell. Mol. Life Sci.*, 64: 589-600.
- Bardin, A. J., Visintin, R. & Amon, A. (2000). A mechanism for coupling exit from mitosis to partitioning of the nucleus. *Cell*, 102: 21–31.
- Bardin, A. J. & Amon, A. (2001). MEN and SIN: what's the difference? *Nat. Rev. Mol. Cell Biol.*, 2: 815-826.
- Bharadwaj, R. & Yu, H. (2004). The spindle checkpoint, aneuploidy, and cancer. *Oncogene*, 23: 2016-2027.
- Bosi, W. J. & Li, R. (2005). Mitotic-Exit Control as an Evolved Complex System. *Cell*, 121: 325-333.
- Bowman, S. K., Neumüller, R. A., Novatchkova, M., Du, Q. & Knoblich, J. A. (2006). The Drosophila NuMA Homolog Mud Regulates Spindle Orientation in Asymmetric Cell Division. *Dev. Cell*, 10: 731-742.
- Brestscher, A., Edwards, K. & Fehon, R. G. (2002). ERM proteins and merlin: integrators at the cell cortex. *Nat. Rev. Mol. Cell Biol.*, 3: 586-599.
- Cassimeris, L. & Skibbens, R. V. (2003). Regulated assembly of the mitotic spindle: A perspective from two ends. *Curr. Issues Mol. Biol.*, 5: 99-112.
- Chang, F., Wollard, A. & Nurse, P. (1996). Isolation and characterization of fission yeast mutants defective in the assembly and placement of the contractile actin ring. *J. Cell Sci.*, 109: 131–142.
- Civelekoglu-Scholey, G. & Scholey, J. M. (2010). Mitotic force generators and chromosome segregation. *Cell. Mol. Life Sci.*, 67: 2231-2250.
- Citterio, S., Albertini, E., Varotto, S., Feltrin, E., Soattin, M., Marconi, G., Sgorbati, S., Lucchin, M. & Barcaccia, G. (2005). Alfalfa Mob1-like genes are expressed in

- reproductive organs during meiosis and gametogenesis. *Plant Molecular Biology*, 58: 789–807.
- Cleveland, D.W., Mao, Y. & Sullivan, K.F. (2003). Centromeres and kinetochores: from epigenetics to mitotic checkpoint signaling. *Cell*, 112: 407–421.
- Cohen-Fix, O., Peters, J. M., Kirschner, M. W. & Koshland, D. (1996). Anaphase initiation in *Saccharomyces cerevisiae* is controlled by the APC-dependent degradation of the anaphase inhibitor Pds1p. *Genes & Dev.*, 10: 3081-3093.
- Cohen-Fix, O. & Koshland, D. (1999). Pds1p of budding yeast has dual roles: inhibition of anaphase initiation and regulation of mitotic exit. *Genes & Dev.*, 13: 1950-1959.
- Colman-Lerner, A., Chin, T. & Brent, R. (2001). Yeast Cbk1 and Mob2 activate Daughter-Specific Genetic Programs to induce asymmetric Cell Fates. *Cell*, 107: 739-750.
- Compton, D. A. (2000). Spindle assembly in animal cells. *Annu. Rev. Biochem.*, 69: 95-114.
- Cong, J., Geng, W., He, B., Liu, J., Charlton, J. & Adler, P. N. (2001). The furry gene of *Drosophila* is important for maintaining the integrity of cellular extension during morphogenesis. *Development*, 128: 2793-2802.
- Dahmann, C. (2008). *Drosophila – Methods and Protocols*. Humana Press. Totowa.
- Daire, V. & Poüs, C. (2011). Kinesins and protein kinases: key players in the regulation of microtubule dynamics and organization. *Arch. Biochem. Biophys.*, 510: 83-92.
- De Antoni, A., Pearson, C. G., Cimini, D., Canman, J. C., Sala, V., Nezi, L., Mapelli, M., Sironi, L., Faretta, M., Salmon, E. D., Musacchio, A. (2005). The Mad1/Mad2 complex as a template for Mad2 activation in the spindle assembly checkpoint. *Curr. Biol.*, 15: 214-225.
- den Elzen N. & Pines, J. (2001). Cyclin A Is Destroyed in Prometaphase and Can Delay Chromosome Alignment and Anaphase. *J. Cell Biol.*, 153: 121-135.
- Domingues, C. (2005). Caracterização das proteínas do tipo Mob1 em *Drosophila*: Dmob4 é um novo gene supressor de tumores. Tese de Doutoramento, Universidade de Lisboa, Lisboa.
- Douglas. M. E. & Mishima, M. (2010). Still entangled: Assembly of the central spindle by multiple microtubule modulators. *Semin. Cell Dev. Biol.*, 21: 899–908.

- Dubnau, J., Chiang, A. S., Grady, L., Barditch, J., Gossweiler, S., McNeil, J., Smith, P., Buldoc, F., Scott, R., Certa, U., Broger, C. & Tully, T. (2003). The staufen/pumilio pathway is involved in *Drosophila* long-term memory. *Curr. Biol.*, 13: 286-296.
- Dumont, S. & Mitchison, T. J. (2009). Force and length in the mitotic spindle. *Curr. Biol.*, 19: R749–R761.
- Edgar, B. A., Lehman, D. A. & O’Farrell, P. H. (1994). Transcriptional regulation of string (*cdc25*): a link between developmental programming and the cell cycle. *Development*, 120: 3131-3143.
- Emoto, K., He, Y., Ye, B., Grueber, W. B., Adler, P. N. & Jan, L. Y. (2004). Control of dendritic branching and tiling by the Tricornered-kinase/Furry signaling pathway in *Drosophila* sensory neurons. *Cell*, 119: 245-256.
- Emre, D., Terracol, R., Poncet, A., Rahmani, Z. & Karess, R. E. (2011). A mitotic role for Mad1 beyond the spindle checkpoint. *J. Cell Sci.*, 124: 1664-1671.
- Esteves, S. (2009). Regulation of mitotic exit in higher eukaryotes: *Drosophila* mob genes. Tese de Mestrado, Universidade de Lisboa, Lisboa.
- Farr, K. A. & Cohen-Fix, O. (1999). The metaphase to anaphase transition: a case of productive destruction. *Eur. J. Biochem.*, 263: 14-19.
- Funabiki, H., Yamano, H., Kumada, K., Nagao, K., Hunt, T. & Yanagida, M. (1996). Cut2 proteolysis required for sister-chromatid separation in fission yeast. *Nature*, 381: 438-441.
- Flemming, W. (1882). *Zellsubstanz, Kern und Zelltheilung*, Vogel. Leipzig.
- Florindo, C. (2004). Estudo dos genes humanos tipo Mob: hsMob4A e hsMob4B. Tese de Doutoramento, Universidade Nova de Lisboa, Lisboa.
- Gadde, S. & Heald, R. (2004). Mechanisms and molecules of the mitotic spindle. *Curr. Biol.*, 14: R797–R805.
- Gaglio, T., Saredi, A. & Compton, D. A. (1995). NuMA is required for the organization of microtubules into aster-like mitotic arrays. *J. Cell Biol.*, 131: 693-708.
- Galla, G., Zenoni, S., Marconi, G., Marino, G., Botton, A., Pinoso, F., Citterio, S., Ruperti, B., Palme, K., Albertini, E., Pezzotti, M., Mau. M., Sharbel, T. F., Storme, N., Geelen, D.

- & Barcaccia, G. (2011). Sporophytic and gametophytic functions of the cell cycle-associated Mob1 gene in *Arabidopsis thaliana* L. *Gene*, 484: 1-12.
- Gallant, P. & Nigg, E. A. (1994). Identification of a novel vertebrate cyclin: cyclin B3 shares properties with both A- and B-type cyclins. *EMBO J.*, 13: 595-605.
- Gandhi, R., Bonaccorsi, S., Wentworth, D., Doxsey, S., Gatti, M. & Pereira, A. (2004). The *Drosophila* kinesin-like protein KLP67A is essential for mitotic and male meiotic spindle assembly. *Mol. Biol. Cell*, 15: 121-131.
- Garret, M. D. (2001). Cell cycle control and cancer. *Curr. Sci.*, 81: 515- 522.
- Geng, W., He, B., Wang, M. & Adler, P. N. (2000). The tricornered gene, which is required for the integrity of epidermal cell extension, encodes the *Drosophila* nuclear DBF2-related kinase. *Genetics*, 156: 1817-1828.
- Glotzer, M. (2001). Animal cell cytokinesis. *Annu. Rev. Cell Dev. Biol.*, 17: 351-386.
- Goshima, G., Wollmann, R., Goodwin, S. S., Zhang, N., Scholey, J. M., Vale, R. D. & Stuurman, N. (2007). Genes required for mitotic spindle assembly in *Drosophila* S2 cells. *Science*, 316: 417-421.
- Goshima, G. & Scholey, J. M. (2010). Control of mitotic spindle length. *Annu. Rev. Cell Dev. Biol.*, 26: 21-57.
- Goyal, A., Takaine, M., Simanis, V. & Nakano, K. (2011). Dividing the Spoils of Growth and the Cell Cycle: The Fission Yeast as a Model for the Study of Cytokinesis. *Cytoskeleton*, 68: 69-88.
- Guertin, D. A., Trautmann, S. & McCollum, D. (2002). Cytokinesis in Eukaryotes. *Micribiol. Mol. Biol. Rev.*, 66: 155-178.
- Gunbin, K. V., Suslov, V. V., Turnaev, I. I., Afonnikov, D. A. & Kolchanov, N. A. (2011). Molecular evolution of cyclin proteins in animals and fungi. *BMC Evol Biol.*, 11: 224-244.
- He, B. & Adler, P. N. (2002). The genetic control of arista lateral morphogenesis in *Drosophila*. *Dev. Genes Evol.*, 212: 218-229.
- He, Y., Emoto, K., Fang, X., Ren, N., Tian, X., Jan, Y. & Adler, P. N. (2005). *Drosophila* Mob Family Proteins Interact with the Related Tricornered (Trc) and Warts (Wts) Kinases. *Mol. Biol. Cell*, 16: 4139-4152.

- Hoffman, I., Clarke, P.R., Marcote, M.J., Karsenti, E. & Draetta, G. (1993). Phosphorylation and activation of human cdc25-C by cdc2-cyclin B and its involvement in the self-amplification of MPF at mitosis. *EMBO J.*, 12: 53-63.
- Hou, M., Salek, J. & McCollum, D. (2000). Mob1p interacts with the Sid2p kinase and is required for cytokinesis in fission yeast. *Curr. Biol.*, 10: 619–622.
- Hou, M., Wiley, D., Verde, F. & McCollum, D. (2002). Mob2p interacts with the protein kinase Orb6p to promote coordination of cell polarity with cell cycle progression. *J. Cell Biol.*, 116: 125-135.
- Inoue S. & Salmon, E.D. (1995). Force generation by microtubule assembly/disassembly in mitosis and related movements. *Mol. Biol. Cell*, 6: 1619–40.
- Izaddoost, S., Nam, S. C., Bhat, M. A., Bellen, H. J. & Choi, K. W. (2002). Drosophila Crumbs is a positional cue in photoreceptor adherens junctions and rhabdomeres. *Nature*, 416: 178-183.
- Jackman, M., Firth, M. & Pines, J. (1995). Human cyclins B1 and B2 are localized to strikingly different structures: B1 to microtubules, B2 primarily to the Golgi apparatus. *EMBO J.*, 14: 1646-1654.
- Justice, R. W., Zilian, O., Woods, D. F., Noll, M. & Bryant, P. J. (1995). The Drosophila tumor suppressor gene warts encodes a homolog of human myotonic dystrophy kinase and is required for the control of cell shape and proliferation. *Genes Dev.*, 9: 534-546.
- Komarnitsky, S., Chiang, Y., Luca, F., Chen, J., Toyn, J., Winey, M., Johnston, L. & Denis, C. (1998). DBF2 Protein kinase Binds to and Acts through the Cell Cycle-Regulated MOB1 Protein. *Mol. Cell. Biol.*, 18: 2100-2107.
- Kumada, K., Nakamura, T., Nagao, K., Funabiki, H., Nakagawa, T. & Yanagida, M. (1998). Cut1 is loaded onto the spindle by binding to Cut2 and promotes anaphase spindle movement upon Cut2 proteolysis. *Curr. Biol.*, 8: 633-641.
- Kwon, M. & Scholey, J. M. (2004). Spindle mechanics and dynamics during mitosis in Drosophila. *Trends Cell Biol.*, 14: 194-205.
- Lai, Z. C., Wei, X., Shimizu, T., Ramos, E., Rohrbaugh, M., Nikolaidis, N., Ho, L. L. & Li, Y. (2005). Control of cell proliferation and apoptosis by mob as tumor suppressor, mats. *Cell*, 120: 675-685.

- Lee, S. E., Frenz, L. M., Wells, N. J., Johnson, A. L. & Johnston, L. H. (2001). Order of function of budding-yeast mitotic exit-network proteins Tem1, Cdc15, Mob1, Dbf2, and Cdc5. *Curr. Biol.*, 11: 784-788.
- Leismann, O. & Lehner, C. F. (2003). Drosophila securin destruction involves a D-box and a KEN-box and promotes anaphase in parallel with Cyclin A degradation. *J Cell Sci.*, 116: 2453-2460.
- Lew, D. J. & Burke, D. J. (2003). The spindle assembly and spindle position checkpoints. *Annu. Rev. Genet.*, 37: 251-282.
- Lew, D. J. & Kornbluth, S. (1996). Regulatory roles of cyclin-dependent kinase phosphorylation in cell cycle control. *Curr. Opin. Cell Biol.*, 8: 795-804.
- Lim, H. H. & Surana, U. (2003). Tome-1, wee1, and the Onset of Mitosis: Coupled Destruction for Timely Entry. *Mol. Cell*, 11: 845-851.
- Liu, L., Lin, C. & Fan, S. (2009). Function of *Drosophila* mob2 in photoreceptor morphogenesis. *Cell Tissue Res.*, 338: 377-389.
- Luca, F. C. & Winey, M. (1998). MOB1, an Essential Yeast Gene Required for Completion of Mitosis and Maintenance of Ploidy. *Mol. Biol. Cell*, 9: 29-46.
- Luca, F. C., Manaly, M., Kurischko, C., Roof, D. M., Giddings, T. H. & Winey, M. (2001). *Saccharomyces cerevisiae* Mob1p is required for cytokinesis and mitotic exit. *Mol. Cell Biol.*, 21: 6972-6983.
- Mah, A. S., Jang, J. & Deshaies, R. J. (2001). Protein kinase Cdc15 activates the Dbf2-Mob1 kinase complex. *PNAS*, 98: 7325-7330.
- Maiato, H. (2010). Mitosis: wisdom, knowledge, and information. *Cell. Mol. Life Sci.* 67: 2141-2143.
- Mapelli, M., Massimiliano, L., Santaguida, S. & Musacchio, A. (2007). The Mad2 conformational dimer: structure and implications for the spindle assembly checkpoint. *Cell*, 131: 730-743.
- Maresca, T. J. & Salmon, E. D. (2010). Welcome to a new kind of tension: translating kinetochore mechanics into a wait-anaphase signal. *J. Cell Sci.*, 123: 825-835.

- Marklund, U., Larsson, N., Gradin, H. M., Brattsand, G., Gullberg, M. (1996). Oncoprotein 18 is a phosphorylation-responsive regulator of microtubule dynamics. *EMBO J.*, 15: 5290–5298.
- Matsun, D. R. & Stukenberg, P. T. (2011). Spindle Poisons and Cell Fate: A Tale of Two Pathways. *Mol. Interv.*, 11: 141-150.
- McCollum, D., & Gould, K. L. (2001). Timing is everything: regulation of mitotic exit and cytokinesis by the MEN and SIN. *Trends Cell Biol.*, 11: 89–95.
- Merdes A., Raymar K., Vechio J. D. & Cleveland D. W. (1996). A complex of NuMA and cytoplasmic dynein is essential for mitotic spindle assembly. *Cell* 87: 447–58.
- Mitchison, T. & Kirschner, M. (1984). Dynamic instability of microtubule growth. *Nature*, 312: 237 – 242.
- Mueller, P. R., Coleman, T. R., Kumagai, A. & Dunphy, W. G. (1995). Myt1: A Membrane-Associated Inhibitory Kinase That Phosphorylates Cdc2 on Both Threonine-14 and Tyrosine-15. *Science*, 270: 86-90.
- Musacchio, A. & Hardwick, K. (2002). The spindle checkpoint: structural insights into dynamic signaling. *Nat. Rev. Mol. Cell Biol.*, 3: 731-741.
- Nezi, L. & Musacchio, A. (2009). Sister chromatid tension and the spindle assembly checkpoint. *Curr. Opin. Cell. Biol.*, 21: 785-795.
- Oliferenko, S., Chew, T. G. & Balasubramanian, M. K. (2009). Positioning cytokinesis. *Genes & Dev.*, 23: 660–674.
- Oliveira R.A. & Nasmyth, K. (2010). Getting through anaphase: splitting the sisters and beyond. *Biochem. Soc. Trans.*, 38: 1639-1644.
- Pellikka, M., Tanentzapf, G., Pinto, M., Smith, C., McGlade, C. J., Ready, D. F. & Tepass, U. (2002). Crumbs, the Drosophila homologue of human CRB1/RP12, is essential for photoreceptor morphogenesis. *Nature*, 416: 143-149.
- Pines, J. & Rieder, C. L. (2001). Re-staging mitosis: a contemporary view of mitotic progression. *Nat. Cell Biol.*, 3: E3-6.
- Pierce, B. A. (2006). Genetics – A Conceptual Approach. 2nd Edition. W. H. Freeman and Company, New York.

- Potter, C. J., Turenchalk, G. S. & Xu, T. (2000). *Drosophila* in cancer research: an expanding role. *Trends Genet.*, 16: 33-39.
- Rahmani, Z., Gagou, M. E., Lefebvre, C., Emre, D. & Karess, R. E. (2009). Separating the spindle, checkpoint, and timer functions of BubR1. *J. Cell Biol.*, 187: 597-605.
- Racki, W.J., Becam, A.M., Nasr, F. & Herbert, C.J. (2000). Cbk1p, a protein similar to the human myotonic dystrophy kinase, is essential for normal morphogenesis in *Saccharomyces cerevisiae*. *EMBO J.*, 19: 4524-4532.
- Reed, B. H. (1995). *Drosophila* development pulls the strings of the cell cycle. *Bioessays*, 17: 553-556.
- Rogers, G. C., Rogers, S. L. & Sharp, D. J. (2005). Spindle microtubules in flux. *J. Cell Biol.*, 118: 1105-1116.
- Salimova, E., Sohrmann, M., Fournier, N. & Simanis, V. (2000). The *S. pombe* orthologue of the *S. cerevisiae* mob1 gene is essential and functions in signalling the onset of septum formation. *J. Cell Sci.*, 113: 1695-1704.
- Samora, C. (2007). Via de saída de mitose em *Drosophila melanogaster*: análise de mutantes nos genes tipo Mob. Tese de Mestrado, Universidade de Lisboa, Lisboa.
- Savoian, M. S., Gatt, M. K., Riparbelli, M. G., Callaini, G. & Glover, D. M. (2004). *Drosophila* Klp67A is required for proper chromosome congression and segregation during meiosis I. *J. Cell Sci.*, 117: 3669-3677.
- Schulte, J., Sepp, K. J., Jorguera, R. A., Wu, C., Song, Y., Hong, P. & Littleton, J. T. (2010). DMob4/Phocein regulates synapse formation, axonal transport, and microtubule organization. *J. Neurosci.*, 30: 5189-5203.
- Shou, W., Seol, J. H., Shevchenko, A., Baskerville, C., Moazed, D., Chen, Z. W., Jang, J., Charbonneau, H. & Deshaies, R. J. (1999). Exit from mitosis is triggered by Tem1-dependent release of the protein phosphatase Cdc14 from nucleolar RENT complex. *Cell*, 97: 233-244.
- Sironi, L., Mapelli, M., Knapp, S., De Antoni, A., Jeang, K. T. & Musacchio, A. (2002). Crystal structure of the tetrameric Mad1-Mad2 core complex: implications of a 'safety belt' binding mechanism for the spindle checkpoint. *EMBO J.*, 21: 2496-2506.
- Staight, A. F. & Field, C. M. (2000). Microtubules, membranes and cytokinesis. *Curr. Biol.*, 10: R760-R770.

- Stanton, R. A., Gernert, K. M., Nettles, J. H. & Aneja, R. (2011). Drugs That Target Dynamic Microtubules: A New Molecular Perspective. *Med. Res. Rev.*, 31: 443-481.
- Stratmann, R. & Lehner, C.F. (1996). Separation of sister chromatids in mitosis requires the *Drosophila* pimples product, a protein degraded after the metaphase/anaphase transition. *Cell*, 84: 25-35.
- Takizawa, C. G. & Morgan, D. O. (2000). Control of mitosis by changes in the subcellular location of cyclin-B1-Cdk1 and Cdc25. *Curr. Opin. Cell Biol.*, 12: 658-665
- Tanaka, T. U. (2010). Kinetochore–microtubule interactions: steps towards bi-orientation. *EMBO J.*, 29: 4070–4082.
- Tanenbaum, M. E. & Medema, R. H. (2010). Mechanisms of Centrosome Separation and Bipolar Spindle Assembly. *Developmental Cell*, 19: 797-806.
- Tavares, A., Gonçalves, J., Florindo, C., Tavares, A. A. & Soares, H. Mob1: defining cell polarity for proper cell division. Unpublished Results
- Timofeev, O., Cizmecioglu, O. Settele, F., Kempf, T. & Hoffmann, I. (2010). Cdc25 Phosphatases Are Required for Timely Assembly of CDK1-Cyclin B at the G2/M Transition. *J. Biol. Chem.*, 285:1698-16990.
- Toyn, J. H., & Johnston L. H. (1993). Spo12 is a limiting factor that interacts with the cell cycle protein kinases Dbf2 and Dbf20, which are involved in mitotic chromatin disjunction. *Genetics*, 135: 936–971.
- Trammell, M. A., Mahoney, N. M., Agard, D. A. & Vale, R. D. (2008). Mob4 plays a role in spindle focusing in *Drosophila* S2 cells. *J. Cell Sci.*, 121: 1824-1292.
- Tran, P. T., Marsh, L., Doye, V., Inoue, S. & Chang, F. (2001). A mechanism for nuclear positioning in fission yeast based on microtubule pushing. *J. Cell Biol.*, 153: 397–411.
- Uhlmann, F. (2001). Secured cutting: controlling separase at the metaphase to anaphase transition. *EMBO Rep.*, 2: 487-492.
- Vasquez, R.J., Gard, D. L. & Cassimeris, L. (1999). Phosphorylation by CDK1 regulates XMAP215 function *in vitro*. *Cell Motil. Cytoskel.*, 43: 310–321.
- Verde, F. (1998). On growth and form: control of cell morphogenesis in fission Yeast. *Curr. Opin. Microbiol.*, 1: 712-718.

- Visintin, R., Hwang, E. S. & Amon, A. (1999). Cfi1 prevents premature exit from mitosis by anchoring Cdc14 phosphatase in the nucleolus. *Nature*, 398: 818–823.
- Vodermaier, H. C. (2004). APC/C and SCF: controlling each other and the cell cycle. *Curr. Biol.*, 14: R787-796.
- Walczak, C. (2000). Microtubule dynamics and tubulin interacting proteins. *Curr. Opin. Cell Biol.*, 12: 52-56.
- Wang, H., Oliferendo, S. & Balasubramanian, M. K. (2003). Cytokinesis: relative alignment of the cell division apparatus and the mitotic spindle. *Curr. Opin. Cell Biol.*, 15: 82-87.
- Weiss, E., Kurischko, C., Zhang, C., Shokat, K., Drubin, D. G. & Luca, F. C. (2002). The *Saccharomyces cerevisiae* Mob2p-Cbk1p kinase complex promotes polarized growth and acts with the mitotic exit network to facilitate daughter cell-specific localization of Ace2p transcription factor. *J. Cell Biol.*, 158: 885-900.
- Yamamoto, A., Guacci, V. & Koshland, D. (1996). Pds1p, an inhibitor of anaphase in budding yeast, plays a critical role in the APC and checkpoint pathway(s). *J. Cell Biol.*, 133: 99-110.
- Yang, M., Li, B., Liu, C. J., Tomchick, D. R., Machius, M., Rizo, J., Yu, H. & Luo, X. (2008). Insights into mad2 regulation in the spindle checkpoint revealed by the crystal structure of the symmetric mad2 dimer. *PLoS Biol.*, 6: e50.
- Ye, X., Nikolaidis, N., Nei, M. & Lai, Z. (2009). Evolution of the mob Gene Family. *The Open Cell Signal. J.*, 1: 1-11.
- Xu, T., Wang, W., Zhang, S., Stewart, R. A. & Yu, W. (1995). Identifying tumor suppressors in genetic mosaics: the *Drosophila* lats gene encodes a putative protein kinase. *Development*, 121: 1053-1063.
- Zachariae, W. & Nasmyth, K. (1999). Whose end is destruction: cell division and the anaphase-promoting complex. *Genes Dev.*, 13: 2039-2058.
- Zeng, C. (2000). NuMA: a nuclear protein involved in mitotic centrosome function. *Microsc. Res. Tech.*, 49: 467-477.

Bases de Datos:

- Flybase: <http://flybase.org/>
- Mouse Genome Informatics: <http://www.informatics.jax.org/>
- Rat Genome Database: <http://rgd.mcw.edu/>
- Xenbase: <http://www.xenbase.org/>